



Episode **Introduction to IPv6** 

title:

1.4 Given a scenario, configure a subnet and use appropriate IP addressing schemes Objective:

2.3 Given a scenario, configure and deploy common Ethernet switching features

### **Key Terms**



- IPv4 address 184.125.22.13
- IPv4 range 000.000.000.000 255.255.255.255
- (555)111-0231
- 0011-231-5464721627
- 128-bit
- IPv6 address a0f0:0001:0000:0001:0000:0001:0000:1234
- Address space 2<sup>128</sup>
- Aggregation
- IPv6 is fast
- · Self configuration
- Neighbor Discovery Protocol (NDP)

CompTIA Network+



- IPv6 addresses are 128 bits and have a much larger address space than IPv4
- IPv6 addresses have 8 segments separated by 7 colons
- IPv6 allows data to move much faster through the Internet



Episode IPv6 Addressing

title:

Objective: 1.4 Given a scenario, configure a subnet and

use appropriate IP addressing schemes

CompTIA Network+

## **Key Terms**

- Link-local address
- Internet address
- IPv6 address/64
- Variable-length subnet mask (VLSM)
- Dual stack

CompTIA Network+



- IPv6 addresses can be shortened by removing leading zeros, but be familiar with the rules
- IPv6 addresses have two IP addresses: a link-local address and an Internet address
- The second part of the IPv6 address using EU1-64 is generated from the MAC address



Episode IPv6 in Action

title:

Objective: 1.4 Given a scenario, configure a subnet and

use appropriate IP addressing schemes

CompTIA Network

## **Key Terms**

- EUI-64 vs. randomizer
- Neighbor solicitation
- ICMP v6
- Neighbor advertisement
- Router solicitation
- Router advertisement
- Stateless auto configuration
- Router prefix
- Stateful DHCP v6
- Local DNS server

CompTIA Network



- EUI-64 uses the MAC address to generate a unique 64-bit ID to automatically configure a host address
- IPv6 uses router solicitations/advertisements to access Internet route information
- Applications sometimes request temporary IP addresses; this is easily supported by IPv6 stateless auto configuration



Episode IPv4 and IPv6 Tunneling

title:

Objective: 1.4 Given a scenario, configure a subnet and

use appropriate IP addressing schemes

CompTIA Network



- If you are on IPv4 you need a tunneling protocol to get to the IPv6 internet
- Microsoft provides some tunnels, like Toredo and 6to4
- Use the updated GoGo Client Web site: ipv6now.com.au