

CONSTRAINTS

CONSTRAINTS

THERE ARE COMMON DIFFERENT TYPES OF CONSTRAINTS

 NOT NULL
CONSTRAINTS

PRIMARY KEY
CONSTRAINTS

FOREIGN KEY
CONSTRAINTS

CHECK
CONSTRAINTS

PRIMARY KEY CONSTRAINTS

(AND UNIQUE CONSTRAINTS, A RELATED CONCEPT)

PRIMARY KEY CONSTRAINTS

(AND UNIQUE CONSTRAINTS,
A RELATED CONCEPT)

StudentID	FirstName	LastName	Gender	Email

```
CREATE TABLE Students
```

```
(
```

```
StudentID INT NOT NULL AUTO_INCREMENT,
```

```
FirstName VARCHAR(30) NOT NULL,
```

```
LastName VARCHAR(30) NOT NULL,
```

```
Gender CHAR(1),
```

```
Email VARCHAR(30) NOT NULL,
```

```
PRIMARY KEY (StudentID)
```

```
)
```

OOH! A PRIMARY KEY!

OOH! A PRIMARY KEY!

FIRST - A **KEY** IS A SET OF COLUMNS
WHOSE VALUES ARE UNIQUE FOR EACH
ROW IN A TABLE

OOH! A PRIMARY KEY!

FIRST - A **KEY** IS A SET OF COLUMNS WHOSE VALUES ARE UNIQUE FOR EACH ROW IN A TABLE

NEXT - A **PRIMARY KEY** IS ONE SUCH SET OF COLUMNS SPECIFIED AS SUCH

OOH! A PRIMARY KEY!

FIRST - A **KEY** IS A SET OF COLUMNS WHOSE VALUES ARE UNIQUE FOR EACH ROW IN A TABLE

NEXT - A **PRIMARY KEY** IS ONE SUCH SET OF COLUMNS SPECIFIED AS SUCH

HOW IS A PRIMARY KEY DIFFERENT FROM ANY OTHER KEY?

HOW IS A PRIMARY KEY DIFFERENT
FROM ANY OTHER KEY?

DBMS WILL OFTEN **CONSTRUCT AN
INDEX** ON THE PRIMARY KEY EVEN
WITHOUT BEING TOLD TO.

THIS GETS ASKED ON INTERVIEWS, SO
REMEMBER THIS :-)

OOH! A PRIMARY KEY!

FIRST - A **KEY** IS A SET OF COLUMNS WHOSE VALUES ARE UNIQUE FOR EACH ROW IN A TABLE

NEXT - A **PRIMARY KEY** IS ONE SUCH SET OF COLUMNS SPECIFIED AS SUCH

A PRIMARY KEY COULD INCLUDE **EITHER ONE COLUMN OR MULTIPLE COLUMNS**

OOH! A PRIMARY KEY!

FIRST - A **KEY** IS A SET OF COLUMNS WHOSE VALUES ARE UNIQUE FOR EACH ROW IN A TABLE

NEXT - A **PRIMARY KEY** IS ONE SUCH SET OF COLUMNS SPECIFIED AS SUCH

A PRIMARY KEY COULD INCLUDE EITHER ONE COLUMN OR MULTIPLE COLUMNS

PRIMARY KEY COLUMNS CAN NEVER CONTAIN NULLS. EVER.

OOH! A PRIMARY KEY!

FIRST - A **KEY** IS A SET OF COLUMNS WHOSE VALUES ARE UNIQUE FOR EACH ROW IN A TABLE

NEXT - A **PRIMARY KEY** IS ONE SUCH SET OF COLUMNS SPECIFIED AS SUCH

A PRIMARY KEY COULD INCLUDE **EITHER ONE COLUMN OR MULTIPLE COLUMNS**

PRIMARY KEY COLUMNS CAN NEVER CONTAIN NULLS. EVER.

A PRIMARY KEY IS A TYPE OF
CONSTRAINT

A PRIMARY KEY IS A TYPE
OF CONSTRAINT

BECAUSE IT SPECIFIES A CONSTRAINT OR
CONDITION THAT DATA IN THE TABLE MUST
SATISFY

A PRIMARY KEY IS A TYPE OF CONSTRAINT

BECAUSE IT SPECIFIES A CONSTRAINT OR CONDITION THAT DATA IN THE TABLE MUST SATISFY

```
CREATE TABLE Students
```

```
(
```

```
StudentID INT NOT NULL AUTO_INCREMENT,
```

```
FirstName VARCHAR(30) NOT NULL,
```

```
LastName VARCHAR(30) NOT NULL,
```

```
Gender CHAR(1),
```

```
Email VARCHAR(30) NOT NULL,
```

```
PRIMARY KEY (StudentID)
```

```
)
```


A PRIMARY KEY IS A TYPE OF CONSTRAINT

BECAUSE IT SPECIFIES A CONSTRAINT OR CONDITION THAT DATA IN THE TABLE MUST SATISFY

```
CREATE TABLE Students
```

```
(  
  StudentID INT NOT NULL AUTO_INCREMENT,
```

```
  FirstName VARCHAR(30) NOT NULL,
```

```
  LastName VARCHAR(30) NOT NULL,
```

```
  Gender CHAR(1),
```

```
  Email VARCHAR(30) NOT NULL,
```

```
  PRIMARY KEY (StudentID)
```

```
)
```


A PRIMARY KEY IS A TYPE OF CONSTRAINT

BECAUSE IT SPECIFIES A CONSTRAINT OR CONDITION THAT DATA IN THE TABLE MUST SATISFY

```
CREATE TABLE Students
```

```
(  
  StudentID INT NOT NULL AUTO_INCREMENT,
```

```
  FirstName VARCHAR(30) NOT NULL,
```

```
  LastName VARCHAR(30) NOT NULL,
```

```
  Gender CHAR(1),
```

```
  Email VARCHAR(30) NOT NULL
```

```
  PRIMARY KEY (StudentID)
```

WHAT WOULD HAPPEN IF WE TRIED
TO INSERT TWO ROWS WITH THE
SAME VALUES OF STUDENTID?

A PRIMARY KEY IS A TYPE OF CONSTRAINT

BECAUSE IT SPECIFIES A CONSTRAINT OR CONDITION THAT DATA IN THE TABLE MUST SATISFY

WHAT WOULD HAPPEN IF WE TRIED
TO INSERT TWO ROWS WITH THE
SAME VALUES OF STUDENTID?

NOPE! NOT POSSIBLE! THE CONSTRAINT WOULD
BE VIOLATED, AND THE DATABASE WOULD THROW
AN ERROR AND DISALLOW THE INSERTION

A PRIMARY KEY IS A TYPE OF CONSTRAINT

BECAUSE IT SPECIFIES A CONSTRAINT OR
CONDITION THAT DATA IN THE TABLE MUST
SATISFY

WHAT WOULD HAPPEN IF WE TRIED TO INSERT TWO
ROWS WITH THE SAME VALUES OF STUDENTID?

NOPE! NOT POSSIBLE! THE CONSTRAINT WOULD BE VIOLATED, AND THE
DATABASE WOULD THROW AN ERROR AND DISALLOW THE INSERTION

CONSTRAINTS - SUCH AS THE PRIMARY
KEY CONSTRAINT - ARE A KEY REASON
DATABASES AND DBMS ROCK.

PRIMARY KEY CONSTRAINTS

(AND UNIQUE CONSTRAINTS,
A RELATED CONCEPT)

StudentID	FirstName	LastName	Gender	Email

```
CREATE TABLE Students
```

```
(
```

```
StudentID INT NOT NULL AUTO_INCREMENT,
```

```
FirstName VARCHAR(30) NOT NULL,
```

```
LastName VARCHAR(30) NOT NULL,
```

```
Gender CHAR(1),
```

```
Email VARCHAR(30) NOT NULL,
```

```
PRIMARY KEY (StudentID)
```

```
)
```

A PRIMARY KEY CAN BE DECLARED
AFTER THE COLUMN SPECS..

PRIMARY KEY CONSTRAINTS

(AND UNIQUE CONSTRAINTS,
A RELATED CONCEPT)

StudentID	FirstName	LastName	Gender	Email

```
CREATE TABLE Students
```

..OR A SINGLE-COLUMN PRIMARY
KEY CAN BE DECLARED INLINE

```
(  
StudentID INT NOT NULL AUTO_INCREMENT
```

```
PRIMARY KEY,
```

```
FirstName VARCHAR(30) NOT NULL,
```

```
LastName VARCHAR(30) NOT NULL,
```

```
Gender CHAR(1),
```

```
Email VARCHAR(30) NOT NULL
```

```
)
```

PRIMARY KEY CONSTRAINTS

(AND UNIQUE CONSTRAINTS, A
RELATED CONCEPT)

ANY COLUMN OR SET OF COLUMNS
COULD BE DECLARED UNIQUE

THE SYNTAX IS EXACTLY LIKE THAT OF
A PRIMARY KEY -

A TABLE CAN HAVE ONLY 1 PRIMARY KEY
BUT ANY NUMBER OF UNIQUE CONSTRAINTS

PRIMARY KEY IMPLIES UNIQUENESS,
BUT THE REVERSE IS NOT TRUE

PRIMARY KEY CONSTRAINTS

(AND UNIQUE CONSTRAINTS,
A RELATED CONCEPT)

```
CREATE TABLE Students
```

```
(
```

```
StudentID INT NOT NULL AUTO_INCREMENT
```

```
PRIMARY KEY,
```

```
FirstName VARCHAR(30) NOT NULL,
```

```
LastName VARCHAR(30) NOT NULL,
```

```
Gender CHAR(1),
```

```
Email VARCHAR(30) NOT NULL
```

```
)
```

StudentID	FirstName	LastName	Gender	Email

THE SYNTAX IS EXACTLY LIKE
THAT OF A PRIMARY KEY -

UNIQUE