HTML5 TUTORIAL

HTML5 Introduction

HTML5 Features

HTML5 Attributes

HTML5 Code structure

HTML5 Headings

HTML5 Title

HTML5 Styles

HTML5 Canvas

HTML5 SVG

Tags in HTML5

!DOCTYPE Declaration

a tag

abbr tag

article tag

aside tag

bdi tag

canvas tag

datalist tag

details tag

figure tag

footer tag

header tag

main tag

mark tag

menuitem tag

meter tag

nav tag

output tag

section tag

summary tag

progress tag

time tag

Examples

HTML Basic Examples

HTML5 Attributes

HTML5 elements can contain attributes and gets added to an HTML start tag. HTML5 Attributes are used to set properties of a specific element.

If you have an idea about name-value pairs, then it would be easier for you to understand how to work with attributes. Here's an example,

```
<HTML_tag HTML_Attribute="value">...</tag>
```

Here,

- **HTML_Tag** is the HTML tag i.e. element, for example <img>, <div>, <h1>
- **HTML_Attribute** is the attribute, which provides *value*, for example, id, class, href, etc.

Some of the examples are given below.

```
<a href="https://studyopedia.com">Studyopedia</a>
```

As you can see above, **href** is our attribute for the element **a**. The **href** attribute provides the URL.

Another example,

```
<img  src="/studyopedia-logo.png" alt="logo" width="50" height=
```

As you can see above, **src** is our attribute for the element **img**. The **src** attribute specifies the URL of the image.

«   **HTML5 Introduction**

HTML5 Features   **»**

Share   Print page   3 Likes

STUDYOPEDIA EDITORIAL STAFF

We work to create free tutorials for all.

NO COMMENTS

POST A COMMENT

Logged in as Studyopedia Editorial Staff. Log out? Required fields are marked *

```
Write your comment here...
```

☐ Notify me of follow-up comments by email.

☐ Notify me of new posts by email.

SUBMIT