PEMAND PLANNERS QUANT TRAPERS CREPIT RISK ANALYSTS INSURANCE PROVIDERS

ALL THESE GUYS WANT TO PREDICT SOMETHING BEFORE IT HAPPENS

PEMAND PLANNERS

QUANT TRAPERS

CREDIT RISK ANALYSTS

INSURANCE PROVIDERS

## HOW MUCH WILL WE SELL TOMORROW?

DEMAND PLANNERS HOW MUCH WILL WE SELL TOMORROW?

QUANT TRAPERS

CREDIT RISK ANALYSTS

INSURANCE PROVIDERS

HOW MUCH RETURN WILL I GET ON A STOCK?

DEMAND PLANNERS HOW MUCH WILL WE SELL TOMORROW?

QUANT TRAPERS

HOW MUCH RETURN WILL I GET ON A STOCK?

CREPIT RISK ANALYSTS

INSURANCE PROVIDERS

WHAT IS THE RISK OF A CUSTOMER PEFAULTING?

DEMAND PLANNERS HOW MUCH WILL WE SELL TOMORROW?

QUANT TRAPERS

HOW MUCH RETURN WILL I GET ON A STOCK?

CREDIT RISK ANALYSTS WHAT IS THE RISK OF A CUSTOMER DEFAULTING?

INSURANCE PROVIDERS

WHAT IS THE RISK THAT THIS POLICY WILL BE CLAIMED?

DEMAND PLANNERS HOW MUCH WILL WE SELL TOMORROW?

QUANT TRAPERS

HOW MUCH RETURN WILL I GET ON A STOCK?

CREDIT RISK ANALYSTS WHAT IS THE RISK OF A CUSTOMER DEFAULTING?

INSURANCE PROVIDERS

WHAT IS THE RISK THAT THIS POLICY WILL BE CLAIMED?

REGRESSION HELPS YOU PREDICT THE VALUE OF ONE VARIABLE USING OTHER VARIABLES


## REGRESSION HELPS YOU PREDICT THE VALUE OF ONE VARIABLE USING OTHER VARIABLES


#### LET'S TAKE THE EXAMPLE OF DEMAND PLANNING


# YOU WANT TO PREDICT THE SALES FOR THE COMING MONTH


YOU WANT TO PREDICT THE SALES FOR THE COMING MONTH


## THIS MIGHT DEPEND ON A BUNCH OF DIFFERENT THINGS















Y=F(X1, X2, X3)

HOW POES REGRESSION FIND THIS FUNCTION?

## USING PAST PATA

## Y = F(X1, X2, X3)HOW POES REGRESSION FIND THIS FUNCTION? HERE IS A TIME SERIES PLOT OF SALES PATA



Not


Mar

¢e<sup>o</sup>o


¢°°

bet bet bet may


P.P.T





## THE OBJECTIVE IS TO FIGURE OUT WHAT THIS WILL BE IN THE FUTURE




## HERE IS THE MARKETING SPEND FOR THIS PERIOD










## THIS IS EXACTLY WHAT HAPPENS IN REGRESSION



Y = F(X1, X2, X3)

AS WE SAW IN THE EXAMPLE, REGRESSION USES PAST DATA TO IDENTIFY A FUNCTION

THIS FUNCTION IS CALLED THE MODEL

# THE REGRESSION PROCESS STARTS BY MAKING AN ASSUMPTION ABOUT THE TYPE OF FUNCTION WE ARE GOING TO FIND

# THE REGRESSION PROCESS STARTS BY MAKING AN ASSUMPTION ABOUT THE TYPE OF FUNCTION WE ARE GOING TO FIND

# THE REGRESSION PROCESS STARTS BY MAKING AN ASSUMPTION ABOUT THE TYPE OF FUNCTION WE ARE GOING TO FIND

IF WE ASSUME THAT THE RELATIONSHIP BETWEEN THE VARIABLES IS LINEAR, THEN THE PROCESS IS CALLED

## LINEAR REGRESSION