

OBJECTS

OBJECTS

**“AN OBJECT IS A SET OF KEY-VALUE PAIRS,
WHERE THE VALUES CAN ALSO BE FUNCTIONS”**

**EACH KEY-VALUE PAIR IS CALLED A PROPERTY
OF THE OBJECT**

RECAP

EACH KEY-VALUE PAIR IS CALLED A **PROPERTY**
OF THE OBJECT

REMEMBER THE TERM 'PROPERTY', ITS AN
IMPORTANT TERM!

RECAP

**“AN OBJECT IS A SET OF KEY-VALUE PAIRS,
WHERE THE VALUES CAN ALSO BE FUNCTIONS”**

RECAP

“AN OBJECT IS A SET OF KEY-VALUE PAIRS,
WHERE **THE VALUES CAN ALSO BE FUNCTIONS**”

**REMEMBER THAT FUNCTIONS IN JAVASCRIPT
ARE VALUES JUST LIKE STRINGS OR NUMBERS!**

RECAP

“AN OBJECT IS A SET OF KEY-VALUE PAIRS,
WHERE THE VALUES CAN ALSO BE FUNCTIONS”

REMEMBER THAT FUNCTIONS IN JAVASCRIPT
ARE FIRST CLASS FUNCTIONS

RECAP

REMEMBER THAT FUNCTIONS IN JAVASCRIPT **ARE FIRST CLASS FUNCTIONS**

“AN OBJECT IS A SET OF KEY-VALUE PAIRS,
WHERE **THE VALUES CAN ALSO BE FUNCTIONS**”

(ONCE YOU REMEMBER THIS, IT MAKES COMPLETE SENSE THAT VALUES
IN AN OBJECT CAN BE FUNCTIONS, JUST AS THEY COULD BE STRINGS, OR
NUMBERS OR WHATEVER)

RECAP