Chapter 9

Implementing Mass Storage

Episode **Understanding Partitioning** title:

Episode **MBR Partitioning** title:

Episode **GBT Partitioning** title:

Episode **Understanding File Systems** title:

Episode **Popular File Systems** title:

Objective:

There are many file systems available for different systems, purposes, and type of storage. It's important to know the difference between files systems such as NTFS, ext3, FAT, and HFS+

File System - Manages how data is stored and accessed on drives.

OBJ- File Allocation Table-32 bit (FAT32)

OBJ-New technology file system (NTFS)

OBJ-Extended FAT file system (ExFAT)

OBJ-Resilient File System (ReFS)

OBJ-Extended File System iteration 4 (ext4)

OBJ-eXtended File System (XFS)

OBJ-Apple File System (APFS)

FAT32 - Widely compatible; 4GB max file size, 8TB max partition.

NTFS - Default for Windows; supports large files, permissions, encryption.

ExFAT - Cross-platform; better limits than FAT32—no journaling.


ReFS - Resilient file system; auto error correction—used in Windows servers.

Ext4 - Linux default; supports 1EB volumes and 16TB files.

XFS - High-performance Linux file system for large-scale storage.

APFS - Apple's file system—used in macOS and iOS.

Chkdsk - Windows tool to check and fix file system errors.



File Allocation Table 32 (FAT32)

Oldest file system still in use

- Uses 32 bits for the address of each cluster
- Works on many devices (PCs, phones, consoles)
- Uses a table to track files and storage clusters
- Max file size = 4 GB; Max partition = 8 TB
- No built-in encryption or compression
- Highly compatible across systems



Extensible File Allocation Table (exFAT)

Halfway between FAT32 and NTFS

- Modern replacement for FAT32
- Works on Windows, macOS, Linux, consoles
- Supports large files and volumes like NTFS
- No built-in compression or encryption
- Ideal for SD cards and USB drives
- Great for cross-platform file sharing

Resilient File System (ReFS)

Designed to resist data corruption

- Uses mirror and parity tiers (like RAID)
- Checks files automatically—no need for chkdsk
- Fixes corrupted data with regular scans
- Can't boot Windows from ReFS
- No built-in compression or encryption



Fourth extended File System (ext4)

Standard file system for most Linux distros

- Supports up to 1 EB storage and 16 TB files
- Uses extents (efficient block grouping)
- Backward compatible with ext3
- No built-in compression, encryption, or deduplication
- Can be read by Windows and macOS

Extended File System (XFS)

Default for Red Hat Linux

- Handles very large files—up to 8 EB
- Best for enterprise servers and storage
- High performance for big data systems
- Not as common on general Linux desktops
- More scalable than ext4 for large workloads

Apple File System (APFS)

File system for macOS and iOS

Optimized for flash and solid-state drives with support for encryption and on reliability

Standard file system for all Apple products



Check disk (chkdsk)

Windows tool to check and fix file system errors

C:\Windows\System32>chkdsk
The type of the file system is NTFS.
Volume label is C-Drive.

WARNING! /F parameter not specified. Running CHKDSK in read-only mode.

Episode Formatting in Action title:

Episode **Dynamic Disks** title:

Episode **New Installation – First Drive** title:

Episode **RAID** title:

Episode **Hardware RAID** title:

Episode **Software RAID in Storage Spaces** title:

Episode **Encrypting Mass Storage** title:

Episode **Maintaining Storage Disk** title:

Objective: Mass storage devices need ongoing maintenance to ensure

optimal operation. Windows systems have automated tools to optimize performance and to check drives for bad areas.

Error Checking: Scans drives for file system issues or corruption

Disk Cleanup (cleanmgr.exe)

Disk Cleanup: Frees up space by removing temp files, cache, and trash

Run Disk Cleanup: Press Windows + R, type cleanmgr, select drive, choose items, and click OK

Disk Defragment (dfrgui.exe)

Episode Mass Storage Troubleshooting title:

Objective:

Mass storage devices sometimes fail, resulting in the potential loss of critical data. A good tech knows the tools and procedures to diagnose and repair many mass storage problems.

- OBJ Light-emitting diode (LED) status indicators
- OBJ Grinding noises
- OBJ Clicking sounds
- OB1 Bootable device not found
- OBJ Data loss/corruption
- OBJ RAID failure
- OBJ Self-monitoring and Reporting Technology (S.M.A.R.T.) failure
- OB1 Extended read/write times
- OBJ Low performance input/output operations per second (IOPS)
- OBJ Missing drives in OS
- OBJ Array missing
- OBJ Audible alarm:

Backup First - Always back up data before working on a drive

Common Drive Issues: Read/Write Failure, Slow Performance, Clicking/Grinding Noises, Boot Failure / OS Not Found, Drive Not Recognized, Data Loss or Corruption, and Missing Drives in OS

Self-Monitoring, Analysis, and Reporting Technology for drive health (SMART)

RAID Issues - Not Found, Disk Failure/Volume Deleted, Defective RAID Controller

LED Indicators - Can signal drive or connection problems



Health of a Drive

S.M.A.R.T. detects a drive failure
Display a message that indicates
preventive action

- Avoid data loss
- · Replace the failing drive

Check documentation for the mean (C) Windows System (2) Participation of the mean (C) Windows System (2) Participation of the path MSS toraged river failure Predict Status predict failure fa

Where do not support all attribute codes (ID). Some codes are specific to particular drive types (imagnetic platter, flash, SSD). Drive may use different codes for the same parameter.
At a drive is reported to have a critical status, it is recommended to back up and replace the drive immediately.

RAID Not Found

RAID (redundant arrays of independent disks)

- Made up of hard disks
- Can have errors and failures
 - Caused by the RAID controller
 - Storage devices
- Can have errors and failures
 - "RAID not found"

Caused by DAID



RAID problems

If RAID is enabled in BIOS, the problem could be:

- RAID disks have failed
- RAID volume deleted
- Defective RAID controller