Section 9 – Quiz: Styling Web Forms

Question 1:
Historically, why has it been difficult to style forms?

- **It hasn't. In other words, styling form controls has always been easy with CSS.**

- **Form controls were added to HTML in the HTML 2 specification in 1995, but CSS was only released in 1996. This meant that CSS wasn't well supported by browsers for a few years after that.**

- **Because form controls require pseudo classes and elements, and CSS has not always been able to accommodate this.**

Answer: B

Question 2:
Which of the below form controls is arguably the most difficult to style?

- `<form>`

- `<button type="submit>`

- `<input type="file">`

Answer: C

Question 3:

To make your form appearance consistent with the rest of your content on your page, you can add **what CSS rule** to your stylesheet?

-

```
font-family: inherit;
```

-
    ```
    font-family: document;
    ```

-
    ```
    font-family: consistent;
    ```

Answer: A

Question 4:
If you want to style your form widgets so that they have the same size, what CSS property is often very useful?

(hint: this CSS property overrides the default CSS box model)

-
    ```
    size-frame
    ```

-
    ```
    box-sizing
    ```

-
    ```
    size-frame
    ```

Answer: B

Question 5:
As we've seen, the `box-sizing` property can be used to adjust the default CSS box layout.

Which of the below is NOT a valid value for the box-sizing property?

-
    ```
    box-sizing: content-box
    ```

-

box-sizing: border-box

-

box-sizing: CSS-box

Answer: C