

McDonnell
Douglas


F/A 18 C

Hornet

Systems

day/night off

DDI



Brightness

constant

Flap Indication

Half → switch to half & below 250 KT

full → switch full & below 250

Flap → Switch Half/full with Airspeed over 250 KT

or
abnormal flap condition

or
Spin recovery (not used)

or
GAIN in ORIDE

IFEI GTY BTN

I - Inboard T - Total

BINGO alert for fuel



Engine fire

→ extinguisher in left of left TDDI

Over A/G

1 - Green stops fuel flow on ready

The Charge

2 - release of charge

Left Warning Panel

L Bleed / R Bleed → test fire A/B

SPD BRK → speed brake not fully retracted

STBY → ECM summer in warning

LBar → red → Launch Bar Broken or stuck

LBar → Green → retract the Down thing

REC → Aircraft Being Illuminated
By Threat Radar


XMIT → ECM Jammer Transmitting

GO → ALG-165 ECM BIT Successful
NO GO → NOT successful

UFC

ADF function select switch

XIP ○



ADF ○

→ automatic Direction finding
(As required later)



→ stops
aircraft
emissions
(all of them)


ILS → Instrumented Landing System

HUD CONTROL

Below UFC

alt ① → radio altitude (Below 5000 ft)
→ Barometric

AMPD → heading 11 course



allow pilot set
Manual heading and course
on HSI

	Heading	Course
Increase	ALT light +2	+1
Decrease	+4	+3

Right window lights

DISP → Countermeasures Disposal program
is active

SAM → pretty self explanatory
Solid → Tracking

Flashing →
guiding missile

AI → Airbone Intercept
locked on you

AAA → fire control radar locked on you

CW → Aircraft illuminated by continuous wave radar

APU Firing

High engine firing

IR cool swivel

→ walk coils for 2 AIM-9 sidewinder

ANTI SKID → Brake protection (scr shit)

↓
retract flaps

Flap Normal

[F] auto flight

Left F half → take off

-

Left F full → landing