

ГРИМОИР

Гунпоулер (шлак)

мат: 750% KNO_3
150% С
100% S

- Фичели Грина алл ингредиентс
- Жоич те ингредиентс он 80% уассер
- make a class

best mixing procedure

- Grind each ingredient separately into a fine powder
- Join the Carbon and Sulfur
- 600 ml of alcohol for every 100 g of the class ^{Do not add it yet}
- 40 ml of water for every 100 g of KNO_3 and some particles.
- Ferve a glass e addition KNO_3 back e H_2O
- Ve germinal add again 0.5 g KNO_3 ester completely dissolves
- addition a mixture class a powder can KNO_3
- Mixture e alcohol frig a mixture e
- calque e mixture no congelation
- Sugar e liquid

НИТРОСЕЛУЛОЗЕ (NC) (HC)

Production:

Prepare a bath of 1:1 $\text{HNO}_3, \text{H}_2\text{SO}_4$
es frie-o $\rightarrow$ main frie = main rendimento
Submerge algodão por 3-4 min,
Remove-o e lavar a lavagem com H_2O
Em seguida

НИТРОГЛИСЕРИН (NG)



Prepare high purity nitric acid $\rightarrow$ it can be done
with 70% HNO_3 BUT you have to be more careful to not
let any Glycerin unreacted as it mixes very well
with NG making it less reactive and weaker overall

Take the HNO_3 mix 50% with H_2SO_4 PUT IN ICE BATH
wait to be under 8°C Drop small quantities of
Glycerin and wait 5 minutes stir well
To avoid HOTSPOTS wait until temperature is
again below 12°C a repeat

1ml of Glycerin to every 10ml of WFNA

whom Don't Drop the acid mixture in cold water
(can be the 1st been itself)

Nb is an oily liquid akin to cum and it tends
to be a precipitate (but it can float due to
surface tension)




Артстроит

Match contain
Heads This + Sulphur



Highly Impact Sensitive

KClO_4 is one hell of a oxidant and should be used
with caution $\rightarrow$ by a 2:1 mixture with fuel



is a cell of a group

on C