

LNI Learning Agent: Simple Guide

What the problem is, what we built, and how to use every page and field of the app, using the organisers' real dataset.

In one minute. Telecom engineers make changes on live network equipment and fix problems every day. Each time, someone writes a ticket: what went wrong and how it was fixed. Weeks later another engineer hits **the same problem again**, because the old ticket is written in different words and nobody finds it. Our app is like a **senior engineer with perfect memory**. It has read all the real knowledge-base tickets, and it: **warns you before a change, finds the old fix during a problem, and saves the new fix after.**

1. Words you need to know

Word	Simple meaning
LNI	Live Network Intervention: a planned change on live network equipment (for example, a software upgrade or a deployment).
Ticket (KB ticket)	A JIRA "Knowledge Base" ticket where an engineer wrote down a problem and its solution. Each has an ID like <code>PACOSDKB-213</code> .
Product	What a ticket is about: <code>CMM</code> = mobility manager (MME/AMF/SGSN), <code>CMG</code> = packet gateway (SMF/UPF/PGW), <code>NRD</code> = NRF / NSSF.
Release	The software version, e.g. <code>26.7</code> .
Root cause / RCA	The real reason a problem happened (for example, "release 26.7 disabled the legacy scp command").
Incident	Something is broken right now and must be fixed.
MOP	Method of Procedure: step-by-step instructions for a change. (The current dataset has no MOPs, so the app doesn't ask for one.)
Pitfall	A known trap: something that went wrong before in a similar situation.
NOC	Network Operations Centre: the team watching the network 24/7.
Verified lesson	A fix that a named engineer confirmed really worked. It is saved for the future.

2. The problem (a real example from the dataset)

In **August**, a team upgrades a **CMM to release 26.7**. Suddenly copying files to the node with **scp** fails. After investigation they find why: release 26.7 **disabled legacy SCP for security**, so SFTP must be used. They write it down in ticket **PACOSDKB-212**.

Weeks later another engineer upgrades a different CMM to 26.7. **The same thing happens**. They search for "file copy refused", but the old ticket says "security hardening disabled the legacy scp". Different words, so it is never found, and hours are lost again.

Why this happens today:

- Old tickets are searched only by title or exact keywords.
- Different people describe the same failure in different words.
- Each lesson stays locked inside one ticket and never becomes team knowledge.

Result: repeat problems and rollbacks for things the company has already solved.

3. What we built: help at 3 moments

① BEFORE A CHANGE

"Warn me"

You type: the change you plan, e.g. "Upgrade the CMM to release 26.7".

You get: known pitfalls from past tickets for that product and release, a check-list of lessons, and a risk score.

Page: **Plan a change**

② DURING AN INCIDENT

"Help me fix it"

You type: what is going wrong (symptoms, alarms, error lines).

You get: the most similar past tickets, the root cause, the fix that worked and what to check, each with a % match.

Page: **Fix an incident**

③ AFTER IT IS FIXED

"Remember this"

You type: the real root cause and fix, plus your name.

You get: a new "verified" record. The next search finds it immediately, so the team never solves it twice.

Page: **Save a lesson**

Rules the agent always follows

- **It never changes anything in the network.** It only advises; the engineer decides.
- **Every sentence has proof:** a blue ID chip like `PACOSDKB-213` that you can click to read the original ticket.
- **No guessing:** if nothing similar exists, it says **"No verified match found"**.
- **A human confirms** every saved lesson (name required).
- **Runs on the laptop:** the search models run locally; personal data (names, customers, case IDs) is removed from the tickets.

4. Before, During, After: why three pages?

They are the three moments in the life of every network change. Think of a doctor: a **check-up before surgery** ("any risks for you?"), the **emergency room** when something goes wrong ("what is wrong, how do we fix it?"), and **writing the patient's file** afterwards so the next doctor knows. Same doctor, same knowledge, three different jobs.

Plan a change

"Tonight I upgrade the CMM to 26.7"

① **BEFORE** warns you

Do the change

Engineer follows the procedure

Something breaks

"Our scp file copy is refused!"

② **DURING** finds the old fix

It is fixed

The engineer knows the real cause

Save the lesson

③ **AFTER** stores it as "verified"

↺ The saved lesson makes the next **BEFORE** warning and the next **DURING** search better. This is the "learning loop".

	① Before	② During	③ After
Situation	Nothing is broken yet	The network is broken now	The problem is solved
Who uses it	Change engineer, delivery lead	NOC / SNOC team on duty	The engineer who fixed it

You type	A plan : what you will do	Symptoms : what is going wrong	The confirmed fix + your name
You get	Known pitfalls, check-list, risk score	Root cause, the fix that worked, what to check	A new verified record
Agent action	Searches (read-only)	Searches (read-only)	Writes to the memory

Can't it be one input box? Inside, it **is** one brain: the same memory and search power all three pages. We keep three "doors" because:

- **The same sentence can mean two things.** "CMM upgrade to 26.7" could be a plan ("warn me") or a problem ("it broke, help me"). The page tells the agent which.
- **The answers are different.** A risk score only makes sense *before* a change; "the fix that worked" only *during* an incident.
- **Saving must be a deliberate human action**, never an accident from a search box. It needs a form and a person's name.
- **The brief asks for exactly these 3 jobs** (warn before, find during, write back after), and three pages show them clearly to the judges.

5. How it works inside (simple version)

1 Read history Reads the 23 official tickets and splits each into parts: problem, root cause, fix, lesson.	2 Fingerprint Reads your text and picks out the product, release, error codes and commands.	3 Search 3 ways By <i>meaning</i> (different wording), by <i>exact words</i> (error codes) and by <i>fingerprint</i> (same product and release).	4 Score Re-checks the best results and gives each a % match . Under 50% = not trusted.	5 Answer with proof Writes the advice; any sentence without a source ID is removed.	6 Learn Saves the engineer-confirmed fix so it is found next time.
--	---	--	---	---	--


If the first search is weak, the agent **searches again by itself** with other words (e.g. "copy" = "scp / sftp"). If an important detail is missing (which product? which release?) it **asks you a question**. This "thinking on its own" is why it is called an **agent**.

What data is inside? (the organisers' official dataset)

Data	Count	What it is
Official tickets	23	Real JIRA knowledge-base tickets (PACOSDKB-211 to 297) about CMM, CMG and NRD, releases 24.7–26.7. 27 e-mails were read; 2 forwarded copies were merged and 2 test tickets ("please ignore") were dropped.
Open tickets	2	#296 and #297 (the same question twice) have no answer yet ("Not yet" / "NA"). They are shown as Open, no fix yet .
Extracted fields	-	The tickets have no root-cause or lesson field, so the app pulls them out of the text when the wording is clear ("Root Cause:", "The RCA...", "Lesson learned", "always recommend", "Don't..."). Otherwise it shows the problem description; it never guesses.
Privacy	-	Reporter, assignee, customer, case-ID and project-manager fields, e-mail addresses and an SSH key found in one ticket are removed.

Test incidents	24	Written by us in new words: 22 with the known right ticket + 2 off-topic questions, to measure accuracy honestly. They also appear in the app as open tickets (INC-5001...).
----------------	----	--

6. The screen: sidebar, pages and Home



The Home page. The left sidebar is always there; click a page to open it.

Sidebar item	What it is for	Bottom of the sidebar	Meaning
Home	What the app does, a "Run the 60-second demo" button, and the 3 moments.	● Connected	The backend is running. If it isn't, a red bar explains how to start it.
Plan a change	Before: get warnings for a change you are planning.	23 past tickets	How much history the agent has learned.
Fix an incident	During: something is broken; find the old fix.	0 verified lessons saved	Goes up each time someone saves a lesson.
Save a lesson	After: save the real fix for next time.	AI writer: off	The optional AI that rewrites answers. Off is fine: answers are then built straight from the tickets. Hover for details.
Knowledge base	Browse all 23 tickets.	Dark mode / Light mode	Switches the colours. Your choice is remembered.
Trends	Which products have the most problems, and when.		

On every page: a "How to use this page" box gives 3 numbered tips (click to hide them). Any blue ID such as PACOSDKB-213 can be clicked: a panel slides in from the right with the full original ticket (problem, fix, extracted root cause and lesson, ticket details). That is the **proof** behind each sentence.

The "How the agent worked" panel (right side of Plan and Fix)

How the agent worked

2.2s 11 steps

Understood your request

Fingerprint - node type: CMM; release: 26.7; change: upgrade

Made a plan

Planned 2 tool call(s)

1. Matched product and release (fingerprint): Known issues recorded for CMM release 26.7 (fingerprint match)

2. Searched similar past cases: Find past LNI's similar to this planned change

Matched product and release (fingerprint)

Known issues recorded for CMM release 26.7 (fingerprint match)

search_by_fingerprint(node_type='CMM', rele...

Found

2 candidate(s) (top: PACOSDKB-213 62%)

Searched similar past cases

Find past LNI's similar to this planned change

search_by_symptom(text='Upgrade the CMM to ...

Found

8 candidate(s) (top: PACOSDKB-212 75%)

Ranked the results

3 verified match(es) at or above 50% confidence; 3 weaker candidate(s) not used as evidence

Scored the risk

Pre-change risk: 49/100 (Medium)

Drafted the answer

Drafted 6 cited statements from the verified records

Used the proven template (AI writer off)

LLM not reachable or disabled - using the deterministic cited draft

Checked that every line has proof

Citation check: 6 statements, each cites a verified record

A live timeline of every step the agent takes, in plain words, so you and the judges can see how it "thinks". The clock shows how long it took.

Step title	Meaning
Understood your request	What it detected: product, release, error codes, commands.
Asked you a question	A detail was missing (e.g. which product or release).
Made a plan	The searches it decided to run, and why.
Matched product and release (fingerprint)	Known issues recorded for the same product and release.
Searched similar past cases	Search by meaning + exact words, re-scored. "Found" shows the result.
Searched again with other words	Results were weak, so it retried with synonyms.
Ranked the results · Scored the risk	Kept only matches of 50% or more; computed the risk score.
Used the proven template / AI writer is rewriting	How the answer text was written (AI writer off or on).
Checked that every line has proof	The safety check: lines without a source are removed.

7. Plan a change (Before)

Purpose: before you touch the network, ask "has this kind of change caused problems before?"

What are you about to change?

Upgrade the CMM to software release 26.7

Detected: Product CMM Release 26.7

Try an example: CMM upgrade to 26.7 CMG deploy with operator pod

CMM deployment on Kubernetes Standalone NSSF on NCP

Advanced: choose product, release yourself (optional)

Check for known pitfalls or press Ctrl + Enter

Field / button	What to do
What are you about to change?	Required. Describe the change in normal words, e.g. Upgrade the CMM to software release 26.7.
Detected	Automatic. Shows what the agent found in your text (product, release). "not found" = it may ask you.
Try an example	Click a chip to fill in a ready example.

Advanced (optional)	Pick the product or release yourself if they aren't in your text.
Check for known pitfalls	Runs the agent (or press Ctrl + Enter).

Step A: the agent may ask one question

What are you about to change?

Upgrade the CMM to a new release

Detected: Product CMM Release not found

Try an example: CMM upgrade to 26.7 CMG deploy with operator pod CMM deployment on Kubernetes Standalone NSSF on NCP

Advanced: choose product, release yourself (optional)

Check for known pitfalls or press Ctrl + Enter

THE AGENT NEEDS ONE DETAIL

Which target release is CMM being upgraded to?

24.7 25.7 26.3 26.7 Other... Skip this question

How the agent worked 0.0s 2 steps

Understood your request

Fingerprint - node type: CMM; change: upgrade

Asked you a question

Which target release is CMM being upgraded to?

"Upgrade the CMM to a new release" doesn't say which release, so the agent asks. Click an answer, type your own in "Other...", or "Skip this question".

Step B: the answer

49 RISK

Medium risk · 3 known pitfalls found in similar past changes

Review the recommendation and tick the check-list below before you start. The agent never makes the change itself.

Why this score?

What the agent recommends Built from past records

Known pitfall

(Resolved on CMM, release 26.7, 2026-08-21): According to L4, the SCP command used for transferring files was disabled for security reasons in CMM26.7 SW Release.

PACOSDKB-212

Known pitfall

(Resolved on CMM, release 26.7, 2026-08-22): Alarms are not in sync between CMM 26.7.0.1 and NetAct. NetAct shows alarmms that are not active in CMM

PACOSDKB-213

Known pitfall

(Resolved on CMG, release 26.7, 2026-09-03): CNF status not Ok after deploying CMGC (26.7R1)with operator pod

PACOSDKB-256

Check

Use SFTP instead of legacy SCP, SFTP is preferred over SCP due to its enhanced security, robust protocol, and richer feature set, offering an interactive and more reliable file transfer experience.

PACOSDKB-212

Check

Regarding the workaround procedure we always recommend executing it during a MW, no impact is expected.

PACOSDKB-213

Check

one more thing make sure ssh port in operator values file and cmgc values file are same.

PACOSDKB-256

Every line links to the past record it comes from. Click an ID to see the proof. The engineer decides.

Part	What it tells you
Verdict (top box)	Risk score 0–100 with High / Medium / Low , and how many known pitfalls were found for this product and release. Why this score? opens the reasons.
What the agent recommends	⚠ Known pitfalls and ✓ Checks (lessons from the tickets), each ending with its proof ID. "Built from past records" = AI writer off; "Written by AI · every line checked" = on.
Tabs below	Check-list: tick each lesson as you do it (with a progress bar). Similar past changes: the matching tickets as cards (see section 8).

8. Fix an incident (During)

Purpose: something is broken now, so ask "has this happened before, and what fixed it?"

Load an open ticket optional - from the ticketing system

Product optional

Choose a ticket...

Not sure

What is going wrong? symptoms, alarms, log lines or commands

NetAct still shows alarms that the CMM already cleared and we cannot delete them

Detected: Product CMM

Try an example:

NetAct ghost alarms

scp refused after upgrade

Pods not created (quota)

Egress-proxy crash loop

Not a network problem

Find similar past cases

or press Ctrl + Enter

Field / button	What to do
Load an open ticket	Optional. Pick an open ticket (INC-5001...) from the practice ticket system and its text is filled in.
Product	Optional. CMM, CMG or NRD, or "Not sure".
What is going wrong?	Required. Symptoms, alarms or error lines, e.g. <code>egress-proxy pod in CrashLoopBackOff on NRD 25.7</code> . Error codes are matched exactly.
Detected / Try an example	Same as on Plan a change.
Find similar past cases	Runs the agent (or Ctrl + Enter).

100%

Most likely cause found · strong match

Alarms are not in sync between CMM 26.7.0.1 and NetAct. NetAct shows alarrms that are not active in CMM

Proof: PAC0SDKB-213

The verdict: the most likely matching ticket, how sure the agent is (% match), and the proof ID. If no product was given, an optional question offers to refine the search (it searches anyway).

How to read a result card (same on both pages)

100%

#1 PACOSDKB-213 Resolved

Alarms are not in sync between CMM 26.7.0.1 and NetAct. NetAct shows alarrms that are not active in CMM

Strong match · release 26.7 · 2026-08-22

Problem

At the NetAct level, alarms are still being received that appear as cancelled in the CMM. We cannot delete them in the MME because they are not active, and it is impossible to delete historical information. We already tried refreshing the processes by switching the NEC, but the problem persists. NetAct support states...

Fix

Maintenance mode removed on netact and applied the procedure suggested on this case 05870255

After the restart, the historical/stale alarm entry is no longer returned by SNMP.

Regarding the workaround procedure we always recommend executing it during a MW, no impact is expected.

Workaround: Restart the snmpagent...

Show full fix (41 lines)

Lesson

Regarding the workaround procedure we always recommend executing it during a MW, no impact is expected.

Why this match

This fix worked

Save as lesson

Part of the card	Meaning
Ring with "99%"	How sure the agent is. Green, Strong match (80–100) ; Orange, Possible match (50–79) ; Red, Weak (under 50) , which is never used as proof.
#1 · PACOSDKB-213 · Resolved	Rank, the ticket ID (click it for the full ticket) and its status (Resolved = has a fix; Open, no fix yet).
Strong match · release · date	Which release it was on and when it was reported.
Root cause or Problem	The root cause if the ticket states it clearly; otherwise the problem description (the app never invents a root cause).
Fix · "Show full fix"	The solution. Long procedures (commands, config) are folded; click to see every line.
Lesson	What to do differently next time (when the ticket says so).
Why this match	The reasons: same words, same product, matching error code, the exact text that matched.
This fix worked · Save as lesson →	Confirm that this old fix solved your incident (it ranks higher next time), or open "Save a lesson" pre-filled from this card.

When nothing similar exists

No verified match found

Nothing in the history is similar enough (above 50% match), so the agent does **not** suggest a fix and does not guess. Escalate as usual. Closest candidates are listed below for reference only.

"Office printer does not print double-sided" isn't a network problem. The agent searched 3 times, found nothing at 50% or more, and says so. It never invents a fix.

9. Save a lesson (After)

Purpose: save the real fix so the next engineer finds it. Easiest: click **"Save as lesson →"** on a result card, and the form fills itself.

1

What happened?

Incident / symptoms

NetAct still shows alarms that the CMM already cleared and we cannot delete them

Short title optional

Node optional

Ticket optional

CMG-12

INC-5002

Builds on past record(s):

PAC05DKB-213

2

What really fixed it?

Verified root cause

Verified fix

Maintenance mode removed on netact and applied the procedure suggested on this case 05870255

Lesson for next time

a check to do before or after

Regarding the workaround procedure we always recommend executing it during a MW, no impact is expected.

3

Who confirms it?

Verified by required

Ravi (NOC)

Save verified lesson

Preview of the saved record

Verified lesson

by Ravi (NOC)

NetAct still shows alarms that the CMM already cleared and we cannot delete them

SYMPTOMS

NetAct still shows alarms that the CMM already cleared and we cannot delete them

ROOT CAUSE

not filled in yet

FIX

Maintenance mode removed on netact and applied the procedure suggested on this case 05870255 After the restart, the historical/stale alarm entry is no longer returned by SNMP. Regarding the workaround procedure we always recommend executing it during a MW, no impact is expected. Workaround: Restart the snmpagent process on the ALMS pod: # 1. Take a backup for the entire /var/log folder in alms0. # 2. Login to alms0 as a root user. -su appuser -ssh alms0 -su root Check the alarm # 3. Check current snmpservice status, PID will be different. NOTE: If STAT is other than "SI", stop the procedure. supervisorctl status snmpagent # Expected output: # snmpagent RUNNING pid 3674453, uptime 0:02:23 ps -o pid,stat,cmd -p \$(pgrep -f '/nokia/snmpagent/snmpservice.py') # Expected output: # PID STAT CMD # 3674453 SI python3 /opt/nokia/lib64/python3.9/site-packages/nokia/snmpagent/snmpservice.py # 4. Restart snmpservice. STAT in "R" is expected. supervisorctl stop snmpagent supervisorctl start snmpagent ps -o pid,stat,cmd -p \$(pgrep -f '/nokia/snmpagent/snmpservice.py') # Expected output: # PID STAT CMD # 3674453 R python3 /opt/nokia/lib64/python3.9/site-packages/nokia/snmpagent/snmpservice.py # 5. Wait ~2 minutes, and check snmpservice status. ps -o pid,stat,cmd -p \$(pgrep -f '/nokia/snmpagent/snmpservice.py') # Expected output: # PID STAT CMD # 3674453 SI python3 /opt/nokia/lib64/python3.9/site-packages/nokia/snmpagent/snmpservice.py # 6.

Left: the form in 3 steps. Right: a live preview of the record that will be saved.

Step	Fields
1 · What happened?	Incident / symptoms , Components (e.g. CMM), Build (e.g. 26.7.0.1) and RCA category (e.g. Nokia-Config) are required ; the last three are pre-filled from the ticket you started from, and the boxes suggest values already used in the data. Optional: Short title , Node , Ticket (the ticket gets marked Resolved). "Builds on past record(s)" lists the related old tickets.
2 · What really fixed it?	Verified root cause , Verified fix (at least one is required), Lesson for next time .
3 · Who confirms it?	Verified by : your name (required; a human must confirm).
After saving	A green "Lesson saved" panel and a pop-up. The new record gets an ID like LRN-0001 and is stamped with the date and time it was saved (e.g. "saved on 9 Oct 2026, 01:22 by Ravi"), shown in the record panel, the result cards and the Knowledge base. Buttons: View record , Find it now (your lesson is first) and Save another .

10. Knowledge base

EXPLORE

Knowledge base

Every past change and every lesson saved by engineers: the memory that reads the full record.

Q Search any word: node, error, MOP, root cause...

All records

ID	Date	Node	Type	MOP	Title
PACOSDKB-296	2026-10-05		CMG		Trusted WLAN
PACOSDKB-297	2026-10-05		CMG		Trusted WLAN
PACOSDKB-295	2026-10-03		CMG		Internet IP Ping
PACOSDKB-287	2026-09-23		CMM		Enabling includ
PACOSDKB-256	2026-09-03		CMG		CNF status not
PACOSDKB-260	2026-09-03		CMM		spinner.yaml fi
PACOSDKB-262	2026-09-03		CMG		IP Pool Distribu
PACOSDKB-263	2026-09-03		NRD		Egress-proxy P
PACOSDKB-252	2026-09-02		CMM		Lesson Learne
PACOSDKB-254	2026-09-02		NRD		Standalone NS
PACOSDKB-248	2026-08-31		CMM		CMM AMF Reg
PACOSDKB-250	2026-08-31		CMM		script to decod
PACOSDKB-251	2026-08-31		CMG		BIOS for gen12
PACOSDKB-247	2026-08-30		CMM		Trace capture

PACOSDKB-213 Source record

Alarms are not in sync between CMM 26.7.0.1 and NetAct. NetAct shows alarms that are not active in CMM

Resolved

2026-08-22

CMM

Nokia

Release 26.7

Integration

PROBLEM / SYMPTOMS

At the NetAct level, alarms are still being received that appear as cancelled in the CMM. We cannot delete them in the MME because they are not active, and it is impossible to delete historical information. We already tried refreshing the processes by switching the NEC, but the problem persists. NetAct support states that if they appear there, it is because they are real, but what we observe on the CMM side is that they should not be present. CMM is running 26.7.0.1

COMMANDS

```
supervisorctl status snmpagent; ps -o pid,stat,cmd -p $(pgrep -f '/nokia/snmpagent/snmpservice.py'); supervisorctl stop snmpagent; supervisorctl start snmpagent
```

FIX

Maintenance mode removed on netact and applied the procedure suggested on this case 65878255

After the restart, the historical/state alarm entry is no longer returned by SNMP.

Regarding the workaround procedure we always recommend executing it during a MW, no impact is expected.

Workaround: Restart the snmpagent process on the ALMS pod:

```
# 1. Take a backup for the entire /var/log folder in alms0.
# 2. Login to alms0 as a root user.
+su appuser
+ssh alms0
+su root
Check the alarm
# 3. Check current snmpservice status, PID will be different. NOTE:
If STAT is other than "SL", stop the procedure.
supervisorctl status snmpagent
# Expected output:
```

All tickets in a table. Clicking a row opens the side panel with the full ticket (press Esc or X to close).

Search box = any word (product, error, release, root cause...). **Chips:** All records · Past changes · Verified lessons · Only changes with a problem.

11. Trends

23 past changes in memory

23 changes that had a problem

1 problems that repeat

1 times a known problem came back

Repeat failures

Same root cause seen more than once, even when written differently. Hover a bar for details.

Trusted WLAN IPv4 Parameters (IP4CP) 2

Problem changes by equipment type

CMG 11

CMM 9

NRD 3

Problem changes per month

08/26

09/26

10/26

How problem changes ended

Resolved: 21

Open - no fix yet: 2

Digest: top recurring issues

2026-09-05 - 2026-10-05

1 Trusted WLAN IPv4 Parameters (IP4CP) - 2 in period, 2 total (CMG). Learning: - PACOSDKB-296 PACOSDKB-297

2 Enabling includeMappedGummei without RC Change or CMM lock/unlock can cause Subscriber Imbalance in CMM pool - 1 in period, 1 total (CMM). Learning: Recommendation For consistent behavior and optimal load balancing in a pool of combined MME/SGSN CMMs, the includeMappedGummei parameter should be enabled on all CMMs and RC change or CMM lock/unlock should be done to force CMM to send mapped GUMMEI in ENB configuration update to all ENBS in the pool. PACOSDKB-287

3 Internet IP Ping Test using tools perform cli_CUPS CMG-U/UPF - 1 in period, 1 total (CMG). Learning: - PACOSDKB-295

Where and when problems happen. Hover any bar for details.

- **4 tiles:** tickets in memory, tickets with a problem, problems that repeat, and how many times a known problem came back.

- **Repeat failures:** problems reported more than once (in this dataset: the Trusted WLAN IP4CP question, #296 and #297). **By product / per month:** where and when problems happen.
- **How tickets ended** (Resolved / Open) and a **Digest** of the most recent recurring issues.

12. Try these inputs

These are also clickable "**Try an example**" chips under the input boxes.

Page	Type this	What you will see
Plan	Upgrade the CMM to software release 26.7	Known 26.7 pitfalls: SCP disabled (use SFTP) PACOSDKB-212 , NetAct alarm sync PACOSDKB-213 .
Plan	Deploy a standalone NSSF 25.7 over NCP and give OAM access over SSH	The SSH capabilities pitfall PACOSDKB-254 , plus the NRD 25.7 egress-proxy issue.
Plan	Fresh CMG 26.7 deployment on a cloud platform using the operator pod	The operator-pod user pitfall PACOSDKB-256 .
Fix	NetAct still shows alarms that the CMM already cleared and we cannot delete them	Strong match PACOSDKB-213 with the snmpagent restart procedure.
Fix	After upgrading the CMM to 26.7 our scp file transfer to the node is refused	PACOSDKB-212 : SCP was disabled in 26.7, use SFTP.
Fix	egress-proxy pod in CrashLoopBackOff on NRD 25.7, envoy error unknown field lb_policy	PACOSDKB-263 : enable tracing (jaeger) in values.yaml.
Fix	Office printer does not print double-sided	No verified match found (correct: not a network problem).

2-minute demo for judges: ① Home, then **Run the 60-second demo** ("Upgrade the CMM to release 26.7"): show the verdict, the pitfalls and the "How the agent worked" timeline. ② **Fix an incident:** click the "NetAct ghost alarms" example, then Find. Show the strong match and click the ID to open the real ticket. ③ On the card: **Save as lesson**, then type your name and Save. ④ **Find it now:** your new verified lesson is first. ⑤ Click "Not a network problem" and show "No verified match found".

Quick link: <http://localhost:5173/#demo> runs step ① directly. **Accuracy on our 22 test incidents (real tickets, new wording):** right ticket ranked first 22 of 22; off-topic questions refused 2 of 2; every recommendation line has a source.