2022-2026-CSE-B

Aim:

Write a program to find the multiplication of two matrices.

At the time of execution, the program should print the message on the console as:

Exp. Name: Write a C program to find the Multiplication of Two matrices by

```
Enter the row & column sizes of matrix-1 :
```

For example, if the user gives the input as:

checking compatibility

```
Enter the row & column sizes of matrix-1 : 3 ^{2}
```

Next, the program should print the message on the console as:

```
Enter matrix-1 6 elements :
```

if the user gives the input as:

```
Enter matrix-1 6 elements : 1 2 3 4 5 6 \,
```

Next, the program should print the message on the console as:

```
Enter the row & column sizes of matrix-2 :
```

if the user gives the input as:

```
Enter the row & column sizes of matrix-2 : 2 3 \,
```

Next, the program should print the message on the console as:

```
Enter matrix-2 6 elements :
```

if the user gives the input as:

```
Enter matrix-2 6 elements : 4 5 6 7 8 9
```

then the program should **print** the result as:

```
The given matrix-1 is
1 2 3
4 5 6
The given matrix-2 is
4 5
6 7
8 9
Multiplication of two matrices is
40 46
94 109
```

**Note:** 1 Do use the **printf()** function with a **newline** character ([\n]).

Note: 2 Display MItiplication is not possible if multiplication operation can not be performed.

## **Source Code:**

## Program513.c

```
#include<stdio.h>
int main()
{
   int x[10][10],y[10][10],z[10][10],i,j,k,r1,c1,r2,c2;
   printf("Enter the row & column sizes of matrix-1 : ");
   scanf("%d%d",&r1,&c1);
   printf("Enter matrix-1 %d elements : ",r1*c1);
   for(i=0;i<r1;i++)</pre>
      for(j=0;j<c1;j++)
         scanf("%d",&x[i][j]);
   }
   printf("Enter the row & column sizes of matrix-2 : ");
   scanf("%d%d",&r2,&c2);
   printf("Enter matrix-2 %d elements : ",r2*c2);
   for(i=0;i<r2;i++)
   {
      for(j=0;j<c2;j++)</pre>
         scanf("%d",&y[i][j]);
   }
   printf("The given matrix-1 is\n");
   for(i=0;i<r1;i++)</pre>
   {
      for(j=0;j<c1;j++)</pre>
         printf("%d ",x[i][j]);
      printf("\n");
   printf("The given matrix-2 is\n");
   for(i=0;i<r2;i++)
      for(j=0;j<c2;j++)
         printf("%d ",y[i][j]);
      }
      printf("\n");
   }
   if(c1==r2)
      printf("Multiplication of two matrices is\n");
      for(i=0;i<r1;i++)</pre>
         for(j=0;j<c2;j++)
         {
            z[i][j]=0;
            for(k=0;k<r2;k++)
               z[i][j]=z[i][j]+x[i][k]*y[k][j];
```

```
printf("%d ",z[i][j]);
         }
         printf("\n");
      }
   }
   else
   printf("Multiplication is not possible\n");
}
```

## Execution Results - All test cases have succeeded!

```
Test Case - 1
User Output
Enter the row & column sizes of matrix-1 : 2 2
Enter matrix-1 4 elements : 11 33 22 44
Enter the row & column sizes of matrix-2 : 2 2
Enter matrix-2 4 elements : 11 33 44 22
The given matrix-1 is
11 33
22 44
The given matrix-2 is
44 22
Multiplication of two matrices is
1573 1089
2178 1694
```

```
Test Case - 2
User Output
Enter the row & column sizes of matrix-1 : 2 3
Enter matrix-1 6 elements : 1 2 3 4 5 6
Enter the row \& column sizes of matrix-2 : 3 2
Enter matrix-2 6 elements : 1 2 3 4 5 6
The given matrix-1 is
1 2 3
4 5 6
The given matrix-2 is
1 2
3 4
Multiplication of two matrices is
22 28
49 64
```

```
Test Case - 3
User Output
Enter the row & column sizes of matrix-1 : 2 3
Enter matrix-1 6 elements : 1 2 3 4 5 6
```

Enter the row & column sizes of matrix-2 : 2 2
Enter matrix-2 4 elements : 1 2 3 4
The given matrix-1 is
1 2 3
4 5 6
The given matrix-2 is
1 2
3 4
Multiplication is not possible

Test Case - 4
User Output
Enter the row & column sizes of matrix-1 : 3 3
Enter matrix-1 9 elements : 11 22 33 44 55 66 77 88 99
Enter the row & column sizes of matrix-2 : 3 3
Enter matrix-2 9 elements : 99 88 77 66 55 44 33 22 11
The given matrix-1 is
11 22 33
44 55 66
77 88 99
The given matrix-2 is
99 88 77
66 55 44
33 22 11
Multiplication of two matrices is
3630 2904 2178
10164 8349 6534
16698 13794 10890