#### Aim:

Write a program to <u>search</u> the given element from a list of elements with <u>linear search</u> technique using **recursion**.

At the time of execution, the program should print the message on the console as:

```
Enter value of n :
```

Recursion

For example, if the user gives the **input** as:

```
Enter value of n : 6
```

Next, the program should print the message on the console as:

```
Enter 5 elements :
```

if the user gives the **input** as:

```
Enter 5 elements : 12 54 32 9 26
```

Next, the program should print the message on the console as:

```
Enter a key element :
```

if the user gives the input as:

```
Enter a key element : 9
```

then the program should print the result as:

```
The key element 9 is found at position : 3
```

Similarly, if the key element is given as 18 for the above example then the program should print the output as:

```
The key element 18 is not found
```

**Note:** Write the functions **read()** and **linearSearch()** in Program911a.c

#### **Source Code:**

## Program911.c

```
#include <stdio.h>
#include "Program911a.c"

void main() {
    int a[20], n, pos, key;
    printf("Enter n value : ");
    scanf("%d", &n);
    read(a, n);
    printf("Enter a key element : ");
    scanf("%d", &key);
    pos = linearSearch(a, 0, n - 1, key);
    if (pos == -1) {
```

```
printf("The key element %d is not found\n", key);
  } else {
     printf("The key element %d is found at position : %d\n", key, pos);
  }
}
```

### Program911a.c

```
void read(int *a,int n){
   int i;
   printf("Enter %d elements : ",n);
   for(i=0;i<n;i++)</pre>
      scanf("%d",a+i);
   }
}
int linearSearch(int*a,int lb,int ub,int key)
{
int i;
for(i=lb;i<=ub;i++)</pre>
   if(a[i]==key)
      return i;
      break;
   }
}
 if(i==ub+1)
   return -1;
 }
}
```

# Execution Results - All test cases have succeeded!

# Test Case - 1 User Output Enter n value : 4 Enter 4 elements : 10 20 15 12 Enter a key element : The key element 15 is found at position : 2

```
Test Case - 2
User Output
Enter n value : 6
Enter 6 elements : 2 6 4 1 3 7
Enter a key element : 5
The key element 5 is not found
```

User Output
Enter n value : 5
Enter 5 elements : 11 44 33 55 22
Enter a key element : 11
The key element 11 is found at position : 0

Test Case - 4
User Output
Enter n value : 5
Enter 5 elements : 99 65 78 34 27
Enter a key element : 26
The key element 26 is not found