

# New Test Suite1

## Execution Environment

Host name	HP - 20.23.0.7
Local OS	Windows 11 64bit
Katalon version	9.5.0.217
Browser	Chrome 125.0.0.0
Device name	

## Summary

ID	Test Suites/New Test Suite1		
Description			
Total	3		
Passed	1	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	13-06-2024 14:30:58	End	13-06-2024 14:35:21
Elapsed	4m - 22.968s		

#	ID	Description	Status
1	Test Cases/Admin2		FAILED
2	Test Cases/Home1		PASSED
3	Test Cases/Student3		FAILED

# Admin2

## Information

ID	Test Cases/Admin2		
Description			
Tag			
Start	13-06-2024 14:32:19	End	13-06-2024 14:32:55
Elapsed	35.961s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	3.070s	PASSED
2	navigateToUrl("https://www.bhu.ac.in/Site/Home/1_2_16_Main-Site-Home")  Navigate to 'https://www.bhu.ac.in/Site/Home/1_2_16_Main-Site-Home' successfully	32.134s	PASSED


## Admin2

#	Description	Elapsed	Status
3	<p>click(findTestObject("Object Repository/Page_Home - Banaras Hindu University, Varan_07f604/span_Administration"))</p> <p>Unable to click on object 'Object Repository/Page_Home - Banaras Hindu University, Varan_07f604/span_Administration' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Home - Banaras Hindu University, Varan_07f604/span_Administration'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)</p> <p>at Admin2.run (Admin2:24)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1718269250705.run (TempTestSuite1718269250705.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable</p> <p>(Session info: chrome=125.0.6422.142)</p> <p>Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'</p>	0.725s	FAILED

## Admin2

#	Description	Elapsed	Status
	<p>System info: host: 'RUSALABI34', ip: '20.23.0.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</p> <p>Driver info: com.kms.katalon.selenium.driver.CChromeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49749}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>Session ID: fd6f027b44c30ca4d8d5601862cc7fe4</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)</p> <p>at org.openqa.selenium.WebElement\$click.call(Unknown Source)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p>		

## Admin2

#	Description	Elapsed	Status
	<pre>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1718268873471.run(Script1718268873471.groovy:24) ... 18 more )</pre>		
	 The screenshot shows the official website of Banaras Hindu University (BHU). At the top, there is a navigation bar with links for ERP, Admission, E-Governance, Mail, NIRF, Alumni, Donate, Grievance, Login, and a search icon. Below this is the university's logo and name in both Hindi and English. The main banner features a portrait of Mahatma Gandhi with a quote: "Our country will prosper when our children along with mother's milk acquire in their hearts patriotism, love for motherland, love for Bharat." Below the banner, there are links for "consultants!!" and "Pratidan 2024: Mahamana Annual Fund, BHU Click here". The footer section has the title "Banaras Hindu University" and a paragraph describing the university's history, founded by Pandit Madan Mohan Malaviya in 1916. At the bottom, there are four circular icons representing different aspects of the university.		

# Home1

## Information

ID	Test Cases/Home1		
Description			
Tag			
Start	13-06-2024 14:32:55	End	13-06-2024 14:33:26
Elapsed	31.899s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	3.057s	PASSED
2	navigateToUrl("https://www.bhu.ac.in/Site/Home/1_2_16_Main-Site-Home")  Navigate to 'https://www.bhu.ac.in/Site/Home/1_2_16_Main-Site-Home' successfully	24.465s	PASSED
3	click(findTestObject("Object Repository/Page_Home - Banaras Hindu University, Varan_07f604/span_Pratidan 2024 Mahamana Annual Fund, BH_da8eeb"))  Object: 'Object Repository/Page_Home - Banaras Hindu University, Varan_07f604/span_Pratidan 2024 Mahamana Annual Fund, BH_da8eeb' is clicked on	0.323s	PASSED
4	click(findTestObject("Object Repository/Page_Home - Banaras Hindu University, Varan_07f604/a_ERP"))  Object: 'Object Repository/Page_Home - Banaras Hindu University, Varan_07f604/a_ERP' is clicked on	0.317s	PASSED
5	click(findTestObject("Object Repository/Page_Home - Banaras Hindu University, Varan_07f604/a_E-Governance"))  Object: 'Object Repository/Page_Home - Banaras Hindu University, Varan_07f604/a_E-Governance' is clicked on	0.075s	PASSED

# Home1

---

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/Page_Home - Banaras Hindu University, Varan_07f604/a_NIRF"))  Object: 'Object Repository/Page_Home - Banaras Hindu University, Varan_07f604/a_NIRF' is clicked on	0.124s	PASSED
7	switchToWindowTitle("Banaras Hindu University, [BHU], Varanasi-221005, U.P., India. - Banaras Hindu University, Varanasi, India.")  Switched to window with title: 'Banaras Hindu University, [BHU], Varanasi-221005, U.P., India. - Banaras Hindu University, Varanasi, India.'	1.168s	PASSED
8	click(findTestObject("Object Repository/Page_Banaras Hindu University, BHU, Varanas_728548/a_Alumni"))  Object: 'Object Repository/Page_Banaras Hindu University, BHU, Varanas_728548/a_Alumni' is clicked on	0.342s	PASSED
9	closeBrowser()  Browser is closed	1.911s	PASSED

# Student3

## Information

ID	Test Cases/Student3		
Description			
Tag			
Start	13-06-2024 14:34:51	End	13-06-2024 14:35:18
Elapsed	26.895s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.733s	PASSED
2	navigateToUrl("https://www.bhu.ac.in/Site/Home/1_2_16_Main-Site-Home")  Navigate to 'https://www.bhu.ac.in/Site/Home/1_2_16_Main-Site-Home' successfully	23.450s	PASSED




## Student3

#	Description	Elapsed	Status
3	<p>click(findTestObject("Object Repository/Page_Home - Banaras Hindu University, Varan_07f604/span_Career Guidance, Training and Placement Cell"))</p> <p>Unable to click on object 'Object Repository/Page_Home - Banaras Hindu University, Varan_07f604/span_Career Guidance, Training and Placement Cell' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Home - Banaras Hindu University, Varan_07f604/span_Career Guidance, Training and Placement Cell'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)</p> <p>at Student3.run (Student3:24)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1718269250705.run (TempTestSuite1718269250705.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable</p> <p>(Session info: chrome=125.0.6422.142)</p>	0.679s	FAILED

# Student3

#	Description	Elapsed	Status
	Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'RUSALABI34', ip: '20.23.0.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50019}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 881986fb7e38b0601cf713bb24e658c4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404) atjdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		

## Student3

#	Description	Elapsed	Status
	<pre>(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at Script1718269051569.run(Script1718269051569.groovy:24)     ... 18 more )</pre>		
	 The screenshot shows the Banaras Hindu University website. At the top, there is a navigation bar with links for ERP, Admission, E-Governance, Mail, NIRF, Alumni, Donate, Grievance, Login, and a search icon. Below the navigation bar is the university's logo and name in Hindi and English. The main banner features a portrait of Mahatma Gandhi with a quote: "Let your mind be full of determination for the good of everybody. Do not indulge in any work that harms the glory of the nation." Below the banner, there is a message about admission: "Important Message for admission: Beware of fake agents/consultants!!" and a link to click here. The footer contains the university's name and a brief description of its history and establishment.		