Demo

Execution Environment

Host name HP - 20.23.0.7 Local OS Windows 11 64bit

Katalon version 9.5.0.217

Browser Chrome 125.0.0.0

Device name

Summary

ID Test Suites/Demo

Description

Total 2

Passed 0 Failed 2 Error 0 Incomplete 0

Skipped 0

Start 13-06-2024 11:07:30 End 13-06-2024 11:09:58

Elapsed 2m - 27.517s

| # ID | | Description | Status |
|------|---------------|-------------|--------|
| 1 To | est Cases/TC2 | | FAILED |
| 2 T | est Cases/TC3 | | FAILED |

Information

ID Test Cases/TC2

Description

Tag

Start 13-06-2024 11:08:31 End 13-06-2024 11:08:43

Elapsed 11.917s
Status FAILED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") | 3.472s | PASSED |
| | Browser is opened with url: " | | |
| | | | |
| 2 | navigateToUrl("https://www.annauniv.edu/") | 7.794s | PASSED |
| | Navigate to 'https://www.annauniv.edu/' successfully | | |
| | | | |

| Description | Clancad | Ctatur |
|---|---------|--------|
| Description | Elapsed | Status |
| click(findTestObject("Object Repository/Page_Anna University, Chennai/a_Research")) | 0.626s | FAILED |
| Unable to click on object 'Object Repository/Page_Anna University, Chennai/a_Research' | | |
| (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on | | |
| object 'Object Repository/Page_Anna University, Chennai/a_Research' | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| (WebUIKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| (WebUlKeywordMain.groovy:26) | | |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. | | |
| groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute | | |
| (ClickKeyword.groovy:40) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click | | |
| (WebUiBuiltInKeywords.groovy:659) | | |
| at TC2.run(TC2:24) | | |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| java:119) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| java:448) | | |
| $at\ com.kms.katalon.core.main. Test Case Executor. do Execute (Test Case Executor.)$ | | |
| java:439) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| (TestCaseExecutor.java:418) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| (TestCaseExecutor.java:410) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:369) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:369) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:369) | | |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| (CommonExecutor.java:65) | | |
| $at\ com.kms.katalon.core.main. Test Suite Executor.access Test Suite Main Phase$ | | |
| (TestSuiteExecutor.java:150) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 106) | | |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 180) | | |
| at TempTestSuite1718257040464.run(TempTestSuite1718257040464.groovy:35) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) | | |
| Caused by: org.openqa.selenium.ElementNotInteractableException: element not | | |
| interactable | | |
| (Session info: chrome=125.0.6422.142) | | |
| Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' | | |
| System info: host: 'RLISALARI34' in: '20.23.0.7' os name: 'Windows 11' os arch: 'amd64' | | |

System info: host: 'RUSALABI34', ip: '20.23.0.7', os.name: 'Windows 11', os.arch: 'amd64',

os.version: '10.0', java.version: '17.0.7'

Elapsed

Status

```
Description
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f...,
userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60554}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: a15bf0648e73c54fd37bb50ad48eaf30
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.kevword.builtin.ClickKevword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.iava:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
```

Description Elapsed Status

 $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.\\ doCall(ClickKeyword.groovy:67)$

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword (WebUIKeyword Main. groovy: 20)$

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)

 $at\ com. kms. katalon. core. webui. keyword. builtin. Click Keyword. execute (Click Keyword. groovy: 40)$


at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)

at Script1718176460961.run(Script1718176460961.groovy:24)

... 18 more



Information

ID Test Cases/TC3

Description

Tag

Start 13-06-2024 11:09:38 End 13-06-2024 11:09:54

Elapsed 15.875s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") | 3.660s | PASSED |
| | Browser is opened with url: " | | |
| 2 | navigateToUrl("https://www.annauniv.edu/") | 10.388s | PASSED |
| | Navigate to 'https://www.annauniv.edu/' successfully | | |
| 3 | click(findTestObject("Object Repository/Page_Anna University, Chennai/span_UG Admission 2024-25")) | 0.550s | PASSED |
| | Object: 'Object Repository/Page_Anna University, Chennai/span_UG Admission 2024-25' is clicked on | | |
| 4 | switchToWindowTitle("Admissions") | 0.716s | PASSED |
| | Switched to window with title: 'Admissions' | | |

| Description | Elapsed | Stati |
|--|---------|-------|
| click(findTestObject("Object Repository/Page_Admissions/a_B.EB.Tech")) | 0.539s | FAILE |
| Unable to click on object 'Object Repository/Page_Admissions/a_B.EB.Tech' (Root cause: | | |
| com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Admissions/a_B.EB.Tech' | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) | d | |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) | | |
| at TC3.run(TC3:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) | | |
| $at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)$ | | |
| java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutoriprocessExecutionPhase | | |
| (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:448) | | |
| (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java | a: | |
| 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 180) at TempTestSuite1718257040464.run(TempTestSuite1718257040464.groovy:35 |) | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable | | |
| (Session info: chrome=125.0.6422.142) | | |
| Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'RUSALABI34', ip: '20.23.0.7', os.name: 'Windows 11', os.arch: 'amd64', | | |

Elapsed

Status

```
Description
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f...,
userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60762}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: d08153b161f859b75d150c83cf67544c
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at\ org. open qa. selenium. remote. Remote Web Element. click (Remote Web Element.
java:84)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.iava:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
```

Description Elapsed Status

 $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.\\ doCall(ClickKeyword.groovy:67)$

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword (WebUIKeyword Main. groovy: 20)$

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)

at Script1718177175233.run(Script1718177175233.groovy:28)

... 18 more



CENTRE FOR ADMISSIONS

ANNA UNIVERSITY, CHENNAI

HOME

_ ADMINISTRATION

UG ADMISSIONS

PG ADMISSIONS

CONTACT U



Important Announcemen

Some of the boards conducting XII standard examinations are yet to publish the rappeared in such board examinations can submit their Mark sheets" on or before 20th Ju

However, such candidates should submit their online applications (including paymer upload all other documents on or before 31st of May 2024.

It is not mandatory to fill the fields of XII standard marks while filling out the application f

This is applicable for UG Admissions under Consortium of Industries/ NRI / FN / CIWGC.

* Grade sheets should be submitted along with grades to marks conversion matrix, certi Otherwise, Grade sheets will be summarily rejected.

M.Sc.(2year) Degree Progr Download Hall Ticket

CEAP 2024 (GATE Categ

ADMISSIONS 2024-25

UNDERGRADUATE (UG) ADMISSIONS

Centre for Admissions (CFA) is entrusted with the conduct of admissions to the UG programs offered in the University Departments of Anna University (College of Engineering (CEG),Guindy, Chennai -25, Alagappa College of Technology (ACT), Guindv. School of Architecture and Planning (SAP). Guindv and