

Cucumber Report

24-Jul-2025, 1:35:17 am

Start : Jul 24, 1:35:08.044 am

End : Jul 24, 1:35:16.018 am

Duration : 7.974 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 6
FAILED - 2
SKIPPED - 14




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Create a Policy</u>	7.974 s	2	0	2	0	22	6	2	14

#	Feature Name	Scenario Name
1	<u>Create a Policy</u>	<u>Request Quotation</u>
2		<u>Request Quotation</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@clearform	2	0	2	0	1	0	1	0
@qa	2	0	2	0	1	0	1	0
@uat	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Create a Policy	2	0	2	0	7.974 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Create a Policy</u>	<u>Request Quotation</u>	11	3	1	7	7.958 s
2		<u>Request Quotation</u>	11	3	1	7	7.593 s

Create a Policy

FAILED	DURATION - 7.974 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 22 Pass - 6 Fail - 2 Skip - 14	
/ 1:35:08.044 am // 1:35:16.018 am /					



Request Quotation

<div>FAILED</div> <div>DURATION - 7.958 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 1:35:08.060 am // 1:35:16.018 am /</div>				
<div>Create a Policy</div>				
<div>@clearform @qa @uat</div>				

#	Step / Hook Details	Status	Duration
1	Given the user selects "Insurance Project" on the Home Page	PASSED	0.987 s
2	Then the user navigates to the "Insurance Broker System - Login" Login Page	PASSED	0.001 s
3	When the user enters "Tester1@123.com" and "Tester@123"	PASSED	1.108 s
4	Then a message is displayed "Signed in as"	FAILED	0.015 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='content' and contains(text(), 'Signed ')]"} (Session info: chrome=138.0.7204.158) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.14.0', revision: 'e5a96349ce' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c36f35544cb8793c73a66804e65c108f, findElement {using=xpath, value=//*[@class='content' and contains(text(), 'Signed ')}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 138.0.7204.158, chrome: {chromedriverVersion: 138.0.7204.168 (3e8d82e86e9..., userDataDir: C:\Users\Welcome\AppData\Lo..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51650}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51650/devtoo..., se:cdpVersion: 138.0.7204.158, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c36f35544cb8793c73a66804e65c108f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.getText(Unknown Source) at com.demo.utills.SeleniumUtils.getText(SeleniumUtils.java:69) at com.demo.pages.InsuranceHomePage.HomePageSiginintxt(InsuranceHomePage.java:25) at com.demo.stepdefinition.PolicyCreationTest.a_message_is_displayed(PolicyCreationTest.java:66) at ?.a message is displayed "Signed in as"(file:///C:/Users/Welcome/eclipse-workspace/SeleniumCumber/telecomprojct/src/test/resources/feature/InsurancePolicyCreaton2.feature:9) * Not displayable characters are replaced by '?'. </pre>		
5	Given user on the registration quotation page	SKIPPED	0.000 s
6	When user selects "Roadside"	SKIPPED	0.000 s
7	And user clicks the radio button "No"	SKIPPED	0.000 s
8	And user enters "Theft", "Registered", "80", "800000"	SKIPPED	0.000 s
9	And user selects qutoation details "Public Place", "2021", "May", "25"	SKIPPED	0.000 s
10	And user selects calculate prememium	SKIPPED	0.000 s
11	Then the premium should calculated sucessfully	SKIPPED	0.000 s

Request Quotation

<div>FAILED</div> <div>DURATION - 7.593 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
/ 1:35:08.068 am // 1:35:15.661 am /				
<div>Create a Policy</div>				
@clearform @qa				

#	Step / Hook Details	Status	Duration
1	Given the user selects "Insurance Project" on the Home Page	PASSED	1.236 s
2	Then the user navigates to the "Insurance Broker System - Login" Login Page	PASSED	0.001 s
3	When the user enters "Tester1@123.com" and "Tester@123"	PASSED	0.477 s
4	Then a message is displayed "Signed in as"	FAILED	0.076 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='content' and contains(text(), 'Signed ')]"} (Session info: chrome=138.0.7204.158) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception> Build info: version: '4.14.0', revision: 'e5a96349ce' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ed97cb0de8a04ff345a2a2738092ce0, findElement {using=xpath, value=//*[@class='content' and contains(text(), 'Signed ')}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 138.0.7204.158, chrome: {chromedriverVersion: 138.0.7204.168 (3e8d82e86e9..., userDataDir: C:\Users\Welcome\AppData\Lo..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51649}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51649/devtoo..., se:cdpVersion: 138.0.7204.158, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ed97cb0de8a04ff345a2a2738092ce0

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.getText(Unknown Source) at com.demo.utils.SeleniumUtils.getText(SeleniumUtils.java:69) at com.demo.pages.InsuranceHomePage.HomePageSignintxt(InsuranceHomePage.java:25) at com.demo.stepdefinition.PolicyCreationTest.a_message_is_displayed(PolicyCreationTest.java:66) at ?.a message is displayed "Signed in as"(file:///C:/Users/Welcome/eclipse-workspace/SeleniumCumber/telecomprojct/src/test/resources/feature/InsurancePolicyCreaton2.feature:9) * Not displayable characters are replaced by '?'.		
5	Given user on the registration quotation page	SKIPPED	0.000 s
6	When user selects "European"	SKIPPED	0.000 s
7	And user clicks the radio button "Yes"	SKIPPED	0.001 s
8	And user enters "Accident", "Registered", "50", "500000"	SKIPPED	0.000 s
9	And user selects qutoation details "Public Place", "2022", "May", "20"	SKIPPED	0.000 s
10	And user selects calculate prememium	SKIPPED	0.000 s
11	Then the premium should calculated sucessfully	SKIPPED	0.000 s