

# Cucumber Report

24-Jul-2025, 1:32:26 am

Start : Jul 24, 1:32:15.219 am

End : Jul 24, 1:32:25.026 am

Duration : 9.807 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 6  
FAILED - 2  
SKIPPED - 14




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Create a Policy</u>	9.807 s	2	0	2	0	22	6	2	14

#	Feature Name	Scenario Name
1	<u>Create a Policy</u>	<u>Request Quotation</u>
2		<u>Request Quotation</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@clearform	2	0	2	0	1	0	1	0
@qa	2	0	2	0	1	0	1	0
@uat	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Create a Policy	2	0	2	0	9.807 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Create a Policy</u>	<u>Request Quotation</u>	11	3	1	7	9.798 s
2		<u>Request Quotation</u>	11	3	1	7	9.173 s

## Create a Policy

<b>FAILED</b>	<b>DURATION - 9.807 s</b>	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 22 Pass - 6 Fail - 2 Skip - 14	
/ 1:32:15.219 am // 1:32:25.026 am /					

## Request Quotation



<div>FAILED</div> <div>DURATION - 9.798 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 1:32:15.228 am // 1:32:25.026 am /</div>				
<div>Create a Policy</div>				
<div>@clearform @qa @uat</div>				

#	Step / Hook Details	Status	Duration
1	Given the user selects "Insurance Project" on the Home Page	PASSED	0.979 s
2	Then the user navigates to the "Insurance Broker System - Login" Login Page	PASSED	0.003 s
3	When the user enters "Tester1@123.com" and "Tester@123"	PASSED	0.381 s
4	Then a message is displayed "Signed in as"	FAILED	0.012 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='content' and contains(text(), 'Signed ')]"} (Session info: chrome=138.0.7204.158) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception</a> Build info: version: '4.14.0', revision: 'e5a96349ce' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [653dfca2eb997dd2f6bbf9794ad3cfc0, findElement {using=xpath, value=//*[@class='content' and contains(text(), 'Signed ')}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 138.0.7204.158, chrome: {chromedriverVersion: 138.0.7204.168 (3e8d82e86e9..., userDataDir: C:\Users\Welcome\AppData\Lo..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51548}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51548/devtoo..., se:cdpVersion: 138.0.7204.158, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 653dfca2eb997dd2f6bbf9794ad3cfc0</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.getText(Unknown Source) at com.demo.utills.SeleniumUtils.getText(SeleniumUtils.java:69) at com.demo.pages.InsuranceHomePage.HomePageSiginintxt(InsuranceHomePage.java:25) at com.demo.stepdefinition.PolicyCreationTest.a_message_is_displayed(PolicyCreationTest.java:66) at ?.a message is displayed "Signed in as"(file:///C:/Users/Welcome/eclipse-workspace/SeleniumCumber/telecomprojct/src/test/resources/feature/InsurancePolicyCreaton2.feature:9) * Not displayable characters are replaced by '?'. </pre>		
5	Given user on the registration quotation page	SKIPPED	0.000 s
6	When user selects "Roadside"	SKIPPED	0.000 s
7	And user clicks the radio button "No"	SKIPPED	0.000 s
8	And user enters "Theft", "Registered", "80", "800000"	SKIPPED	0.000 s
9	And user selects qutoation details "Public Place", "2021", "May", "25"	SKIPPED	0.000 s
10	And user selects calculate prememium	SKIPPED	0.000 s
11	Then the premium should calculated sucessfully	SKIPPED	0.001 s

## Request Quotation



FAILED		DURATION - 9.173 s			<div>Steps</div> <div>Total - 11</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 1:32:15.232 am // 1:32:24.405 am /						
Create a Policy						
@clearform @qa						

#	Step / Hook Details	Status	Duration
1	Given the user selects "Insurance Project" on the Home Page	PASSED	1.178 s
2	Then the user navigates to the "Insurance Broker System - Login" Login Page	PASSED	0.000 s
3	When the user enters "Tester1@123.com" and "Tester@123"	PASSED	0.289 s
4	Then a message is displayed "Signed in as"	FAILED	0.048 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='content' and contains(text(), 'Signed ')]"} (Session info: chrome=138.0.7204.158) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.14.0', revision: 'e5a96349ce' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [14c461f071d352017775f842afe12736, findElement {using=xpath, value=//*[@class='content' and contains(text(), 'Signed ')}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 138.0.7204.158, chrome: {chromedriverVersion: 138.0.7204.168 (3e8d82e86e9..., userDataDir: C:\Users\Welcome\AppData\Lo..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51547}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51547/devtoo..., se:cdpVersion: 138.0.7204.158, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 14c461f071d352017775f842afe12736</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.getText(Unknown Source) at com.demo.utils.SeleniumUtils.getText(SeleniumUtils.java:69) at com.demo.pages.InsuranceHomePage.HomePageSignintxt(InsuranceHomePage.java:25) at com.demo.stepdefinition.PolicyCreationTest.a_message_is_displayed(PolicyCreationTest.java:66) at ?.a message is displayed "Signed in as"(file:///C:/Users/Welcome/eclipse-workspace/SeleniumCumber/telecomprojet/src/test/resources/feature/InsurancePolicyCreaton2.feature:9) * Not displayable characters are replaced by '?'.		
5	Given user on the registration quotation page	SKIPPED	0.000 s
6	When user selects "European"	SKIPPED	0.000 s
7	And user clicks the radio button "Yes"	SKIPPED	0.000 s
8	And user enters "Accident", "Registered", "50", "500000"	SKIPPED	0.000 s
9	And user selects qutoation details "Public Place", "2022", "May", "20"	SKIPPED	0.000 s
10	And user selects calculate prememium	SKIPPED	0.000 s
11	Then the premium should calculated sucessfully	SKIPPED	0.001 s