

1. Write a Pandas program to select distinct department id from employees file.

| DEPARTMENT_ID | DEPARTMENT_NAME | MANAGER_ID | LOCATION_ID |
|---------------|----------------------|------------|-------------|
| 10 | Administration | 200 | 1700 |
| 20 | Marketing | 201 | 1800 |
| 30 | Purchasing | 114 | 1700 |
| 40 | Human Resources | 203 | 2400 |
| 50 | Shipping | 121 | 1500 |
| 60 | IT | 103 | 1400 |
| 70 | Public Relations | 204 | 2700 |
| 80 | Sales | 145 | 2500 |
| 90 | Executive | 100 | 1700 |
| 100 | Finance | 108 | 1700 |
| 110 | Accounting | 205 | 1700 |
| 120 | Treasury | 0 | 1700 |
| 130 | Corporate Tax | 0 | 1700 |
| 140 | Control And Credit | 0 | 1700 |
| 150 | Shareholder Services | 0 | 1700 |
| 160 | Benefits | 0 | 1700 |
| 170 | Manufacturing | 0 | 1700 |
| 180 | Construction | 0 | 1700 |
| 190 | Contracting | 0 | 1700 |
| 200 | Operations | 0 | 1700 |
| 210 | IT Support | 0 | 1700 |
| 220 | NOC | 0 | 1700 |
| 230 | IT Helpdesk | 0 | 1700 |
| 240 | Government Sales | 0 | 1700 |
| 250 | Retail Sales | 0 | 1700 |
| 260 | Recruiting | 0 | 1700 |
| 270 | Payroll | 0 | 1700 |

PROGRAM:

```
import pandas as pd
```

```
data = {
```

```
    'DEPARTMENT_ID': [10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270],
```

```
    'DEPARTMENT_NAME': ['Administration', 'Marketing', 'Purchasing', 'Human Resources', 'Shipping', 'IT', 'Public Relations', 'Sales', 'Executive', 'Finance', 'Accounting', 'Treasury', 'Corporate Tax', 'Control And Credit', 'Shareholder Services', 'Benefits', 'Manufacturing', 'Construction', 'Contracting', 'Operations', 'IT Support', 'NOC', 'IT Helpdesk', 'Government Sales', 'Retail Sales', 'Recruiting', 'Payroll'],
```

```
    'MANAGER_ID': [200, 201, 114, 203, 121, 103, 204, 145, 100, 108, 205, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0],
```

```
    'LOCATION_ID': [1700, 1800, 1700, 2400, 1500, 1400, 2700, 2500, 1700, 1700, 1700, 1700, 1700, 1700, 1700, 1700, 1700, 1700, 1700, 1700, 1700, 1700, 1700, 1700, 1700, 1700, 1700, 1700, 1700, 1700]
```

```
}
```

```
# Pad the lists to the maximum length
max_length = max(map(len, data.values()))
padded_data = {key: value + [None] * (max_length - len(value)) for key, value in data.items()}
employees = pd.DataFrame(padded_data)
distinct_department_ids = employees['DEPARTMENT_ID'].unique()
print("Distinct Department IDs:")
print(distinct_department_ids)
```

OUTPUT:

```
===== RESTART: C:/Users/PADMASRI/Documents/Codings/program 1.py =====
Distinct Department IDs:
[ 10.  20.  30.  40.  50.  60.  70.  80.  90. 100. 110. 120. 130. 140.
 150. 160. 170. 180. 190. 200. 210. 220. 230. 240. 250. 260. 270.  nan]
```
