


# Library Management System


Source Code GitHub URL - <https://github.com/Padmavathi-SJ/Presidio-training/tree/main/20-05-2026/LibrarySystem>

## Outputs:

All APIs of Book and Member:




## POST method to add book



The image shows the Swagger UI interface for a POST endpoint. The browser address bar shows 'localhost'. The endpoint is 'POST /api/Book'. The 'Parameters' section is empty. The 'Request body' is set to 'application/json'. The 'Edit Value' tab is selected, showing a JSON object:

```
{  "id": 2,  "title": "travell_story",  "author": "padma bojan",  "isbn": "76534",  "publicationYear": 2025,  "noOfCopies": 2,  "createdAt": "2026-05-20T13:43:37.755Z",  "updatedAt": "2026-05-20T13:43:37.755Z"}
```

The 'Execute' button is highlighted in blue. The 'Responses' section is empty.



The image shows the Swagger UI interface after executing the POST request. The 'Responses' section is expanded, showing the 'Curl' command and the 'Request URL'.

```
curl -X 'POST' \  'http://localhost:5080/api/Book' \  -H 'accept: */*' \  -H 'Content-Type: application/json' \  -d '{  "id": 2,  "title": "travell_story",  "author": "padma bojan",  "isbn": "76534",  "publicationYear": 2025,  "noOfCopies": 2,  "createdAt": "2026-05-20T13:43:37.755Z",  "updatedAt": "2026-05-20T13:43:37.755Z"  }'
```


The 'Request URL' is 'http://localhost:5080/api/Book'. The 'Server response' section shows a '201' status code. The 'Response body' is a JSON object:

```
{  "id": 2,  "title": "travell_story",  "author": "padma bojan",  "isbn": "76534",  "publicationYear": 2025,  "noOfCopies": 2,  "createdAt": "2026-05-20T13:45:47.476704Z",  "updatedAt": "2026-05-20T13:45:47.476704Z"}
```

The 'Response headers' section shows:

```
content-type: application/json; charset=utf-8  date: Wed, 20 May 2026 13:45:46 GMT  location: http://localhost:5080/api/Book/2  server: Kestrel  transfer-encoding: chunked
```

## GET method to fetch all books



GET /api/Book

Parameters

No parameters

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:5080/api/Book' \
  -H 'accept: */*'
```

Request URL

http://localhost:5080/api/Book


Server response

Code Details

200

Response body

```
[
  {
    "id": 1,
    "title": "Sample book",
    "author": "Test author",
    "isbn": "12345653",
    "publicationYear": 1999,
    "noOfCopies": 5,
    "createdAt": "2026-05-20T10:48:21.4229Z",
    "updatedAt": "2026-05-20T10:48:21.4229Z"
  },
  {
    "id": 2,
    "title": "travell_story",
```



-H 'accept: \*/\*'

Request URL

http://localhost:5080/api/Book

Server response

Code Details

200

Response body

```
[
  {
    "id": 1,
    "title": "sample book",
    "author": "Test author",
    "isbn": "12345653",
    "publicationYear": 1999,
    "noOfCopies": 5,
    "createdAt": "2026-05-20T10:48:21.4229Z",
    "updatedAt": "2026-05-20T10:48:21.4229Z"
  },
  {
    "id": 2,
    "title": "travell_story",
    "author": "padma bojan",
    "isbn": "76534",
    "publicationYear": 2025,
    "noOfCopies": 2,
    "createdAt": "2026-05-20T13:45:47.476704Z",
    "updatedAt": "2026-05-20T13:45:47.476704Z"
  }
]
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Wed, 20 May 2026 13:48:27 GMT
server: Kestrel
transfer-encoding: chunked
```

Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

## GET method to fetch book by book id

GET /api/Book/{id}

Parameters

Cancel

| Name           | Description |
|----------------|-------------|
| id * required  |             |
| integer(int32) | 2           |
| (path)         |             |

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:5080/api/Book/2' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:5080/api/Book/2
```

Server response

| Code | Details                                                                                                                                                                                                                                                           |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 200  | <p>Response body</p> <pre>{   "id": 2,   "title": "travell_story",   "author": "padma bojan",   "isbn": "76534",   "publicationYear": 2025,   "noOfCopies": 2,   "createdAt": "2026-05-20T13:45:47.476704Z",   "updatedAt": "2026-05-20T13:45:47.476704Z" }</pre> |

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:5080/api/Book/2' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:5080/api/Book/2
```

Server response


| Code | Details                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 200  | <p>Response body</p> <pre>{   "id": 2,   "title": "travell_story",   "author": "padma bojan",   "isbn": "76534",   "publicationYear": 2025,   "noOfCopies": 2,   "createdAt": "2026-05-20T13:45:47.476704Z",   "updatedAt": "2026-05-20T13:45:47.476704Z" }</pre> <p>Download</p> <p>Response headers</p> <pre>content-type: application/json; charset=utf-8 date: Wed, 20 May 2026 13:50:22 GMT server: Kestrel transfer-encoding: chunked</pre> |

Responses

| Code | Description |
|------|-------------|
| 200  | OK          |

No links

## POST method to add member




The image shows the Swagger UI interface for a POST endpoint named `/api/Member`. The interface is divided into several sections:

- Parameters:** A section with the text "No parameters".
- Request body:** A section with a dropdown menu set to `application/json`.
- Edit Value | Schema:** A section containing a JSON object:

```
{  "id": 1,  "name": "alia",  "email": "alia@gmail.com",  "phoneNum": "9812345670",  "createdAt": "2026-05-20T14:35:50.347Z",  "updatedAt": "2026-05-20T14:35:50.348Z"}
```
- Execute:** A blue button to execute the request.
- Clear:** A button to clear the request body.
- Responses:** A section with a **Curl** tab showing the following command:

```
curl -X 'POST' \  'http://localhost:5080/api/Member' \  -H 'accept: */*' \
```



The image shows the Swagger UI interface displaying the response of a POST request to the `/api/Member` endpoint. The interface is divided into several sections:

- Responses:** A section with a **Curl** tab showing the following command:


```
curl -X 'POST' \  'http://localhost:5080/api/Member' \  -H 'accept: */*' \  -H 'Content-Type: application/json' \  -d '{  "id": 1,  "name": "alia",  "email": "alia@gmail.com",  "phoneNum": "9812345670",  "createdAt": "2026-05-20T14:35:50.347Z",  "updatedAt": "2026-05-20T14:35:50.348Z"  }'
```
- Request URL:** A section showing the request URL: `http://localhost:5080/api/Member`.
- Server response:** A section with a **Code** tab and a **Details** tab. The **Code** tab shows the response code `201` and the status `Undocumented`. The **Details** tab shows the response body and headers.
- Response body:** A section containing a JSON object:

```
{  "id": 1,  "name": "alia",  "email": "alia@gmail.com",  "phoneNum": "9812345670",  "createdAt": "2026-05-20T14:36:16.644753Z",  "updatedAt": "2026-05-20T14:36:16.644753Z"}
```
- Response headers:** A section containing the following headers:

```
content-type: application/json; charset=utf-8  date: Wed, 20 May 2026 14:36:16 GMT  location: http://localhost:5080/api/Member/1  server: Kestrel  transfer-encoding: chunked
```
- Responses:** A section with a table showing the response code and description:

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |


## Exception due to duplicate email



Swagger UI interface showing a POST request to `/api/Member`. The request body is a JSON object:

```
{  "id": 2,  "name": "balia",  "email": "alia@gmail.com",  "phoneNumber": "9812345660",  "createdAt": "2026-05-20T14:35:50.347Z",  "updatedAt": "2026-05-20T14:35:50.348Z"}
```

The interface includes buttons for `Execute` and `Clear`. The `Responses` section is currently empty.



Swagger UI interface showing the response of the POST request to `/api/Member`. The response is a 400 status code with the message "Error: Bad Request".

**Request URL:** `http://localhost:5080/api/Member`

**Server response:**

| Code | Details            |
|------|--------------------|
| 400  | Error: Bad Request |

**Response body:**

```
{  "message": "Email already exists."}
```

**Response headers:**

```
content-type: application/json; charset=utf-8
date: Wed, 20 May 2026 14:37:22 GMT
server: Kestrel
transfer-encoding: chunked
```

**Responses:**

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

## Member added successfully

Swagger UI interface showing a POST request to `/api/Member`. The request body is a JSON object:

```
{  "id": 3,  "name": "calia",  "email": "calia@gmail.com",  "phoneNum": "9128456370",  "createdAt": "2026-05-20T16:17:17.408Z",  "updatedAt": "2026-05-20T16:17:17.408Z"}
```

The interface includes buttons for **Execute** and **Clear**. The **Responses** section is currently empty.

Swagger UI interface showing the response of the POST request to `/api/Member`. The response is a 201 status code with a JSON body:

```
{  "id": 3,  "name": "calia",  "email": "calia@gmail.com",  "phoneNum": "9128456370",  "createdAt": "2026-05-20T16:17:46.926716Z",  "updatedAt": "2026-05-20T16:17:46.926716Z"}
```

The response headers are:

```
content-type: application/json; charset=utf-8
date: Wed, 20 May 2026 16:17:46 GMT
location: http://localhost:5080/api/Member/3
server: Kestrel
transfer-encoding: chunked
```

The **Responses** section shows a table with the following data:

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

## Get method to fetch all members

Member

GET /api/Member

Parameters

No parameters

Execute Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:5080/api/Member' \
-H 'accept: */*'
```

Request URL

http://localhost:5080/api/Member

Server response

| Code | Details                                                                                                                                                                                                                                                                            |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 200  | <p>Response body</p> <pre>[   {     "id": 1,     "name": "alia",     "email": "alia@gmail.com",     "phoneNum": "9812345678",     "createdAt": "2026-05-20T14:36:16.644753Z",     "updatedAt": "2026-05-20T14:36:16.644753Z"   },   {     "id": 2,     "name": "balia"   } ]</pre> |

Member

GET /api/Member

Parameters

No parameters

Execute Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:5080/api/Member' \
-H 'accept: */*'
```

Request URL

http://localhost:5080/api/Member

Server response

| Code | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 200  | <p>Response body</p> <pre>[   {     "id": 1,     "name": "alia",     "email": "alia@gmail.com",     "phoneNum": "9812345678",     "createdAt": "2026-05-20T14:36:16.644753Z",     "updatedAt": "2026-05-20T14:36:16.644753Z"   },   {     "id": 2,     "name": "balia",     "email": "balia@gmail.com",     "phoneNum": "9812345668",     "createdAt": "2026-05-20T14:38:43.787297Z",     "updatedAt": "2026-05-20T14:38:43.787297Z"   } ]</pre> <p>Response headers</p> <pre>content-type: application/json; charset=utf-8 date: Wed, 20 May 2026 14:38:51 GMT server: Kestrel transfer-encoding: chunked</pre> |

Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |



## Get method to fetch member by member id

GET /api/Member/{id}

Parameters

Cancel

| Name                                      | Description |
|-------------------------------------------|-------------|
| id * required<br>integer(int32)<br>(path) | 2           |

Execute Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:5080/api/Member/2' \
-H 'accept: */*'
```

Request URL

```
http://localhost:5080/api/Member/2
```

Server response

| Code | Details                                                                                                                                                                                                                                |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 200  | <p>Response body</p> <pre>{   "id": 2,   "name": "balia",   "email": "balia@gmail.com",   "phoneNum": "9812345660",   "createdAt": "2026-05-20T14:38:43.787297Z",   "updatedAt": "2026-05-20T14:38:43.787297Z" }</pre> <p>Download</p> |

Responses

Curl

```
curl -X 'GET' \
'http://localhost:5080/api/Member/2' \
-H 'accept: */*'
```

Request URL

```
http://localhost:5080/api/Member/2
```

Server response


| Code | Details                                                                                                                                                                                                                                                                                                                                                                                                |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 200  | <p>Response body</p> <pre>{   "id": 2,   "name": "balia",   "email": "balia@gmail.com",   "phoneNum": "9812345660",   "createdAt": "2026-05-20T14:38:43.787297Z",   "updatedAt": "2026-05-20T14:38:43.787297Z" }</pre> <p>Download</p> <p>Response headers</p> <pre>content-type: application/json; charset=utf-8 date: Wed, 20 May 2026 14:39:29 GMT server: Kestrel transfer-encoding: chunked</pre> |

Responses

| Code | Description |
|------|-------------|
| 200  | OK          |

Schemas

## Books table



Filter connections by name

- DBEaver Sample Database (SQLite)
- localhost localhost:3306
- localhost 2 localhost:3306
- localhost 3 localhost:3306
- postgres localhost:5432
  - Databases
    - ADO\_DB
    - bankingdb
    - employee
    - library\_db
    - Schemas
      - public
        - Tables
          - \_EFMigrationsHistory
          - books
          - members
          - Foreign Tables
          - Views
          - Materialized Views
          - Indexes
          - Functions
          - Sequences
          - Data types
          - Aggregate functions
        - Event Triggers
        - Extensions
        - Storage
        - System Info
        - Roles
      - library\_system
      - movie\_rental
      - notification\_system
      - notification\_system\_ef
      - postgres
      - test
      - test\_db
      - word\_game
      - Administer
      - System Info

Properties Data Diagram


Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

|   | Id | Title         | Author      | ISBN    | PublicationYear | NoOfCopies | CreatedAt                     | UpdatedAt                     |
|---|----|---------------|-------------|---------|-----------------|------------|-------------------------------|-------------------------------|
| 1 | 1  | sample book   | Test author | 1234653 | 1999            | 5          | 2026-05-20 16:18:21.422 +0530 | 2026-05-20 16:18:21.422 +0530 |
| 2 | 2  | travell_story | padma bojan | 76534   | 2,025           | 2          | 2026-05-20 19:15:47.476 +0530 | 2026-05-20 19:15:47.476 +0530 |

Refresh Save Cancel Export data 200 2 2 row(s) fetched - 0.012s, on 2026-05-20 at 20:10:09

postgres library\_db public books IST en

## Members table



Filter connections by name

- DBEaver Sample Database (SQLite)
- localhost localhost:3306
- localhost 2 localhost:3306
- localhost 3 localhost:3306
- postgres localhost:5432
  - Databases
    - ADO\_DB
    - bankingdb
    - employee
    - library\_db
    - Schemas
      - public
        - Tables
          - \_EFMigrationsHistory
          - books
          - members
          - Foreign Tables
          - Views
          - Materialized Views
          - Indexes
          - Functions
          - Sequences
          - Data types
          - Aggregate functions
        - Event Triggers
        - Extensions
        - Storage
        - System Info
        - Roles
      - library\_system
      - movie\_rental
      - notification\_system
      - notification\_system\_ef
      - postgres
      - test
      - test\_db
      - word\_game
      - Administer
      - System Info

Properties Data Diagram

Show SQL Enter a SQL expression to filter results (use Ctrl+Space)

|   | Id | Name  | Email           | PhoneNum   | CreatedAt                     | UpdatedAt                     |
|---|----|-------|-----------------|------------|-------------------------------|-------------------------------|
| 1 | 1  | alia  | alia@gmail.com  | 9812345670 | 2026-05-20 20:06:16.644 +0530 | 2026-05-20 20:06:16.644 +0530 |
| 2 | 2  | balia | balia@gmail.com | 9812345660 | 2026-05-20 20:08:43.787 +0530 | 2026-05-20 20:08:43.787 +0530 |

Refresh Save Cancel Export data 200 2 2 row(s) fetched - 0.001s, on 2026-05-20 at 20:10:14

postgres library\_db public members IST en

