Table	Non unique	Key name	Seq in index	Column name	Collation	Cardinality	Sub part	Packed	Null	Index type	Comment	Index comment	Visible	Expression
payment	0	PRIMARY	1	id	A	0	(NULL)	(NULL)		BTREE			YES	(NULL)

SAMPLE CODE:

Admin Login:
Front end code:

```html
<!doctype html>
<html lang="en">

  <head>
    <title>Car Rent &mdash; Free Website Template by Colorlib</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <link href="https://fonts.googleapis.com/css?family=DM+Sans:300,400,700&display=swap" rel="stylesheet">

    <link rel="stylesheet" href="fonts/icomoon/style.css">

    <link rel="stylesheet" href="css/bootstrap.min.css">
    <link rel="stylesheet" href="css/bootstrap-datepicker.css">
    <link rel="stylesheet" href="css/jquery.fancybox.min.css">
    <link rel="stylesheet" href="css/owl.carousel.min.css">
    <link rel="stylesheet" href="css/owl.theme.default.min.css">
    <link rel="stylesheet" href="fonts/flaticon/font/flaticon.css">
    <link rel="stylesheet" href="css/aos.css">

    <!-- MAIN CSS -->
    <link rel="stylesheet" href="css/style.css">

  </head>

  <body data-spy="scroll" data-target=".site-navbar-target" data-offset="300">


    <div class="site-wrap" id="home-section">

      <div class="site-mobile-menu site-navbar-target">
        <div class="site-mobile-menu-header">
          <div class="site-mobile-menu-close mt-3">
            <span class="icon-close2 js-menu-toggle"></span>
          </div>
        </div>
        <div class="site-mobile-menu-body"></div>
      </div>



      <%@ include file="Homeheader.jsp" %>
```

```html
    <div class="ftco-blocks-cover-1">
      <div       class="ftco-cover-1      overlay      innerpage"      style="background-image:
url('images/hero_2.jpg')">
        <div class="container">
          <div class="row align-items-center justify-content-center">
            <div class="col-lg-6 text-center">
              <h1>Admin_Login</h1>
            </div>
          </div>
        </div>
      </div>
    </div>

    <div class="site-section bg-light" id="contact-section">
      <div class="container">
        <div class=" justify-content-center text-center">
        <div class="col-9 text-center   ">
          <h2>Admin Login</h2>
         </div>
      </div>

        <div class="row justify-content-center text-center">
          <div class="col-lg-8 mb-5" >
            <form action="adlogindata.jsp" method="post">
             <div class="form-group row">
               <div class="col-md-8 mb-6 mb-lg-0 text-center ">

                 <input type="text" class="form-control" name="email" placeholder="Email
address">
               </div>
                </div>
              <div class="form-group row">
                <div class="col-md-8 mb-6 mb-lg-0">

                  <input         type="text"        class="form-control"        name="password"
placeholder="Enter Password">
                </div>
              </div>
          <div class="form-group row">
                <div class="col-md-2 mr-auto text-center">
                  <input type="submit" class="btn btn-block btn-primary text-white py-1 px-
1" value="Login">
                </div>
              </div>


            </form>
          </div>
        </div></div></div>


      <%@ include file="footer.jsp" %>

      </div>
```

```html
<script src="js/jquery-3.3.1.min.js"></script>
<script src="js/popper.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/jquery.sticky.js"></script>
<script src="js/jquery.waypoints.min.js"></script>
<script src="js/jquery.animateNumber.min.js"></script>
<script src="js/jquery.fancybox.min.js"></script>
<script src="js/jquery.easing.1.3.js"></script>
<script src="js/bootstrap-datepicker.min.js"></script>
<script src="js/aos.js"></script>

<script src="js/main.js"></script>

</body>

</html>
```

Back End Code:

```jsp
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1" import="java.sql.*"%>
    <%@ include file="connect.jsp" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<%


 String email=request.getParameter("email");
String password=request.getParameter("password");

session.setAttribute("email", email);
try {
Statement st=con.createStatement();
ResultSet   rss=st.executeQuery("select   *   from   admin   where   email='"+email+"'   and
password='"+password+"'");


if(rss.next()) {

%>

<script>alert("LoginSucess")</script>
<jsp:include page="adminhome.jsp" />

 <%
```

```
}
else  {

%>

<script>alert("LoginUnSucess")</script>");
<jsp:include page="admin.jsp" />

 <%
}



}catch(Exception e) {
e.printStackTrace();
}




%>
</body>
</html>


Add Cars:
<!doctype html>
<html lang="en">

  <head>
    <title>Car Rent &mdash; Free Website Template by Colorlib</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <link href="https://fonts.googleapis.com/css?family=DM+Sans:300,400,700&display=swap"
rel="stylesheet">

    <link rel="stylesheet" href="fonts/icomoon/style.css">

    <link rel="stylesheet" href="css/bootstrap.min.css">
    <link rel="stylesheet" href="css/bootstrap-datepicker.css">
    <link rel="stylesheet" href="css/jquery.fancybox.min.css">
    <link rel="stylesheet" href="css/owl.carousel.min.css">
    <link rel="stylesheet" href="css/owl.theme.default.min.css">
    <link rel="stylesheet" href="fonts/flaticon/font/flaticon.css">
    <link rel="stylesheet" href="css/aos.css">

    <!-- MAIN CSS -->
    <link rel="stylesheet" href="css/style.css">

  </head>

  <body data-spy="scroll" data-target=".site-navbar-target" data-offset="300">
```

```
<div class="site-wrap" id="home-section">

  <div class="site-mobile-menu site-navbar-target">
    <div class="site-mobile-menu-header">
      <div class="site-mobile-menu-close mt-3">
        <span class="icon-close2 js-menu-toggle"></span>
      </div>
    </div>
    <div class="site-mobile-menu-body"></div>
  </div>




    <%@ include file="adminheader.jsp" %>
  <div class="ftco-blocks-cover-1">
    <div     class="ftco-cover-1     overlay     innerpage"     style="background-image:
url('images/hero_2.jpg')">
      <div class="container">
        <div class="row align-items-center justify-content-center">
          <div class="col-lg-6 text-center">
            <h1>Add_Cars</h1>
          </div>
        </div>
      </div>
    </div>
  </div>

  <div class="site-section bg-light" id="contact-section">
    <div class="container">
      <div class=" justify-content-center text-center">
      <div class="col-9 text-center  ">
        <h2>Add_Cars</h2>
       </div>
    </div>

      <div class="row justify-content-center text-center">
        <div class="col-lg-8 mb-5" >
          <form action="adcardata.jsp" method="post" enctype="multipart/form-data">

            <div class="form-group row">

                <select name="typeCar" class="col-md-7 mb-8 mb-lg-0" class="form-group
row">

                <option value="Kia">Car</option>
                <option value="audi">Jeep</option>
                <option value="sukuki">Toofan</option>


                </select>

            </div>
```

```html
            <div class="form-group row">
                <select name="cartype" class="col-md-7 mb-6 mb-lg-0" class="form-group
row">

                <option value="Kia">KIA</option>
                <option value="audi">AUDI</option>
                <option value="sukuki">SUZUKI</option>
              <option value="honda">HONDA</option>
              <option value="mahidhra">MAHINDHRA</option>

                </select>
            </div>

         <div class="form-group row">
           <div class="col-md-8 mb-6 mb-lg-0 text-center ">

                <input type="text" class="form-control"  name="brand" placeholder="Enter
Brand">
              </div>
              </div>
         <div class="form-group row">
           <div class="col-md-8 mb-6 mb-lg-0">

                <input type="text" class="form-control" name="model" placeholder="Enter
Model">
              </div>
         </div>


         <div class="form-group row">

                <select name="fuel" class="col-md-7 mb-6 mb-lg-0" class="form-group
row">

                <option value="Petrol">Petrol</option>
                <option value="Diesel">Diesel</option>
                <option value="Diesel">Electrical</option>

                </select>
            </div>
         <div class="form-group row">
           <div class="col-md-8 mb-6 mb-lg-0">

                <input        type="text"        class="form-control"        name="version"
placeholder="Enter version">
              </div>
         </div>

          <div class="form-group row">
              <select  name="type"  class="col-md-7  mb-6  mb-lg-0"  class="form-group
row">

                <option value="Ac">AC</option>
                <option value="Non-Ac">Non-AC</option>
                </select>
```

```
        </div>

        <div class="form-group row">
         <div class="col-md-8 mb-6 mb-lg-0">

           <input       type="number"      class="form-control"       name="capacity"
placeholder="Enter Capacity">
          </div>
        </div>

        <div class="form-group row">
          <div class="col-md-8 mb-6 mb-lg-0">

           <input       type="number"      class="form-control"       name="mincost"
placeholder="Enter Cost per/day">
          </div>
        </div>

        <div class="form-group row">
          <div class="col-md-8 mb-6 mb-lg-0">

           <input       type="number"      class="form-control"       name="maxcost"
placeholder="Enter Max Km/day">
          </div>
        </div>




         <div class="form-group row">
          <div class="col-md-8 mb-6 mb-lg-0">

           <input       type="number"      class="form-control"       name="excost"
placeholder="Cost per Extra Km">
          </div>
        </div>




         <div class="form-group row">
          <div class="col-md-8 mb-6 mb-lg-0">

           <input       type="number"      class="form-control"       name="decost"
placeholder="Deposit for Car">
          </div>
        </div>




         <div class="form-group row">
          <div class="col-md-8 mb-6 mb-lg-0">

           <textarea     class="form-control" name="feactures" placeholder="Enter
feactures"></textarea>
          </div>
        </div>
               <div class="form-group row">
          <div class="col-md-8 mb-6 mb-lg-0">
```

```html
                       <label for="myfile">Select a file:</label>
  <input type="file" id="myfile" name="carpic"><br><br>
                </div>
             </div>


        <div class="form-group row">
              <div class="col-md-2 mr-auto text-center">
                <input type="submit" class="btn btn-block btn-primary text-white py-1 px--
1" value="Add Car">
              </div>
             </div>



         </form>
       </div>
     </div></div></div>


   <%@ include file="footer.jsp" %>

   </div>

   <script src="js/jquery-3.3.1.min.js"></script>
   <script src="js/popper.min.js"></script>
   <script src="js/bootstrap.min.js"></script>
   <script src="js/owl.carousel.min.js"></script>
   <script src="js/jquery.sticky.js"></script>
   <script src="js/jquery.waypoints.min.js"></script>
   <script src="js/jquery.animateNumber.min.js"></script>
   <script src="js/jquery.fancybox.min.js"></script>
   <script src="js/jquery.easing.1.3.js"></script>
   <script src="js/bootstrap-datepicker.min.js"></script>
   <script src="js/aos.js"></script>

   <script src="js/main.js"></script>

  </body>

</html>
```

Back-end code:

```jsp
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1" import="java.sql.*"%>
    <%@ include file="connect.jsp" %>
     <%@page
import="com.oreilly.servlet.*,java.sql.*,java.lang.*,java.text.SimpleDateFormat,java.util
.*,java.io.*,javax.servlet.*,javax.servlet.http.*" %>

<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
```

```jsp
<title>Insert title here</title>
</head>
<body>
<%


String typeCar=null;

String cartype=null;

String brand=null;
String model=null;
String fuel=null;
String type=null;
String version=null;

Integer capacity=0;

Double mincost=0.0;
Double maxcost= 0.0;
Double excost=0.0;
Double decost=0.0;

String feactures=null;



String  image=null;


ArrayList list = new ArrayList();

ServletContext context = getServletContext();
String dirName =context.getRealPath("Gallery\\");
String paramname=null;

String file=null;
 String bin = "";



FileInputStream fs=null;
File file1 = null;
try {


MultipartRequest multi = new MultipartRequest(request, dirName,  10 * 1024 * 1024); //
10MB
Enumeration params = multi.getParameterNames();


while (params.hasMoreElements())
{
      paramname = (String) params.nextElement();


      if(paramname.equalsIgnoreCase("typeCar"))
```

```
{
      typeCar=multi.getParameter(paramname);
}

if(paramname.equalsIgnoreCase("cartype"))
{
      cartype=multi.getParameter(paramname);
}
if(paramname.equalsIgnoreCase("brand"))
{
      brand=multi.getParameter(paramname);
}
if(paramname.equalsIgnoreCase("model"))
{
      model=multi.getParameter(paramname);
}
if(paramname.equalsIgnoreCase("fuel"))
{
      fuel=multi.getParameter(paramname);
}
if(paramname.equalsIgnoreCase("type"))
{
      type=multi.getParameter(paramname);
}
if(paramname.equalsIgnoreCase("version"))
{
      version=multi.getParameter(paramname);
}
if(paramname.equalsIgnoreCase("feactures"))
{
      feactures=multi.getParameter(paramname);
}
if(paramname.equalsIgnoreCase("carpic"))
{
      image=multi.getParameter(paramname);
}
if(paramname.equalsIgnoreCase("capacity"))
{
      capacity=Integer.parseInt(multi.getParameter(paramname));
}

if(paramname.equalsIgnoreCase("mincost"))
{
      mincost=Double.parseDouble(multi.getParameter(paramname));
}
if(paramname.equalsIgnoreCase("maxcost"))
{
      maxcost=Double.parseDouble(multi.getParameter(paramname));
}
if(paramname.equalsIgnoreCase("excost"))
{
      excost=Double.parseDouble(multi.getParameter(paramname));
}
if(paramname.equalsIgnoreCase("decost"))
{
```

```java
                decost=Double.parseDouble(multi.getParameter(paramname));
        }


}

// image upload

int f = 0;
Enumeration files = multi.getFileNames();
while (files.hasMoreElements())
{
        paramname = (String) files.nextElement();


        if(paramname != null)
        {
                f = 1;
                image = multi.getFilesystemName(paramname);

                String fPath = context.getRealPath("Gallery\\"+image);
                file1 = new File(fPath);
                fs = new FileInputStream(file1);
                list.add(fs);

                String ss=fPath;
                FileInputStream fis = new FileInputStream(ss);
                StringBuffer sb1=new StringBuffer();
                int i = 0;
                while ((i = fis.read()) != -1) {
                        if (i != -1) {
                                //System.out.println(i);
                                String hex = Integer.toHexString(i);
                                // session.put("hex",hex);
                                sb1.append(hex);
                                // sb1.append(",");

                                String binFragment = "";
                                int iHex;

                                for(int i1= 0; i1 < hex.length(); i1++){
                                        iHex = Integer.parseInt(""+hex.charAt(i1),16);
                                        binFragment = Integer.toBinaryString(iHex);

                                        while(binFragment.length() < 4){
                                                binFragment = "0" + binFragment;
                                        }
                                        bin += binFragment;
                                        //System.out.print(bin);
                                }
                        }
                }
        }
}
FileInputStream fs1 = null;
```

```
String                            query="insert                        into
car(cartype,brand,model,fuel,type,version,capacity,mincost,maxcost,excost,depositcost,fea
ctures,image,TypeCar)values(?,?,?,?,?,?,?,?,?,?,?,?,?,?)";
PreparedStatement ps=con.prepareStatement(query);
ps.setString(1, cartype);
ps.setString(2, brand);
ps.setString(3, model);
ps.setString(4, fuel);
ps.setString(5, type);
ps.setString(6, version);


ps.setInt(7, capacity);
ps.setDouble(8, mincost);
ps.setDouble(9, maxcost);

ps.setDouble(10, excost);
ps.setDouble(11, decost);

ps.setString(12, feactures);



ps.setBinaryStream(13, (InputStream)fs, (int)(file1.length()));




// image upload
if(f == 0)
ps.setObject(13,null);
else if(f == 12)
{
fs1 = (FileInputStream)list.get(0);
ps.setBinaryStream(13,fs1,fs1.available());
}
 ps.setString(14,typeCar);


int a=ps.executeUpdate();
if(a>0){
%>

      <jsp:forward page="viewcars.jsp" />

 <%
}
else{
%>

<script>alert("Add_UnSuccess")</script>");
<jsp:include page="cars.jsp" />
```

```
 <%
}}
catch(Exception e)
{
e.printStackTrace();
}

%>
</body>
</html>
```

View Cars:

```html
<!doctype html>
<html lang="en">

  <head>
    <title>Car Rent &mdash; Free Website Template by Colorlib</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <link href="https://fonts.googleapis.com/css?family=DM+Sans:300,400,700&display=swap" rel="stylesheet">

    <link rel="stylesheet" href="fonts/icomoon/style.css">

    <link rel="stylesheet" href="css/bootstrap.min.css">
    <link rel="stylesheet" href="css/bootstrap-datepicker.css">
    <link rel="stylesheet" href="css/jquery.fancybox.min.css">
    <link rel="stylesheet" href="css/owl.carousel.min.css">
    <link rel="stylesheet" href="css/owl.theme.default.min.css">
    <link rel="stylesheet" href="fonts/flaticon/font/flaticon.css">
    <link rel="stylesheet" href="css/aos.css">

    <!-- MAIN CSS -->
    <link rel="stylesheet" href="css/style.css">

  </head>

  <body data-spy="scroll" data-target=".site-navbar-target" data-offset="300">


    <div class="site-wrap" id="home-section">

      <div class="site-mobile-menu site-navbar-target">
        <div class="site-mobile-menu-header">
          <div class="site-mobile-menu-close mt-3">
            <span class="icon-close2 js-menu-toggle"></span>
          </div>
        </div>
        <div class="site-mobile-menu-body"></div>
      </div>
```

```jsp
<%@ include file="adminheader.jsp" %>
    <%@ include file="connect.jsp" %>
    <%@ page import="java.sql.*" %>


<div class="ftco-blocks-cover-1">
  <div    class="ftco-cover-1    overlay    innerpage"    style="background-image:
url('images/hero_2.jpg')">
    <div class="container">
      <div class="row align-items-center justify-content-center">
        <div class="col-lg-6 text-center">
          <h1>ViewCars</h1>
        </div>
      </div>
    </div>
  </div>
</div>
<br><br><br>
  <div class="container">
  <div class="row">

  <%

String query="select * from car";

Statement st=con.createStatement();
ResultSet rs=st.executeQuery(query);


while(rs.next()){
int car_id=rs.getInt(1);
String carName=rs.getString(2);
String carBrand=rs.getString(3);
String carModel=rs.getString(4);
String carVersion=rs.getString(7);
double minCost=rs.getDouble(9);
double maxCost=rs.getDouble(10);
double extraCost=rs.getDouble(11);
double dptCost=rs.getDouble(12);
String feactures=rs.getString(13);

String fuelType=rs.getString(5);
String Ac_NonAc=rs.getString(6);
int capacity=rs.getInt(8);
String Type=rs.getString(15);

%>


    <div class="col-lg-4 col-md-6 mb-4">



      <div class="item-1">
```

```html
        <img src="image.jsp?id=<%=car_id%>" style="width:500px; height:300px;" alt="Image"
class="img-fluid">


            <div class="item-1-contents">

                <div class="text-center">

                <h3><a
href="#"><%=carName%>&nbsp<%=carBrand%>&nbsp<%=carModel%>&nbsp<%=carVersion%></a></h3>


            <div class="rent-price">
            <h8>CostPerday-<span>Rs&nbsp<%=minCost %> &nbsp,

            MaxKm/day-&nbsp<%=maxCost %>  &nbsp,
              DepositCost-    Rs&nbsp<%=dptCost    %>,    ExtraCost/km-Rs&nbsp<%=extraCost
%></span></h8>
            </div>
                </div>
                <br>
                <ul class="specs">
                  <li>
                    <span>FuelType</span>
                    <span class="spec"><%=fuelType %></span>
                  </li>
                  <li>
                    <span>BlowerType</span>
                    <span class="spec"><%=Ac_NonAc %></span>
                  </li>
                  <li>
                    <span>capacity</span>
                    <span class="spec"><%=capacity %></span>
                  </li>
                   <li>
                    <span>Type</span>
                    <span class="spec"><%=Type %></span>
                  </li>
                   <li>
                    <span>Feactures</span>
                    <span class="spec"><%=feactures %></span>
                  </li>

                </ul>
                <div class="d-flex action">
                   <a    href="car_edit.jsp?car_Id=<%=car_id    %>"    class="btn    btn-
primary">Update</a> &nbsp                        <a href="car_delete.jsp?car_Id=<%=car_id %>"
class="btn btn-danger">Delete</a>


            </div>


  </div></div>
```

```
            </div>



<%
}

%>
 </div></div></div>

            <%@ include file="footer.jsp" %>


    <script src="js/jquery-3.3.1.min.js"></script>
    <script src="js/popper.min.js"></script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/owl.carousel.min.js"></script>
    <script src="js/jquery.sticky.js"></script>
    <script src="js/jquery.waypoints.min.js"></script>
    <script src="js/jquery.animateNumber.min.js"></script>
    <script src="js/jquery.fancybox.min.js"></script>
    <script src="js/jquery.easing.1.3.js"></script>
    <script src="js/bootstrap-datepicker.min.js"></script>
    <script src="js/aos.js"></script>

    <script src="js/main.js"></script>

  </body>

</html>
```

View Customers:
```
<!doctype html>
<html lang="en">

  <head>
    <title>Car Rent &mdash; Free Website Template by Colorlib</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <link href="https://fonts.googleapis.com/css?family=DM+Sans:300,400,700&display=swap"
rel="stylesheet">

    <link rel="stylesheet" href="fonts/icomoon/style.css">

    <link rel="stylesheet" href="css/bootstrap.min.css">
    <link rel="stylesheet" href="css/bootstrap-datepicker.css">
    <link rel="stylesheet" href="css/jquery.fancybox.min.css">
    <link rel="stylesheet" href="css/owl.carousel.min.css">
    <link rel="stylesheet" href="css/owl.theme.default.min.css">
    <link rel="stylesheet" href="fonts/flaticon/font/flaticon.css">
    <link rel="stylesheet" href="css/aos.css">

    <!-- MAIN CSS -->
```

```html
    <link rel="stylesheet" href="css/style.css">

  </head>

  <body data-spy="scroll" data-target=".site-navbar-target" data-offset="300">


    <div class="site-wrap" id="home-section">

      <div class="site-mobile-menu site-navbar-target">
        <div class="site-mobile-menu-header">
          <div class="site-mobile-menu-close mt-3">
            <span class="icon-close2 js-menu-toggle"></span>
          </div>
        </div>
        <div class="site-mobile-menu-body"></div>
      </div>



        <%@ include file="adminheader.jsp" %>
          <%@ include file="connect.jsp" %>
          <%@ page import="java.sql.*" %>

    <div class="ftco-blocks-cover-1">
      <div     class="ftco-cover-1    overlay     innerpage"     style="background-image:
url('images/hero_2.jpg')">
        <div class="container">
          <div class="row align-items-center justify-content-center">
            <div class="col-lg-6 text-center">
              <h1>View_Customer</h1>
            </div>
          </div>
        </div>
      </div>
    </div>
  <br><br>


    <%
 String query="select * from customer";

Statement st=con.createStatement();
ResultSet rs=st.executeQuery(query);



try
{

int count=0;



out.println("<table class='table table-bordered'>");
```

```jsp
out.println("<tr>"+"<th>"+"Id"+"</th>"+"<th>"+"Name"+"</th>"+"<th>"+"Email"+"</th>"+"<th>
"+"Mobile"+"</th>"+"<th>"+"Address"+"</th>"+"<th>"+"City"+"</th>"+"<th>"+"DrivingLicense"
+"</th>"+"</tr>");


while(rs.next())
{


count++;
out.println("<tr>");
out.println("<td>"+rs.getInt(1)+"</td>"+"<td>"+rs.getString(2)+"</td>"+"<td>"+
rs.getString(3)+"</td>"+"<td>"+rs.getString(5)+"</td>"+"<td>"+rs.getString(6)+"</td>"+"<t
d>"+rs.getString(7)+"</td>");

        out.println("<td>"+"<img   src='image2.jsp?id="+rs.getInt(1)+"'   style='width:200px;
height:230px' />"+"</td>");



out.println("</tr>");
}
out.println("</table>");


if(count==0) {
System.out.println("no records found");
}

st.close();
st.close();
con.close();

}
catch(Exception e)
{
e.printStackTrace();
}
%>

 </div>


 <script>

function myConfirm1() {
  var result = confirm("Are you Want to Edit?");
  if (result==true) {
   return true;
   }
else
  {
   return false;
  }
}
```

```
</script>
 <%@ include file="footer.jsp" %>
    <script src="js/jquery-3.3.1.min.js"></script>
    <script src="js/popper.min.js"></script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/owl.carousel.min.js"></script>
    <script src="js/jquery.sticky.js"></script>
    <script src="js/jquery.waypoints.min.js"></script>
    <script src="js/jquery.animateNumber.min.js"></script>
    <script src="js/jquery.fancybox.min.js"></script>
    <script src="js/jquery.easing.1.3.js"></script>
    <script src="js/bootstrap-datepicker.min.js"></script>
    <script src="js/aos.js"></script>

    <script src="js/main.js"></script>

  </body>

</html>
```

View bookings:

```
<!doctype html>
<html lang="en">

  <head>
    <title>Car Rent &mdash; Free Website Template by Colorlib</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <link href="https://fonts.googleapis.com/css?family=DM+Sans:300,400,700&display=swap"
rel="stylesheet">

    <link rel="stylesheet" href="fonts/icomoon/style.css">

    <link rel="stylesheet" href="css/bootstrap.min.css">
    <link rel="stylesheet" href="css/bootstrap-datepicker.css">
    <link rel="stylesheet" href="css/jquery.fancybox.min.css">
    <link rel="stylesheet" href="css/owl.carousel.min.css">
    <link rel="stylesheet" href="css/owl.theme.default.min.css">
    <link rel="stylesheet" href="fonts/flaticon/font/flaticon.css">
    <link rel="stylesheet" href="css/aos.css">

    <!-- MAIN CSS -->
    <link rel="stylesheet" href="css/style.css">

  </head>

  <body data-spy="scroll" data-target=".site-navbar-target" data-offset="300">


    <div class="site-wrap" id="home-section">

      <div class="site-mobile-menu site-navbar-target">
```

```
<div class="site-mobile-menu-header">
  <div class="site-mobile-menu-close mt-3">
    <span class="icon-close2 js-menu-toggle"></span>
  </div>
</div>
<div class="site-mobile-menu-body"></div>
</div>




    <%@ include file="adminheader.jsp" %>
      <%@ include file="connect.jsp" %>
      <%@ page import="java.sql.*" %>

<div class="ftco-blocks-cover-1">
  <div     class="ftco-cover-1    overlay    innerpage"    style="background-image:
url('images/hero_2.jpg')">
    <div class="container">
      <div class="row align-items-center justify-content-center">
        <div class="col-lg-6 text-center">
          <h1>View_Bookings</h1>
        </div>
      </div>
    </div>
  </div>
</div>
<br><br><br>
 <div class="container">
   <div class="row">

    <%

String query="select * from book";

Statement st=con.createStatement();
ResultSet rs=st.executeQuery(query);


while(rs.next()){
int book_id=rs.getInt(1);
int car_id=rs.getInt(4);
String email=rs.getString(2);
String phone=rs.getString(3);
    String damount=rs.getString(5);
    String book_date=rs.getString(6);

String pickup=rs.getString(7);
String droppingpoint=rs.getString(8);

String address=rs.getString(9);
String today_date=rs.getString(10);
String status=rs.getString(11);


String accept="Accepted";
```

```
String cancel="Cancel";
String New="new";
String reject="Rejected";
String onbord="Onboarded";

%>


    <div class="col-lg-4 col-md-6 mb-4">


        <div class="item-1">
        <img src="image.jsp?id=<%=car_id%>" style="width:500px; height:300px;" alt="Image"
class="img-fluid">


            <div class="item-1-contents">

                    <br>
                    <ul class="specs">
                      <li>
                        <span>Book_Id</span>
                        <span class="spec"><%=book_id %></span>
                      </li>
                      <li>
                        <span>Car_Id</span>
                        <span class="spec"><%=car_id %></span>
                      </li>
                      <li>
                        <span>Email</span>
                        <span class="spec"><%=email %></span>
                      </li>
                       <li>
                        <span>Phone</span>
                        <span class="spec"><%=phone %></span>
                      </li>

                      <li>
                        <span>Book_Date</span>
                        <span class="spec"><%=book_date %></span>
                      </li>
                      <li>
                        <span>PickUp_Point</span>
                        <span class="spec"><%=pickup %></span>
                      </li>
                      <li>
                        <span>DroppingPoint</span>
                        <span class="spec"><%=droppingpoint %></span>
                      </li>


                       <li>
                        <span>Address</span>
                        <span class="spec"><%=address %></span>
                      </li>
```

```jsp
      <br>
       <li>
        <span>Date</span> &nbsp
        <span class="spec"> <%=today_date %></span>
       </li>
       <br>




       <li>
        <span>DepositeAmount</span>
        <span class="spec"><%=damount %></span>
       </li>
        <li>
        <span>Status</span>
        <span class="spec"><%=status %></span>
       </li>
     </ul>

     <%

     if(status.equals(New)){
       %>
         <div class="d-flex action">
           <a    href="accept.jsp?book_Id=<%=book_id    %>"    class="btn    btn-
primary">Accept</a> &nbsp                <a href="reject.jsp?book_Id=<%=book_id %>"
class="btn    btn-danger">Reject</a>    &nbsp                                    <a
href="viewLicense.jsp?book_Id=<%=book_id %>" class="btn btn-info">View License</a>


         </div>
         <%
     }



     else if(status.equals(cancel)){
       out.println("<h5>This Car Was Canceled by Customer</h5>");
     }
     else if(status.equals(reject)){

     }
     else if(status.equals(accept)){
       %>
         <div class="d-flex action">
           <a    href="onboard.jsp?book_Id=<%=book_id    %>"    class="btn    btn-
primary">OnBoard</a> &nbsp


         </div>
         <%
     }
     else if(status.equals(onbord)){
       out.println("<h5>This Car was Onboarded. ....</h5>");
```

52

```
                    }
                    %>




    </div></div>
        </div>


<%
}

%>
 </div></div></div>

            <%@ include file="footer.jsp" %>



    <script src="js/jquery-3.3.1.min.js"></script>
    <script src="js/popper.min.js"></script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/owl.carousel.min.js"></script>
    <script src="js/jquery.sticky.js"></script>
    <script src="js/jquery.waypoints.min.js"></script>
    <script src="js/jquery.animateNumber.min.js"></script>
    <script src="js/jquery.fancybox.min.js"></script>
    <script src="js/jquery.easing.1.3.js"></script>
    <script src="js/bootstrap-datepicker.min.js"></script>
    <script src="js/aos.js"></script>

    <script src="js/main.js"></script>

  </body>

</html>
```

OUTPUT SCREENS

Admin:

Admin Home:

Add Cars:

View cars:

View Customers:

56

View Bookings:

Customer login:

Customer registration:

Customer home:

View Customers:

View cars:

Book cars:

My Bookings: