

The Power of Playwright

Building a Smarter Testing
Journey with Playwright and
Azure DevOps



Let's Connect!



Randy-Pagels



PagelsR



<https://xebia.com>



@RandyPagels



Randy Pagels

DevOps Architect | Trainer

Randy.Pagels@Xebia.com

Agenda

- Testing Challenges & Goals
- Playwright Getting Started
- Continuous Integration Testing
- Playwright Testing Service



UI Testing Challenges

Consistent design across browsers!

Dynamic content and maintaining performance!

- Testing is hard
- Testing takes time to learn
- Testing takes time to build
- Tests are slow – they take too long to run!
- Tests are flaky – they crash all the time!
- Tests are brittle – they break whenever the app changes!



Modern Testing Goals

Major goals for modern web testing

- Make testing easy!
- Make testing fun!
- Focus on fast feedback loops!
- Make test development as painless as possible!
- Testing tool that complements dev workflows!
- Testing tool that easily integrates with CI/CD!
- Testing that supports Testing At Scale!



Test Automation Practices

Tests should be automated when they give positive ROI

Advantages

- Tests can be rerun at **any time** the **same way**.
- Tests can run as part of **CI/CD**.
- Setup and cleanup can be automated.
- Frameworks can provide reports, logs, **videos**, and **screenshots**.
- Project **dependencies per test**, optimize test scoping and isolation.

ProTips!

- Each test should focus on **one main behavior** or variation.
- Tests should **run independently** of each other and in any order.
- Tests should be self-descriptive and intuitively understandable.
- **Do not automate every test** – use a risk-based strategy with ROI.
- Tests should **run in parallel** at scale, especially in CI/CD.



AN INTRODUCTION TO PLAYWRIGHT

@playwrightweb
<https://playwright.dev>

READY TO START YOUR PLAYWRIGHT JOURNEY?

5 RESOURCES TO HELP YOU JUMPSTART YOUR TEST ADVENTURE

- 1- READ THE DOCS
 - <https://aka.ms/playwright>
 - Install Playwright
 - Run your first test
 - Explore Tools & Libraries
- 2- EXPLORE THE API
 - <https://aka.ms/playwright/api>
 - Playwright Test Runner
 - Test Reporter
 - Testing + Experimental
- 3- VISIT THE REPO
 - <https://aka.ms/playwright/github>
 - Playwright Framework source
 - Examples + Release docs
 - Discussions
- 4- FOLLOW @playwrightweb
 - Framework release updates
 - Content + event announcements
 - Community interactions
- 5- CHECKOUT DEMO CODE
 - <https://aka.ms/playwright/demo>
 - Test script examples
 - GitHub Actions integration
 - Test Reporting outputs

WHAT IS PLAYWRIGHT?

- AN OPEN SOURCE TESTING FRAMEWORK
- ENABLES RELIABLE END-TO-END TESTING AND AUTOMATION
- FOR MODERN WEB APPLICATIONS

<https://github.com/microsoft/playwright>

- ★ TOOLING
- ★ AUTOMATION
- ★ API

CHECK OUT THE SOURCE

WHY SHOULD I BE USING PLAYWRIGHT?

- 1 ONE API, MULTI - EVERYTHING
- 2 RESILIENT, NO FLAKY TESTS
- 3 LIMITLESS, NO TRADEOFFS
- 4 ISOLATED, FAST EXECUTION
- 5 TOOLING, CREATE - DEBUG - ANALYZE

1 ONE API MULTI EVERYTHING

ANY BROWSER ANY PLATFORM

Chromium, Webkit, Firefox
MacOS, Linux, Windows

CROSS LANGUAGE

JavaScript, TypeScript, Python, Java, .NET — Libraries

TEST MOBILE WEB

Native emulation
Chrome on Android
Mobile Safari on iOS
Same Rendering Engine on Cloud and Desktop

CROSS BROWSER TESTING

TEST AUTOMATION AT CLOUD SCALE

5 POWERFUL TOOLING!

4 FULL ISOLATION FAST EXECUTION

3 NO TRADE-OFFS LIMITS

2 RESILIENT! NO FLAKY TESTS...

1 CODE GEN

- GENERATE TESTS BY RECORDING USER ACTION (fluent)
- SAVE IN ANY SUPPORTED LANG. (C++, Java, Python, etc.)
- INTERACTIVE SESSION
- AUTO CAPTURED

2 INSPECTOR

- INSPECT PAGE, LOGS
- GENERATE SELECTOR
- STEP THROUGH EXEC
- SEE CLICK POINTS

3 TRACE VIEWER

- CAPTURE TEST PROGRESS (STATE, FAILURES, TIMING)
- SCREENCASTS, SNAPSHOTS, ACTION EXPLORER, TEST SOURCE (POST-MORTEM ANALYSIS)

1 BROWSER CONTEXT

- CREATES A BROWSER CONTEXT PER TEST IN JUST MS.
- FULL TEST ISOLATION
- ZERO OVERHEADS
- LESS COMPLEXITY FOR TESTER

2 LOG IN ONCE!

- SAVE AUTHENTICATION STATE (tokens, cookies) FROM FIRST RUN — X REUSE IN ALL SUBSEQUENT TESTS
- BYPASS REDUNDANT LOGIN OPERATIONS (many third-party sites don't want automated logins)
- STILL FULL ISOLATION FOR INDEPENDENT TESTS

TESTING API

TEST RUNNER API

TEST CONFIG OPTIONS

WRITE MORE COMPREHENSIVE TEST ACTIONS & SCRIPTS!

MORE REALISTIC USER ACTION FLOWS

1 RUN TESTS OUT OF PROCESS — FREED FROM IN-PROCESS TEST RUNNER CONSTRAINT

2 MULTIPLE EVERYTHING

- NATIVE ORIGINS
- MULTIPLE TABS
- MULTIPLE USERS

3 TRUSTED EVENTS

- TEST HOOK ELEMENTS
- INTERACT WITH DYNAMIC CONTROLS
- USE REAL BROWSER INPUT PIPELINES
- INDISTINGUISHABLE FROM REAL USERS!

4 TEST FRAMES

PIECE SHADOW DOM WITH PLAYWRIGHT SELECTORS!

1 AUTO-WAIT

No more artificial timeouts to manage

waits for elements to be ACTIONABLE before execution of test steps

2 WEB-FIRST ASSERTIONS

tailored for the dynamic web!

convenience async matchers for assertions

3 TRACING

configurable strategy

record, capture, process

separate timeout (from test) for web first assert with default = 5 secs

checks conditions till met

REDUCE TEST COMPLEXITY INCREASE RELIABILITY

ILLUSTRATED BY @SKETCHTHEDOGS

Playwright Overview

Open-source web test automation library on Node.js, which makes test automation easier for browsers based on Chromium, Firefox, and Webkit through a single API.

- ✓ **Cross-Browser**
 - Chromium, Firefox, and WebKit
- ✓ **Cross-language**
 - JavaScript, Python, Java, and C#
- ✓ **Cross-platform**
 - Windows, Linux, and macOS
- ✓ **Modern Asynchronous API**
 - `async/await`
- ✓ **Rich Element Interaction**
 - wide range of built-in functions
- ✓ **Component Testing Preview**
 - Test UI components in isolation (React, Vue, etc.)
- ✓ **Screenshots and Video Recording**
 - visual evidence of issues
- ✓ **Full Isolation – Fast Execution**
 - separate browser contexts for each test



Reliable end-to-end testing for modern web apps

...by Microsoft

...and the people who made Puppeteer

<https://playwright.dev/>


<https://github.com/microsoft/playwright>

Playwright Architecture

✓ Language Bindings →

✓ *Single Automation Protocol ✓ Unify all debugging protocols. →

✓ (Native) browser debugging e.g. ChromeDevTools Protocol, protocols, (Safari) Web Inspector →



* unique differentiator compared to Selenium and Cypress

Getting Started

Setting up using VS Code

Install VS Code Extension

- includes a test explorer, trace viewer, and codegen support.

Install Playwright

- `npm create playwright@latest`

Run Tests

- `npx playwright test`
- `npx playwright test --ui`

Test Reports


- `npx playwright show-report`

<https://playwright.dev/>


1



2



3




Demo

- ✓ Getting Started
- ✓ Generate Tests
- ✓ Debugging
- ✓ Trace Viewer
- ✓ Test Report
- ✓ UI Mode – Visual Feedback



Playwright's web-based trace viewer (hosted)

Super helpful for sharing test runs with teammates.



<https://trace.playwright.dev>

Playwright's MCP (Model Context Protocol)



What it is

A special server that lets Copilot interact with your real app through Playwright — clicking buttons, scraping pages, generating test code, and more — all in a real browser.

Why it matters

- ✓ **Smarter prompts** – Copilot generates more accurate Playwright tests
- ✓ **Saves time** – Fewer edits to fix test code
- ✓ **More context** – MCP adds app routes, APIs, and UI elements to Copilot's view

How it's used


Set up MCP next to your app. Then Copilot can build Playwright tests with better selectors and flows.

Meet Contoso Threads


Contoso Threads

 eShopOnWeb is a Microsoft-built demo application.

It's used to show how to build a real-world, modern web application using clean architecture and good development practices.



Alright, let's see how Contoso Threads took their first step into the world of automation with Playwright.



Automating Manual Testing



Azure DevOps Test Plans with Playwright

Publish your automated Playwright test results to Azure Test Plans

- ✓ Associate automated tests with Test Cases!
- ✓ Using Azure Test Plans with Playwright!
- **End-to-End Traceability**: Requirements (PBI's, User Stories) in Azure Boards are linked to test cases.
- **User-Friendly Testing**: Pipelines enabling the triggering of automated tests through Test Cases, rather than pipelines.
- **History Access**: Azure Test Plans offers access to historical test data, simplifying progress tracking through reports and charts.
- **Test Inventory Management**: Both automated and manual tests are managed efficiently, enabling effective tracking of their status and the progress of automation efforts.

Test Plans + Test Suites for Manual Tests

11154 : eShopOnWeb2024_TestPlan1

TEST PLAN 11154

11154 eShopOnWeb2024_TestPlan1



Randy Pagels

0 Comments

Add Tag



Save



Follow



Updated by Randy Pagels: Just now

State



Active

Area

eShopOnWeb2024

Reason



New test plan

Iteration

eShopOnWeb2024\Iteration 2

Details

Scans



2



0

Description

This test plan covers functional validations for the eShopOnWeb portal, ensuring key features such as login, shopping experience, and UI elements behave as expected. It includes 5 test suites, each with associated test cases.

Login and view account

Verifies user login functionality using email ID and password, and confirms successful navigation to the account overview page.

11149: Login and new user registration to the eShopOnWeb portal

Tests new user registration and login workflows, validating account creation and authentication processes.

11159: Shop by Brand on the eShopOnWeb portal

Ensures that selecting a brand from the "Shop by Brand" section correctly updates the displayed products for each brand category.

11160: Shop by Type on the eShopOnWeb portal

Validates that selecting different product types correctly filters and displays relevant products in the shopping catalog.

11151: Change the background color of the [ADD TO BASKET] button

Confirms that UI changes to the "Add to Basket" button are applied correctly and consistently across the portal.

Timelines

Start Date

12/24/2023 12:00 AM



Finish Date

1/14/2024 12:00 AM



Personas affected

No personas found. [Create Persona](#)

Mapped on SpecMap

This work item is not mapped on any maps

11154 : eShopOnWeb2024_TestPlan1

←

eShopOnWeb2024_TestPlan1 ▾

★

⋮

Dec 23 - Jan 13

Past

72% run, 72% passed. [View report](#)

Test Suites

⊕ ⊖

≡ Filter suites by name

×

▽ eShopOnWeb2024_TestPlan1 (1)

📁 Login and view account (2)

📁 11149 : Login and new user registraion to the eShopOnWeb

📁 11159 : Shop by Brand on the eShopOnWeb portal (6)

📁 11160 : Shop by Type on the eShopOnWeb portal (5)

11159 : Shop by Brand on the eShopOnWeb portal

Define Execute Chart

Test Cases (6 items)

- ☐ Title
- ☐ Shop by Brand - All
- ☐ Shop by Brand - .Net
- ☐ Shop by Brand - Azure
- ☐ Shop by Brand - Other
- ☐ Shop by Brand - SQL Server

eShopOnWeb2024 Test Suites

←

eShopOnWeb2024_TestPlan1

▼

★

⋮

Dec 23 - Jan 13

Past

72% run, 72% passed. [View report](#)

Test Suites

+

-

Filter suites by name

×

▼ eShopOnWeb2024_TestPlan1 (1)

📁 Login and view account (2)

📁 11149 : Login and new user registraion to the eShopOnWeb

📁 11159 : Shop by Brand on the eShopOnWeb portal (6)

📁 11160 : Shop by Type on the eShopOnWeb portal (5)

📁 11151 : Change the background color of the [ADD TO BASK... ..

11159 : Shop by Brand on the eShopOnWeb portal (ID: 11161)

Define Execute Chart

↓ ∨ ↑ 🌐


Test Cases (6 items)

☐ Title	Order	Test Case Id
☐ Shop by Brand - All	1	11185
☐ Shop by Brand - .Net	2	11186
☐ Shop by Brand - Azure	3	11187
☐ Shop by Brand - Other	4	11188
☐ Shop by Brand - SQL Server	5	11189
☐ Shop by Brand - Visual Studio	6	11190

11159 : Test Suite Shop by Brand

11159 : Shop by Brand on the eShopOnWeb portal (ID: 11161)

Define Execute Chart




Test Cases (6 items)

☐ Title	Order	Test Case Id
☐ Shop by Brand - All	1	11185
☐ Shop by Brand - .Net	2	11186
☐ Shop by Brand - Azure	3	11187
☐ Shop by Brand - Other	4	11188
☐ Shop by Brand - SQL Server	5	11189
☐ Shop by Brand - Visual Studio	6	11190

the eShopOnWeb portal (ID: 11161)

	Order	Test Case Id
	1	11185
	2	11186
	3	11187
	4	11188
er	5	11189
dio	6	11190

Text Execution




The screenshot displays the 'Execute' tab of a test runner. The test case is '11159 : Shop by Brand on the eShopOnWeb portal (ID: 11161)'. The 'Test Points' list on the left contains seven items, all of which are unchecked. The table on the right shows the execution results for these points, all of which passed.

Outcome	Order	Test Case Id	Configuration
✓ Passed	2	11186	Windows 10
✓ Passed	1	11185	Windows 11
✓ Passed	2	11186	Windows 11
✓ Passed	3	11187	Windows 11
✓ Passed	4	11188	Windows 11
✓ Passed	5	11189	Windows 11
✓ Passed	6	11190	Windows 11

②



Text Execution



The screenshot displays the 'Execute' tab of a test runner. The test case is '11159 : Shop by Brand on the eShopOnWeb portal (ID: 11161)'. The 'Test Points' list on the left contains seven items, all of which are unchecked. The table on the right shows the execution results for these points, all of which passed.

Outcome	Order	Test Case Id	Configuration
✓ Passed	2	11186	Windows 10
✓ Passed	1	11185	Windows 11
✓ Passed	2	11186	Windows 11
✓ Passed	3	11187	Windows 11
✓ Passed	4	11188	Windows 11
✓ Passed	5	11189	Windows 11
✓ Passed	6	11190	Windows 11

Text Execution History

11159 : Shop by Brand on the eShopOnWeb portal (ID: 11161)

Define Execute Chart

Test Points (7 items)

 Title

- ☐ Shop by Brand - .Net
- ☐ Shop by Brand - All
- ☒ Shop by Brand - .Net
- ☐ Shop by Brand - Azure
- ☐ Shop by Brand - Other
- ☐ Shop by Brand - SQL Server
- ☐ Shop by Brand - Visual Studio

Test Case Results

Outcome	TimeStamp	Configuration	Run by	Tester
 Passed	4h ago	Windows 11	Randy Pagels	Randy Pagels
 Passed	4h ago	Windows 10	Randy Pagels	Jeff Davis
 Passed	4h ago	Windows 11	Randy Pagels	Randy Pagels
 Passed	4h ago	Windows 10	Randy Pagels	Jeff Davis
 Passed	4h ago	Windows 11	Randy Pagels	Randy Pagels
 Passed	4h ago	Windows 10	Randy Pagels	Jeff Davis
 Passed	4h ago	Windows 11	Randy Pagels	Randy Pagels
 Passed	4h ago	Windows 10	Randy Pagels	Jeff Davis
 Passed	4h ago	Windows 11	Randy Pagels	Randy Pagels
 Passed	4h ago	Windows 10	Randy Pagels	Jeff Davis
 Passed	4h ago	Windows 11	Randy Pagels	Randy Pagels
 Passed	4h ago	Windows 10	Randy Pagels	Jeff Davis
 Passed	4h ago	Windows 11	Randy Pagels	Randy Pagels
 Passed	4h ago	Windows 10	Randy Pagels	Jeff Davis
 Passed	4h ago	Windows 11	Randy Pagels	Randy Pagels
 Passed	4h ago	Windows 10	Randy Pagels	Jeff Davis

Text Configurations

<

+ ▾ | ↺

Search... 🔍

▾ All test configurations

Windows 10

Windows 11

▾ All configuration varia...

Browser

Operating System

Test configuration 510: Windows 11

💾 Save | ✖ | ↺

Name

Windows 11

Description

Configuration description...

State

Active ▾

☐ Assign to new test plans

Configuration variables

Name	Value
Browser ▾	Microsoft Edge ▾
Operating System ▾	Windows 11 ▾

Text Configurations

on varia...

ystem

Description

Configuration description...

State

Active

☐ Assign to new test plans

Configuration variables

Name		Value
Browser	▼	Microsoft Edge
Operating System	▼	Windows 11

Export Manual Tests

Test Cases Grid View

ID	Title	Step Action	Step Expected Result	Assigned To	State	Automation
11185	Shop by Brand - All			Randy Pagels	Ready	Planned
		Navigate to the home page.				
		Click on Brand dropdown				
		Select All				
		Click on Filter Arrow				
		Verify that the results show products				
11186	Shop by Brand - .Net			Randy Pagels	Ready	Planned
		Navigate to the home page.				
		Click on Brand dropdown				
		Select .Net				
		Click on Filter Arrow				
		Verify that the results show products				
11187	Shop by Brand - Azure			Randy Pagels	Ready	Planned
		Navigate to the home page.				
		Click on Brand dropdown				
		Select Azure				
		Click on Filter Arrow				
		Verify that the results show products				
11188	Shop by Brand - Other			Randy Pagels	Ready	Planned
		Navigate to the home page.				
		Click on Brand dropdown				
		Select Other				
		Click on Filter Arrow				
		Verify that the results show products				
11189	Shop by Brand - SQL Server			Randy Pagels	Ready	Planned
		Navigate to the home page.				
		Click on Brand dropdown				
		Select SQL Server				
		Click on Filter Arrow				

Test Cases Grid View

ID	Title	Step Action	Step	Expected Result
11185	Shop by Brand - All			
		Navigate to the home page.		
		Click on Brand dropdown		
		Select All		
		Click on Filter Arrow		
		Verify that the results show products		
11186	Shop by Brand - .Net			
		Navigate to the home page.		
		Click on Brand dropdown		
		Select .Net		
		Click on Filter Arrow		
		Verify that the results show products		
11187	Shop by Brand - Azure			

GitHub Copilot



GitHub Copilot – nShot Prompt

You are a testing assistant. Your job is to convert manual test cases from a CSV file into automated UI tests using Microsoft Playwright and TypeScript.

Each test case includes:

Test Case ID

Title

Steps (a list of numbered manual steps)

Follow this approach:

- Use the standard Playwright test runner (@playwright/test).
- Add necessary selectors as descriptive placeholders if they are not known (e.g., `await page.click('button[aria-label="Shop by Brand"]');`).
- Maintain the logical flow from the manual steps.
- Name the test with the Title field or a short, clear version of it.
- Keep each Playwright test independent and runnable.

Example Test Case Input:

Test Case ID: 11185

Title: Shop by Brand - All

Steps:

1. Go to eShopOnWeb home page
2. Click on “Shop by Brand - All”
3. Verify that a list of brands appears
4. Select All
5. Verify that the product list updates showing all brands

GitHub Copilot – nShot Prompt

Persona based prompting with provided example

You are a testing assistant. Your job is to convert manual test cases from a CSV file into automated UI tests using Microsoft Playwright and TypeScript.

Each test case includes:

Test Case ID

Title

Steps (a list of numbered manual steps)

GitHub Copilot – nShot Prompt

Set the expectation on what to do with future inputs

Follow this approach:

- Use the standard Playwright test runner (@playwright/test).
- Add necessary selectors as descriptive placeholders if they are not known (e.g., await page.click('button[aria-label="Shop by Brand"]'));).
- Maintain the logical flow from the manual steps.
- Name the test with the Title field or a short, clear version of it.
- Keep each Playwright test independent and runnable.

GitHub Copilot – nShot Prompt

Provide examples

Example Test Case Input:

Test Case ID: 11185

Title: Shop by Brand - All

Steps:

- 1.Go to eShopOnWeb home page
- 2.Click on “Shop by Brand - All”
- 3.Verify that a list of brands appears
- 4.Select All
- 5.Verify that the product list updates showing all brands

Output is "ShopByBrand.spec.ts" file

```
import { test, expect } from '@playwright/test';

test.beforeEach(async ({ page }) => {
  const url = process.env.website_URL || 'https://app-6swivue3g4dqc-qa.azurewebsites.net/';
  await page.goto(url, { waitUntil: 'domcontentloaded' });
});

test.describe('Header', () => {

  test('[11185] Shop by Brand - All', async ({ page }) => {
    await expect(page).toHaveTitle('Catalog - Microsoft.eShopOnWeb');

    // Select the option with text 'All'
    await page.selectOption('#CatalogModel_BrandFilterApplied', { label: 'All' });

    // Validate the selected option
    let selectedOption = await page.$eval('#CatalogModel_BrandFilterApplied', (element: HTMLSelectElement) => element.value);

    await page.getByRole('button', { name: 'Submit' }).click();

    // Find the <dd> element by its ID
    const element = await page.$('#esh-pager-item-msg-top');
    const text = await page.evaluate(element => element?.textContent, element);

    // Assert that the value is correct
    await expect(page.locator('#esh-pager-item-msg-top')).toContainText('Showing 10 of 12 products - Page 1 - 2');
  });

  test('[11186] Shop by Brand - .Net', async ({ page }) => { ...
  });

  test('[11187] Shop by Brand - Azure', async ({ page }) => { ...
  });

  test('[11188] Shop by Brand - Other', async ({ page }) => { ...
  });

  test('[11189] Shop by Brand - SQL Server', async ({ page }) => { ...
  });

  test('[11190] Shop by Brand - Visual Studio', async ({ page }) => { ...
  });
});
```


ShopByBrand.spec.ts

```
test.describe('Header', () => {
```

```
  test('[11185] Shop by Brand - All', async ({ page }) => {  
    await expect(page).toHaveTitle('Catalog - Microsoft.eShopOnWeb');  
  
    // Select the option with text 'All'  
    await page.selectOption('#CatalogModel_BrandFilterApplied', { label: 'All'}  
  
    // Validate the selected option  
    let selectedOption = await page.$eval('#CatalogModel_BrandFilterApplied',  
  
    await page.getByRole('button', { name: 'Submit' }).click();  
  
    // Find the <dd> element by its ID  
    const element = await page.$('#esh-pager-item-msg-top');  
    const text = await page.evaluate(element => element?.textContent, element);
```

Playwright Azure Reporter by @alex_neo

Automatically uploads Playwright test results to Azure DevOps— no manual steps needed.

What it does exactly

- Captures Playwright test results (pass/fail, duration, errors)
- Converts them to Azure-friendly TRX format
- Pushes results to Azure DevOps after tests run
- Links results to your pipeline run for easy viewing



Why it's useful

- ✓ Clean test reports directly in Azure DevOps.
- ✓ Mix manual + automated test results in one place.
- ✓ No need to convert or re-run tests manually.

<https://github.com/alexneo2003/playwright-azure-reporter>

Continuous Integration Testing

Configuration for Playwright.config.ts

```
reporter: [  
  ['list'],  
  ['json', { outputFile: 'test-results.json' }],  
  ['junit', { outputFile: 'playwright-report-junit/e2e-junit-results.xml' }],  
  [  
    '@alex_neo/playwright-azure-reporter',  
    {  
      orgUrl: 'https://dev.azure.com/xpirit',  
      token: process.env.AZURE_TOKEN,  
      planId: 11154,  
      projectName: 'eShopOnWeb2024',  
      environment: 'QA',  
      logging: true,  
      testRunTitle: 'Playwright Test Run',  
      publishTestResultsMode: 'testResult',  
      uploadAttachments: true,  
      attachmentsType: ['screenshot', 'video', 'trace'],  
      testRunConfig: {  
        owner: {  
          displayName: 'Randy Pagels',  
        },  
        comment: 'Playwright Test Run',  
        configurationIds: [ 509, 510 ],  
      },  
    },  
  ],  
] as AzureReporterOptions,
```


Configuration for Playwright.config.ts

Azure DevOps Org

```
[ 'json', { outputFile: 'test-results.json' } ],  
[ 'junit', { outputFile: 'playwright-report-junit/e2e-junit' } ],  
[  
  '@alex_neo/playwright-azure-reporter',  
  {  
    orgUrl: 'https://dev.azure.com/xpirit',  
    token: process.env.AZURE_TOKEN,  
    planId: 11154,  
    projectName: 'eShopOnWeb2024',  
    environment: 'QA',  
    logging: true,  
    testRunTitle: 'Playwright Test Run',  
    publishTestResultsMode: 'testResult',  
    uploadAttachments: true,  
    attachmentsType: [ 'screenshot', 'video', 'trace' ],  
    testRunConfig: {  
      owner: {  
        displayName: 'Randy Pagels'      }  
    }  
  }  
]
```

Configuration for Playwright.config.ts

Test Suite ID

```
[ 'json', { outputFile: 'test-results.json' } ],  
[ 'junit', { outputFile: 'playwright-report-junit/e2e-junit' } ],  
[  
  '@alex_neo/playwright-azure-reporter',  
  {  
    orgUrl: 'https://dev.azure.com/xpirit',  
    token: process.env.AZURE_TOKEN,  
    planId: 11154,  
    projectName: 'eShopOnWeb2024',  
    environment: 'QA',  
    logging: true,  
    testRunTitle: 'Playwright Test Run',  
    publishTestResultsMode: 'testResult',  
    uploadAttachments: true,  
    attachmentsType: [ 'screenshot', 'video', 'trace' ],  
    testRunConfig: {  
      owner: {  
        displayName: 'Randy Pagels'      }  
    }  
  }  
]
```

Configuration for Playwright.config.ts

Project

```
[ 'json', { outputFile: 'test-results.json' } ],  
[ 'junit', { outputFile: 'playwright-report-junit/e2e-junit' } ],  
[  
  '@alex_neo/playwright-azure-reporter',  
  {  
    orgUrl: 'https://dev.azure.com/xpirit',  
    token: process.env.AZURE_TOKEN,  
    planId: 11154,  
    projectName: 'eShopOnWeb2024',  
    environment: 'QA',  
    logging: true,  
    testRunTitle: 'Playwright Test Run',  
    publishTestResultsMode: 'testResult',  
    uploadAttachments: true,  
    attachmentsType: [ 'screenshot', 'video', 'trace' ],  
    testRunConfig: {  
      owner: {  
        displayName: 'Randy Pagels'      }  
    }  
  }  
]
```

Configuration for Playwright.config.ts

```
[ 'json', { outputFile: 'test-results.json' } ],  
[ 'junit', { outputFile: 'playwright-report-junit/e2e-junit' } ],  
[  
  '@alex_neo/playwright-azure-reporter',  
  {  
    orgUrl: 'https://dev.azure.com/xpirit',  
    token: process.env.AZURE_TOKEN,  
    planId: 11154,  
    projectName: 'eShopOnWeb2024',  
    environment: 'QA',  
    logging: true,  
    testRunTitle: 'Playwright Test Run',  
    publishTestResultsMode: 'testResult',  
    uploadAttachments: true,  
    attachmentsType: [ 'screenshot', 'video', 'trace' ],  
    testRunConfig: {  
      owner: {  
        displayName: 'Randy Pagels'
```

What to Capture

Playwright Test Suite ("ShopByBrand.spec.ts")

```
test.beforeEach(async ({ page }) => {  
  const url = process.env.website_URL || 'https://app-6swivue3g4dqc-qa.azurewebsites.net/';  
  await page.goto(url, { waitUntil: 'domcontentloaded' });  
})
```

```
test.describe('Header', () => {  
  
  test('[11185] Shop by Brand - All', async ({ page }) => {  
    await expect(page).toHaveTitle('Catalog - Microsoft.eShopOnWeb');  
  
    // Select the option with text 'All'  
    await page.selectOption('#CatalogModel_BrandFilterApplied', { label: 'All' });  
  
    // Validate the selected option  
    let selectedOption = await page.$eval('#CatalogModel_BrandFilterApplied', (element: HTMLSelect  
  
    await page.getByRole('button', { name: 'Submit' }).click();  
  });  
})
```

Playwright Test Suite ("ShopByBrand.spec.ts")

```
test.describe('Header', () => {

  test('[11185] Shop by Brand - All', async ({ page }) => {
    await expect(page).toHaveTitle('Catalog - Microsoft.eShopOnWeb');

    // Select the option with text 'All'
    await page.selectOption('#CatalogModel_BrandFilterApplied', { label: 'All' });

    // Validate the selected option
    let selectedOption = await page.$eval('#CatalogModel_BrandFilterApplied', (element: HTMLSelectElement) => {
      return element.selectedOptions[0].text;
    });

    await page.getByRole('button', { name: 'Submit' }).click();


    // Find the <dd> element by its ID
    const element = await page.$('#esh-pager-item-msg-top');
    const text = await page.evaluate(element => element?.textContent, element);

    // Assert that the value is correct
    await expect(page.locator('#esh-pager-item-msg-top')).toContainText('Showing 10 of 12 products');
```

CI/CD and Continuous Testing

Tests run on each push and pull request into the main/main branch

- ✓ Installs all dependencies
- ✓ Installs Playwright and Browsers
- ✓ Parallelization for Test Suites
- ✓ Run all the tests



- ✓ Generate Test Results HTML report
- ✓ Generate Screenshots and Video Recordings
- ✓ Generate Debug Trace file
- ✓ Deploy static files to Website or GitHub Pages for viewing

! Run Playwright tests

Testing Pipeline

```
Starting: Run Playwright tests
=====
Task          : Command line
Description    : Run a command line script using Bash on Linux and macOS and cmd.exe on Windows ↵
Version       : 2.250.1
Author        : Microsoft Corporation
Help          : https://docs.microsoft.com/azure/devops/pipelines/tasks/utility/command-line
=====
Generating script.
Script contents:
npx playwright test
===== Starting Command Output =====
/usr/bin/bash --noprofile --norc /home/vsts/work/_temp/1a41a519-ccf3-4f0b-9856-d3c212f63a75.sh

Running 48 tests using 1 worker

  ✓ 10 [chromium] › tests/PlaywrightTests/ShopByBrand.spec.ts:74:7 › Header › [11189] Shop by Brand - SQL Server (2.5s)
2025-04-21T20:22:47.717Z azure:pw:log [11189] Shop by Brand - SQL Server - passed
2025-04-21T20:22:47.718Z azure:pw:log Start publishing: [11189] Shop by Brand - SQL Server
2025-04-21T20:22:48.619Z azure:pw:log Result published: [11189] Shop by Brand - SQL Server
  ✓ 11 [chromium] › tests/PlaywrightTests/ShopByBrand.spec.ts:95:7 › Header › [11190] Shop by Brand - Visual Studio (2.5s)
2025-04-21T20:22:50.225Z azure:pw:log [11190] Shop by Brand - Visual Studio - passed
2025-04-21T20:22:50.226Z azure:pw:log Start publishing: [11190] Shop by Brand - Visual Studio
2025-04-21T20:22:50.388Z azure:pw:log Result published: [11190] Shop by Brand - Visual Studio
  ✗ 12 [chromium] › tests/PlaywrightTests/ShopByBrand.spec.ts:116:7 › Header › [11190] Shop by Brand but Flaky (1.1m)
2025-04-21T20:23:54.362Z azure:pw:log [11190] Shop by Brand but Flaky - timedOut
2025-04-21T20:23:54.362Z azure:pw:log Start publishing: [11190] Shop by Brand but Flaky
2025-04-21T20:23:54.650Z azure:pw:log Uploading attachments for test: [11190] Shop by Brand but Flaky
2025-04-21T20:23:55.173Z azure:pw:log Uploaded attachments
2025-04-21T20:23:55.173Z azure:pw:log Result published: [11190] Shop by Brand but Flaky
  ✓ 13 [chromium] › tests/PlaywrightTests/ShopByBrand.spec.ts:116:7 › Header › [11190] Shop by Brand but Flaky (retry #1) (2.7s)
2025-04-21T20:23:58.218Z azure:pw:log [11190] Shop by Brand but Flaky - passed
2025-04-21T20:23:58.219Z azure:pw:log Start publishing: [11190] Shop by Brand but Flaky
2025-04-21T20:23:58.397Z azure:pw:log Uploading attachments for test: [11190] Shop by Brand but Flaky
2025-04-21T20:23:58.829Z azure:pw:log Uploaded attachments
2025-04-21T20:23:58.829Z azure:pw:log Result published: [11190] Shop by Brand but Flaky
```



Run Playwright tests

Testing Pipeline

```
=====
Generating script.
```

```
Script contents:
```

```
npx playwright test
```

```
===== Starting Command Output =====
```

```
/usr/bin/bash --noprofile --norc /home/vsts/work/_temp/1a41a5
```

```
Running 48 tests using 1 worker
```

```
✓ 10 [chromium] › tests/PlaywrightTests/ShopByBrand.spec.ts:1:1
```

```
2025-04-21T20:22:47.717Z azure:pw:log [11189] Shop by Brand
```

```
2025-04-21T20:22:47.718Z azure:pw:log Start publishing
```

```
2025-04-21T20:22:48.619Z azure:pw:log Result published
```

```
✓ 11 [chromium] › tests/PlaywrightTests/ShopByBrand.spec.ts:1:1
```

```
2025-04-21T20:22:50.225Z azure:pw:log [11190] Shop by Brand
```

```
2025-04-21T20:22:50.226Z azure:pw:log Start publishing
```


Testing Pipeline



Run Playwright tests

```
npx playwright test
===== Starting Command Output =====
/usr/bin/bash --noprofile --norc /home/vsts/work/_temp/1a41a519-ccf3-4f0b-9856-d3c212f63a75.sh
```

```
Running 48 tests using 1 worker
```

```
✓ 10 [chromium] › tests/PlaywrightTests/ShopByBrand.spec.ts:74:7 › Header › [11189] Shop by
2025-04-21T20:22:47.717Z azure:pw:log [11189] Shop by Brand - SQL Server - passed
2025-04-21T20:22:47.718Z azure:pw:log Start publishing: [11189] Shop by Brand - SQL Server
2025-04-21T20:22:48.619Z azure:pw:log Result published: [11189] Shop by Brand - SQL Server
✓ 11 [chromium] › tests/PlaywrightTests/ShopByBrand.spec.ts:95:7 › Header › [11190] Shop by
2025-04-21T20:22:50.225Z azure:pw:log [11190] Shop by Brand - Visual Studio - passed
2025-04-21T20:22:50.226Z azure:pw:log Start publishing: [11190] Shop by Brand - Visual Studio
2025-04-21T20:22:50.388Z azure:pw:log Result published: [11190] Shop by Brand - Visual Studio
✗ 12 [chromium] › tests/PlaywrightTests/ShopByBrand.spec.ts:116:7 › Header › [11190] Shop by
2025-04-21T20:23:54.362Z azure:pw:log [11190] Shop by Brand but Flaky - timedOut
2025-04-21T20:23:54.362Z azure:pw:log Start publishing: [11190] Shop by Brand but Flaky
2025-04-21T20:23:54.650Z azure:pw:log Uploading attachments for test: [11190] Shop by Brand but
2025-04-21T20:23:55.173Z azure:pw:log Uploaded attachments
2025-04-21T20:23:55.173Z azure:pw:log Result published: [11190] Shop by Brand but Flaky
✓ 13 [chromium] › tests/PlaywrightTests/ShopByBrand.spec.ts:116:7 › Header › [11190] Shop by
2025-04-21T20:23:58.218Z azure:pw:log [11190] Shop by Brand but Flaky - passed
2025-04-21T20:23:58.219Z azure:pw:log Start publishing: [11190] Shop by Brand but Flaky
2025-04-21T20:23:58.397Z azure:pw:log Uploading attachments for test: [11190] Shop by Brand but
```



Run Playwright tests

Starting: publish test results

```
=====
Task          : Publish Test Results
Description    : Publish test results to Azure Pipelines
Version       : 2.254.0
Author        : Microsoft Corporation
Help          : https://docs.microsoft.com/azure/devops/pipelines/tasks/test/publish-test-results
=====
```

/usr/bin/dotnet --version

9.0.203

Result Attachments will be stored in LogStore

Run Attachments will be stored in LogStore

Async Command Start: Publish test results

Publishing test results to test run '1017949'.

TestResults To Publish 48, Test run id:1017949

Test results publishing 48, remaining: 0. Test run id: 1017949

Published Test Run : https://dev.azure.com/xpirit/eShopOnWeb2024/_TestManagement/Runs?runId=1017949&a=runCharts

Flaky failed test results are opted out of pass percentage

##[error]There are one or more test failures detected in result files. Detailed summary of published test results can be v

Async Command End: Publish test results

Finishing: publish test results



Run Playwright tests

Author : Microsoft Corporation

Help : <https://docs.microsoft.com/azure/devops/pipelines/t>

=====
`/usr/bin/dotnet --version`

9.0.203

Result Attachments will be stored in LogStore

Run Attachments will be stored in LogStore

Async Command Start: Publish test results

Publishing test results to test run '1017949'.

TestResults To Publish 48, Test run id:1017949

Test results publishing 48, remaining: 0. Test run id: 1017949

Published Test Run : <https://dev.azure.com/xpirt/eShopOnWeb2024/>

Flaky failed test results are opted out of pass percentage

##[error]There are one or more test failures detected in result fi

Async Command End: Publish test results

Finishing: publish test results

Continuous Integration Testing Results

Pipeline Results per Build

Summary

5 Run(s) Completed (4 Passed, 1 Failed) [48 unique failing tests in the last 14 days](#)

122

Total tests



121 ● Passed
1 ● Failed
0 ● Others



1 Failed tests (-2)
1 ● New
0 ● Existing

99.18%

Pass percentage

↑ 1.6%

4m 27s

Run duration ⓘ

↑ +8s 157ms

0

Tests not reported

Bug ▾ Link

Test run ▾ Column Options

Filter by test or run name

Tags ▾ Test file ▾ Owner ▾ Failed (+1) ▾

Test	Duration	↓ Failing since	Failing build	Tags
✖ Playwright Tests from Azure Deploy Pipeline (48/48)	0:03:36.160			
✖ Header > [11084] Login - General but flaky New	0:03:15.674	Yesterday	Current build	
✓ Header > [13798] Login - Large Quantity	0:01:12.260			
✓ Header > [11179] Shop by Type but Flaky	0:01:08.147			
✓ Header > [11084] Login - General	0:00:09.933			
✓ Header > [11441] Login - Admin	0:00:05.870			
✓ Header > [11441] Login - Admin but flaky	0:00:04.683			

- ☒ Failed
- ☐ Aborted
- ☒ Passed
- ☐ Passed on rerun
- ☐ Not Impacted
- ☐ Others

✕ Clear

Pipeline Results per Build

Summary

5 Run(s) Completed (4 Passed, 1 Failed) [48 unique failing tests in the last 14 days](#)

122

Total tests



121 ● Passed
1 ● Failed
0 ● Others



1 Failed tests (-2)
1 ● New
0 ● Existing

99.18%

Pass percentage

↑ 1.6%

4m 27s

Run duration ⓘ

↑ +8s 157ms

0

Tests not reported

Bug ▾ Link

Test run ▾ Column Options

Filter by test or run name

Tags ▾ Test file ▾ Owner ▾ Failed (+1) ▾

Test	Duration	↓ Failing since	Failing build	Tags
✖ Playwright Tests from Azure Deploy Pipeline (48/48)	0:03:36.160			
✖ Header > [11084] Login - General but flaky New	0:03:15.674	Yesterday	Current build	
✓ Header > [13798] Login - Large Quantity	0:01:12.260			
✓ Header > [11179] Shop by Type but Flaky	0:01:08.147			
✓ Header > [11084] Login - General	0:00:09.933			
✓ Header > [11441] Login - Admin	0:00:05.870			
✓ Header > [11441] Login - Admin but flaky	0:00:04.683			

- ☒ Failed
- ☐ Aborted
- ☒ Passed
- ☐ Passed on rerun
- ☐ Not Impacted
- ☐ Others

✕ Clear

Pipeline Results per Build

Summary

5 Run(s) Completed (4 Passed, 1 Failed) [48 unique failing tests in the last 14 days](#)

122

Total tests



121 ● Passed
1 ● Failed
0 ● Others



1 Failed tests (-2)
1 ● New
0 ● Existing

99.18%

Pass percentage

↑ 1.6%

4m 27s

Run duration ⓘ

↑ +8s 157ms

0

Tests not reported

Bug ▾ Link

Test run ▾ Column Options

Filter by test or run name

Tags ▾ Test file ▾ Owner ▾ Failed (+1) ▾

Test	Duration	↓ Failing since	Failing build
✖ Playwright Tests from Azure Deploy Pipeline (48/48)	0:03:36.160		
✖ Header > [11084] Login - General but flaky New	0:03:15.674	Yesterday	Current build
✓ Header > [13798] Login - Large Quantity	0:01:12.260		
✓ Header > [11179] Shop by Type but Flaky	0:01:08.147		
✓ Header > [11084] Login - General	0:00:09.933		
✓ Header > [11441] Login - Admin	0:00:05.870		
✓ Header > [11441] Login - Admin but flaky	0:00:04.683		

Tags

- ☒ Failed
- ☐ Aborted
- ☒ Passed
- ☐ Passed on rerun
- ☐ Not Impacted
- ☐ Others

✕ Clear

133

Total tests

Pipeline Results per Build



0



Others



0



Existing

Pass percentage

↑ 1.6%



Bug



Link

Filter by test or run name

Test	Duration	Failing since
✖ Playwright Tests from Azure Deploy Pipeline (48/48)	0:03:36.160	
✖ Header > [11084] Login - General but flaky New	0:03:15.674	Yesterday
✓ Header > [13798] Login - Large Quantity	0:01:12.260	
✓ Header > [11179] Shop by Type but Flaky	0:01:08.147	
✓ Header > [11084] Login - General	0:00:09.933	

Pipeline Results per Build

Summary

5 Run(s) Completed (4 Passed, 1 Failed) [48 unique failing tests in the last 14 days](#)

Total tests:	122 (121 Passed, 1 Failed, 0 Others)
Failed tests:	1 (1 New, 0 Existing)
Pass percentage:	99.18%
Run duration:	4m 27s
Tests not reported:	0

Bug

Link

Test run

Column Options

Filter by test or run name

Tags

Test file

Owner

Failed (+1)

Test	Duration	Failing since
Playwright Tests from Azure Deploy Pipeline (48/48)	0:03:36.160	
Header > [11084] Login - General but flaky New	0:03:15.674	Yesterday
Header > [13798] Login - Large Quantity	0:01:12.260	
Header > [11179] Shop by Type but Flaky	0:01:08.147	
Header > [11084] Login - General	0:00:09.933	
Header > [11441] Login - Admin	0:00:05.870	
Header > [11441] Login - Admin but flaky	0:00:04.683	

Header > [11084] Login - General but flaky

Result Details

Failed Yesterday on chromium

Duration	0:03:15.674
Owner	not available
Date started	4/25/2025, 1:06:00 PM
Date completed	4/25/2025, 1:09:15 PM
Failing since	Yesterday
Failing since build	eShopOnWeb-E2E-20250425.4

Debug

Work items

Attachments

History

Error message

eShopLogin.spec.ts:45:7 [11084] Login - General but flaky

Stack trace

[chromium] > PlaywrightTests/eShopLogin.spec.ts:45:7 >
Test timeout of 60000ms exceeded.
Error: expect(locator).toContainText(expected)
Locator: locator('#logoutForm')
- Expected string - 1
+ Received string + 18

Test Run Results

Test runs Filter



State	Run Id ↓	Title	Completed Date	Build Number	Failed	Pass Rate
⚠ Completed	1018025	[QA]: Playwright Test Run	4/25/2025 5:30:03 PM		11	85.8%
⚠ Completed	1018024	Playwright Tests from Azure Deploy Pipe...	4/25/2025 5:09:20 PM	eShopOnWeb-E2E-20250425.4	1	97.9%
⚠ Completed	1018023	[QA]: Playwright Test Run	4/25/2025 5:13:33 PM		8	89.4%
✅ Completed	1018022	VSTest_TestResults_38145_1	4/25/2025 4:45:21 PM	eShopOnWeb-E2E-20250425.4	0	100%
✅ Completed	1018021	VSTest_TestResults_38145_3	4/25/2025 4:46:06 PM	eShopOnWeb-E2E-20250425.4	0	100%
✅ Completed	1018020	VSTest_TestResults_38145_4	4/25/2025 4:46:24 PM	eShopOnWeb-E2E-20250425.4	0	100%
✅ Completed	1018019	VSTest_TestResults_38145_2	4/25/2025 4:45:42 PM	eShopOnWeb-E2E-20250425.4	0	100%
⚠ Completed	1018018	Playwright Tests from Azure Test Pipeline	4/25/2025 4:25:32 PM	eShopOnWeb-PlaywrightTesting-20250425.4	1	97.9%
⚠ Completed	1018017	[QA]: Playwright Test Run	4/25/2025 4:30:20 PM		8	89.6%
✅ Completed	1018016	VSTest_TestResults_38143_4	4/25/2025 4:06:01 PM	eShopOnWeb-E2E-20250425.3	0	100%

Run 1018030 - Playwright Tests Pipeline

Run summary

Test results

Filter



Update comment

Summary

Completed 6 hours ago, Ran for 03 minutes 15 seconds

Run type	Automated
Owner	eShopOnWeb2024 Build Service (xpirit)
Tested build	eShopOnWeb-PlaywrightTesting-20250426.2
Release	not available
Release Stage	not available
Build platform	not available
Build flavor	not available
Test settings	Default
MTM lab environment	not available

Comments

No comments


Error message

No error message


Attachments (1)

Name ↑		Size	Created Date
TestResults_1018030.zip	...	2K	6 hours ago

Outcome



Outcome by priority



Outcome by configuration



Outcome by failure type



Run 1018030 - Playwright Tests Pipeline

Run summary **Test results** Filter

 |  Create bug |  Update analysis

Outcome	Test Case Title	Priority	Duration	Owner	Configuration	Machine name	Error message
✓ Passed	Header › [11190] Shop by Brand but Flaky	0	0:00:02.083		None	chromium	
✓ Passed	Header › [11175] Shop by Type - All	0	0:00:02.193		None	chromium	
✓ Passed	Header › [11176] Shop by Type - Mug	0	0:00:02.310		None	chromium	
✓ Passed	Header › [11177] Shop by Type - Sheet	0	0:00:02.193		None	chromium	
✓ Passed	Header › [11178] Shop by Type - T-Shirt	0	0:00:02.060		None	chromium	
✓ Passed	Header › [11179] Shop by Type - USB Memory Stick	0	0:00:02.060		None	chromium	
✓ Passed	Header › [11179] Shop by Type but Flaky	0	0:00:03.190		None	chromium	
✗ Failed	Header › [13798] Login - Large Quantity	0	0:03:15.630		None	chromium	ShopForLargeQuantites.spec.ts:11:7
✓ Passed	Header › [11185] Shop by Brand - All 0	0	0:00:02.726		None	chromium	
✓ Passed	Header › [11186] Shop by Brand - .Net 0	0	0:00:02.454		None	chromium	
✓ Passed	Header › [11185] Shop by Brand - All 1	0	0:00:02.370		None	chromium	

Run 1018030 - [13798] Login - Large Quantity

Summary

❌ Failed on chromium

Run by not available

Tested build [eShopOnWeb-PlaywrightTesting-20250426.2](#)

Analysis

Owner not available

Failure type None

Resolution None

Comment not available

Error message

ShopForLargeQuantities.spec.ts:11:7 [13798] Login - Large Quantity

Stack trace

```
[chromium] > PlaywrightTests/ShopForLargeQuantities.spec.ts:11:7 > Header > [13798] Login - Large Quantity
```

```
Test timeout of 60000ms exceeded.
```

```
Error: locator.click: Test timeout of 60000ms exceeded.
```

```
Call log:
```

```
- waiting for getByRole('link', { name: '[ Checkout ]' })
```

```
41 |     await page.getByRole('spinbutton').fill('1000');
```

```
42 |     await page.getByRole('button', { name: '[ Update ]' }).click();
```

```
> 43 |     await page.getByRole('link', { name: '[ Checkout ]' }).click();
```

```
|
```

```
44 |     await page.getByRole('button', { name: '[ Pay Now ]' }).click();
```

```
45 |     await expect(page.getByRole('heading')).toContainText('Thanks for your Order!');
```

```
46 |     await page.getByRole('link', { name: 'Log Out' }).click();
```

```
at /home/vsts/work/1/s/tests/PlaywrightTests/ShopForLargeQuantities.spec.ts:43:62
```

```
attachment #1: screenshot (image/png) _____
```

```
test-results/PlaywrightTests-ShopForLar-6d430-3798-Login---Large-Quantity-chromium/test-failed-1.png
```

```
attachment #2: video (video/webm) _____
```

```
test-results/PlaywrightTests-ShopForLar-6d430-3798-Login---Large-Quantity-chromium/video.webm
```

```
Error Context: ../test-results/PlaywrightTests-ShopForLar-6d430-3798-Login---Large-Quantity-chromium/error-context.md
```

Bug Creation

NEW BUG *

Header > [13798] Login - Large Quantity Failed in eShopOnWeb-PlaywrightTesting-20250426.2

Randy Pagels

0 comments

Add tag

Save & Close

State ☒ New

Area eShopOnWeb2024

Reason New

Iteration eShopOnWeb2024\Iteration 6

Details

Scans

🕒

🔗 (4)

📎

Repro Steps

Test: **Header > [13798] Login - Large Quantity**

Priority: 0

Test file: PlaywrightTests/ShopForLargeQuantities.spec.ts

Machine: chromium

Tested build: [eShopOnWeb-PlaywrightTesting-20250426.2](#)

Error message: **ShopForLargeQuantities.spec.ts:11:7 [13798] Login - Large Quantity**

Stack trace:

[chromium] > PlaywrightTests/ShopForLargeQuantities.spec.ts:11:7 > Header > [13798] Login - Large Quantity Test timeout of 60000ms exceeded. Error: locator.click: Test timeout of 60000ms exceeded. Call log: - waiting for getByRole('link', { name: '[Checkout]' }) 41 | await page.getByRole('spinbutton').fill('1000'); 42 | await page.getByRole('button', { name: '[Update]' }).click(); > 43 | await page.getByRole('link', { name: '[Checkout]' }).click(); | ^ 44 | await page.getByRole('button', { name: '[Pay Now]' }).click(); 45 | await expect(page.getByRole('heading')).toContainText('Thanks for your Order!'); 46 | await page.getByRole('link', { name: 'Log Out' }).click(); at /home/vsts/work/1/s/tests/PlaywrightTests/ShopForLargeQuantities.spec.ts:43:62 attachment #1: screenshot (image/png)

test-results/PlaywrightTests-ShopForLar-6d430-3798-Login---Large-Quantity-chromium/test-failed-1.png

Planning

Resolved Reason



Story Points

Priority

2

Severity

3 - Medium

Activity

Effort (Hours)

Original Estimate

Remaining

Completed

Deployment



To track releases associated with this work item, go to [Releases](#) and turn on deployment status reporting for Boards in your pipeline's Options menu. [Learn more about deployment status reporting](#)

Development

+ Add link

Found in build [eShopOnWeb-PlaywrightTesti...](#)
6 hours ago, ⚠️ partially succeeded

Related Work

+ Add link

Parent

13798 User Account Login for Large Quan...
Updated Monday, ● Ready

System Info

Bug Creation

Development

+ Add link

Found in build [eShopOnWeb-PlaywrightTesti...](#)
6 hours ago,  partially succeeded

Related Work

+ Add link

Parent

  13798 [User Account Login for Large Quan...](#)
Updated Monday,  Ready

System Info

Pipeline Run Analytics

Runs Branches **Analytics**

Pipeline pass rate

91.11%

Runs:
45



Playwright Testing Service stage has the highest failure rate with 75% of its failures caused by task - *Install dependencies*

[View full report >](#)

Test pass rate

90.39% ▲ 72.9%

Test results:
2.0K



48 unique failing tests are contributing to 189 test failures

[View full report >](#)

Pipeline duration

80th percentile

12m 57s ▲ 125.2%

Succeeded runs:
41



87.45% of total run time is taken by step - *Run Playwright tests*

[View full report >](#)

Test Failure Report

14 Days Failed None

Tests in the pipeline

90.39%

Pass rate

2.0K

Test results




1.8K Passed
189 Failed

Unique failing tests

48 tests causing 189 failed test results

Trend of test results and pass rate




Test	Failed	Pass rate	Total count	Average duration
Header > [13798] Login - Large Quantity	29	29.26%	41	136.65s
Header > [11190] Shop by Brand but Flaky	9	78.04%	41	51.98s
Header > [11084] Login - General but flaky	8	80.48%	41	41.01s
Header > [11441] Login - Admin but flaky	8	80.48%	41	47.99s
Header > [11179] Shop by Type but Flaky	6	85.36%	41	28.85s

Test Failure Report

Test	Failed	↓	Pass rate	Total count	Average duration
Header > [13798] Login - Large Quantity	29		29.26%	41	136.65s
Header > [11190] Shop by Brand but Flaky	9		78.04%	41	51.98s
Header > [11084] Login - General but flaky	8		80.48%	41	41.01s
Header > [11441] Login - Admin but flaky	8		80.48%	41	47.99s
Header > [11179] Shop by Type but Flaky	6		85.36%	41	28.85s
Header > [11084] Login - General	3		92.68%	41	7.12s
Header > [11179] Shop by Type but Flaky	6		85.36%	41	28.85s

Test Plan Progress Report

Test Plans Progress Report



Test Plans Progress Report

Summary



1

Test plans




57

Test points



21 (21 / 57)

Test points run




95% (20 / 21)

Pass rate




Outcome trend



Test Plans Progress Report

Outcome trend

Last 30 Days ▾



Test Plans Progress Report

Pass rate



1

Other

2025-04-20 2025-04-21 2025-04-22 2025-04-23 2025-04-24 2025-04-25 2025-04-26 2025-04-27 2025-04-28 2025-04-29 2025-04-30 2025-05-01 2025-05-02 2025-05-03 2025-05-04 2025-05-05 2025-05-06 2025-05-07 2025-05-08 2025-05-09 2025-05-10 2025-05-11 2025-05-12 2025-05-13 2025-05-14 2025-05-15 2025-05-16 2025-05-17 2025-05-18 2025-05-19 2025-05-20 2025-05-21 2025-05-22 2025-05-23 2025-05-24 2025-05-25 2025-05-26 2025-05-27 2025-05-28 2025-05-29 2025-05-30 2025-05-31 2025-06-01 2025-06-02 2025-06-03 2025-06-04 2025-06-05 2025-06-06 2025-06-07 2025-06-08 2025-06-09 2025-06-10 2025-06-11 2025-06-12 2025-06-13 2025-06-14 2025-06-15 2025-06-16 2025-06-17 2025-06-18 2025-06-19 2025-06-20 2025-06-21 2025-06-22 2025-06-23 2025-06-24 2025-06-25 2025-06-26 2025-06-27 2025-06-28 2025-06-29 2025-06-30 2025-07-01 2025-07-02 2025-07-03 2025-07-04 2025-07-05 2025-07-06 2025-07-07 2025-07-08 2025-07-09 2025-07-10 2025-07-11 2025-07-12 2025-07-13 2025-07-14 2025-07-15 2025-07-16 2025-07-17 2025-07-18 2025-07-19 2025-07-20 2025-07-21 2025-07-22 2025-07-23 2025-07-24 2025-07-25 2025-07-26 2025-07-27 2025-07-28 2025-07-29 2025-07-30 2025-07-31 2025-08-01 2025-08-02 2025-08-03 2025-08-04 2025-08-05 2025-08-06 2025-08-07 2025-08-08 2025-08-09 2025-08-10 2025-08-11 2025-08-12 2025-08-13 2025-08-14 2025-08-15 2025-08-16 2025-08-17 2025-08-18 2025-08-19 2025-08-20 2025-08-21 2025-08-22 2025-08-23 2025-08-24 2025-08-25 2025-08-26 2025-08-27 2025-08-28 2025-08-29 2025-08-30 2025-08-31 2025-09-01 2025-09-02 2025-09-03 2025-09-04 2025-09-05 2025-09-06 2025-09-07 2025-09-08 2025-09-09 2025-09-10 2025-09-11 2025-09-12 2025-09-13 2025-09-14 2025-09-15 2025-09-16 2025-09-17 2025-09-18 2025-09-19 2025-09-20 2025-09-21 2025-09-22 2025-09-23 2025-09-24 2025-09-25 2025-09-26 2025-09-27 2025-09-28 2025-09-29 2025-09-30 2025-10-01 2025-10-02 2025-10-03 2025-10-04 2025-10-05 2025-10-06 2025-10-07 2025-10-08 2025-10-09 2025-10-10 2025-10-11 2025-10-12 2025-10-13 2025-10-14 2025-10-15 2025-10-16 2025-10-17 2025-10-18 2025-10-19 2025-10-20 2025-10-21 2025-10-22 2025-10-23 2025-10-24 2025-10-25 2025-10-26 2025-10-27 2025-10-28 2025-10-29 2025-10-30 2025-10-31 2025-11-01 2025-11-02 2025-11-03 2025-11-04 2025-11-05 2025-11-06 2025-11-07 2025-11-08 2025-11-09 2025-11-10 2025-11-11 2025-11-12 2025-11-13 2025-11-14 2025-11-15 2025-11-16 2025-11-17 2025-11-18 2025-11-19 2025-11-20 2025-11-21 2025-11-22 2025-11-23 2025-11-24 2025-11-25 2025-11-26 2025-11-27 2025-11-28 2025-11-29 2025-11-30 2025-12-01 2025-12-02 2025-12-03 2025-12-04 2025-12-05 2025-12-06 2025-12-07 2025-12-08 2025-12-09 2025-12-10 2025-12-11 2025-12-12 2025-12-13 2025-12-14 2025-12-15 2025-12-16 2025-12-17 2025-12-18 2025-12-19 2025-12-20 2025-12-21 2025-12-22 2025-12-23 2025-12-24 2025-12-25 2025-12-26 2025-12-27 2025-12-28 2025-12-29 2025-12-30 2025-12-31 2026-01-01 2026-01-02 2026-01-03 2026-01-04 2026-01-05 2026-01-06 2026-01-07 2026-01-08 2026-01-09 2026-01-10 2026-01-11 2026-01-12 2026-01-13 2026-01-14 2026-01-15 2026-01-16 2026-01-17 2026-01-18 2026-01-19 2026-01-20 2026-01-21 2026-01-22 2026-01-23 2026-01-24 2026-01-25 2026-01-26 2026-01-27 2026-01-28 2026-01-29 2026-01-30 2026-01-31 2026-02-01 2026-02-02 2026-02-03 2026-02-04 2026-02-05 2026-02-06 2026-02-07 2026-02-08 2026-02-09 2026-02-10 2026-02-11 2026-02-12 2026-02-13 2026-02-14 2026-02-15 2026-02-16 2026-02-17 2026-02-18 2026-02-19 2026-02-20 2026-02-21 2026-02-22 2026-02-23 2026-02-24 2026-02-25 2026-02-26 2026-02-27 2026-02-28 2026-02-29 2026-03-01 2026-03-02 2026-03-03 2026-03-04 2026-03-05 2026-03-06 2026-03-07 2026-03-08 2026-03-09 2026-03-10 2026-03-11 2026-03-12 2026-03-13 2026-03-14 2026-03-15 2026-03-16 2026-03-17 2026-03-18 2026-03-19 2026-03-20 2026-03-21 2026-03-22 2026-03-23 2026-03-24 2026-03-25 2026-03-26 2026-03-27 2026-03-28 2026-03-29 2026-03-30 2026-03-31 2026-04-01 2026-04-02 2026-04-03 2026-04-04 2026-04-05 2026-04-06 2026-04-07 2026-04-08 2026-04-09 2026-04-10 2026-04-11 2026-04-12 2026-04-13 2026-04-14 2026-04-15 2026-04-16 2026-04-17 2026-04-18 2026-04-19 2026-04-20 2026-04-21 2026-04-22 2026-04-23 2026-04-24 2026-04-25 2026-04-26 2026-04-27 2026-04-28 2026-04-29 2026-04-30 2026-05-01 2026-05-02 2026-05-03 2026-05-04 2026-05-05 2026-05-06 2026-05-07 2026-05-08 2026-05-09 2026-05-10 2026-05-11 2026-05-12 2026-05-13 2026-05-14 2026-05-15 2026-05-16 2026-05-17 2026-05-18 2026-05-19 2026-05-20 2026-05-21 2026-05-22 2026-05-23 2026-05-24 2026-05-25 2026-05-26 2026-05-27 2026-05-28 2026-05-29 2026-05-30 2026-05-31 2026-06-01 2026-06-02 2026-06-03 2026-06-04 2026-06-05 2026-06-06 2026-06-07 2026-06-08 2026-06-09 2026-06-10 2026-06-11 2026-06-12 2026-06-13 2026-06-14 2026-06-15 2026-06-16 2026-06-17 2026-06-18 2026-06-19 2026-06-20 2026-06-21 2026-06-22 2026-06-23 2026-06-24 2026-06-25 2026-06-26 2026-06-27 2026-06-28 2026-06-29 2026-06-30 2026-07-01 2026-07-02 2026-07-03 2026-07-04 2026-07-05 2026-07-06 2026-07-07 2026-07-08 2026-07-09 2026-07-10 2026-07-11 2026-07-12 2026-07-13 2026-07-14 2026-07-15 2026-07-16 2026-07-17 2026-07-18 2026-07-19 2026-07-20 2026-07-21 2026-07-22 2026-07-23 2026-07-24 2026-07-25 2026-07-26 2026-07-27 2026-07-28 2026-07-29 2026-07-30 2026-07-31 2026-08-01 2026-08-02 2026-08-03 2026-08-04 2026-08-05 2026-08-06 2026-08-07 2026-08-08 2026-08-09 2026-08-10 2026-08-11 2026-08-12 2026-08-13 2026-08-14 2026-08-15 2026-08-16 2026-08-17 2026-08-18 2026-08-19 2026-08-20 2026-08-21 2026-08-22 2026-08-23 2026-08-24 2026-08-25 2026-08-26 2026-08-27 2026-08-28 2026-08-29 2026-08-30 2026-08-31 2026-09-01 2026-09-02 2026-09-03 2026-09-04 2026-09-05 2026-09-06 2026-09-07 2026-09-08 2026-09-09 2026-09-10 2026-09-11 2026-09-12 2026-09-13 2026-09-14 2026-09-15 2026-09-16 2026-09-17 2026-09-18 2026-09-19 2026-09-20 2026-09-21 2026-09-22 2026-09-23 2026-09-24 2026-09-25 2026-09-26 2026-09-27 2026-09-28 2026-09-29 2026-09-30 2026-10-01 2026-10-02 2026-10-03 2026-10-04 2026-10-05 2026-10-06 2026-10-07 2026-10-08 2026-10-09 2026-10-10 2026-10-11 2026-10-12 2026-10-13 2026-10-14 2026-10-15 2026-10-16 2026-10-17 2026-10-18 2026-10-19 2026-10-20 2026-10-21 2026-10-22 2026-10-23 2026-10-24 2026-10-25 2026-10-26 2026-10-27 2026-10-28 2026-10-29 2026-10-30 2026-10-31 2026-11-01 2026-11-02 2026-11-03 2026-11-04 2026-11-05 2026-11-06 2026-11-07 2026-11-08 2026-11-09 2026-11-10 2026-11-11 2026-11-12 2026-11-13 2026-11-14 2026-11-15 2026-11-16 2026-11-17 2026-11-18 2026-11-19 2026-11-20 2026-11-21 2026-11-22 2026-11-23 2026-11-24 2026-11-25 2026-11-26 2026-11-27 2026-11-28 2026-11-29 2026-11-30 2026-12-01 2026-12-02 2026-12-03 2026-12-04 2026-12-05 2026-12-06 2026-12-07 2026-12-08 2026-12-09 2026-12-10 2026-12-11 2026-12-12 2026-12-13 2026-12-14 2026-12-15 2026-12-16 2026-12-17 2026-12-18 2026-12-19 2026-12-20 2026-12-21 2026-12-22 2026-12-23 2026-12-24 2026-12-25 2026-12-26 2026-12-27 2026-12-28 2026-12-29 2026-12-30 2026-12-31

Not run Passed Failed Blocked Other

Details

Test plan name	Test points	Run % ↓	Passed %	Failed %	Not run count
▼ eShopOnWeb2024_TestPlan1	57	36	95	0	36
> 11160 : Shop by Type on the eShopOnWeb portal	15	66	100	0	5
> 11149 : Login and new user registraion to the eShopOnWeb portal using email id and password	15	33	80	0	10
> 11159 : Shop by Brand on the eShopOnWeb portal	18	27	100	0	13
> 11151 : Change the background color of the [ADD TO BASKET] button	1	0	0	0	1
> Login and view account	2	0	0	0	2
> Shop for Large Quantites	3	0	0	0	3

Test Plans Progress Report

Not run Passed Failed Blocked Other

Test points	Run % ↓	Passed %	Failed %	Not run count
57	36	95	0	36
15	66	100	0	5
15	33	80	0	10

Continuous Integration

...Testing at Scale



Microsoft Playwright Testing

PREVIEW


Scalable end-to-end testing for modern web apps.

Sign in

<https://aka.ms/mpt/about>


Scale web testing and gain insights

- Speed up CI Validation
 - Distribute tests across browsers with higher parallelization in continuous integration to run test suites faster.
- Expand Test Coverage
 - Get reliable end-to-end testing for web apps, with support for all modern browsers on Linux and Windows OS.
- Resolve issues faster
 - Accelerate troubleshooting with insights from a comprehensive, CI-integrated dashboard.
- High parallelization across operating system-browser combinations.



Continuous Testing at Scale

Tests run on each push and pull request into the main/main branch



✓

QA Deployment

1 job completed1m 36s

📄

1 checks passed

!

Playwright Tests

1 job completed9m 34s

🔊

97.9% tests passed

!

RunPlaywrightTests

9m 31s

Rerun just this stage

▼

✓

Prod Deployment

1 job completed2m 51s

📄

1 checks passed

!

Playwright Testing Serv...

1 job completed1m 53s

📁

1 artifact

Workspaces

Manage workspaces within your chosen subscription

Visual Studio Enterprise – MSDN – RPagels

+ New workspace

PI PlaywrightTestingSh
opOnWeb

Location
eastus

Workspace Id
eastus_2311c737-d2bf-4fee-b9e8-
7a6a7c625a36

PI PlaywrightTestingMercur
yHealth

Location
eastus

Workspace Id
eastus_f2e160a1-95b0-414b-bba3-
50564f4f6149

Settings

 General

 Authentication

 Billing

 Users



Workspace details

Workspace name

Workspace ID

Subscription

Subscription ID

Workspace region endpoint

PlaywrightTestingShopOnWeb 

eastus_2311c737-d2bf-4fee-b9e8-7a6a7c625a36 

Visual Studio Enterprise – MSDN - RPagels 

febd7629-60bf-43ef-ab1a-db1bcb82f103 

wss://eastus.api.playwright.microsoft.com/accounts/eastus_2311c737-d2bf-4fe... 



Region management

Manage regional settings of the workspace

Workspace region

Your workspace and data resides in this Azure region.

East US

Region selection for running tests

Your tests will run in the region based on your selection.

[Learn more](#) 

- ☒ Tests connect to browsers in the Azure region closest to you to minimize latency. Test results are collected in the execution region, then transferred and stored in the workspace region (East US).
- ☐ Tests always connect to browsers in the workspace region (East US).



Authentication

Manage how you want to authenticate with the service for running tests on cloud-hosted browsers and publishing

Access control methods



Microsoft Entra ID

This is the default and more secure authentication mechanism.

[View more details on Entra ID](#)



Playwright Service Access Token

Enable authentication using Playwright Service Access Tokens

[Learn more](#)



Access tokens

To run tests on the browsers hosted by Playwright Testing service, generate Access tokens and use them in your

[Learn more on how to use Access tokens](#)

Name

Status

Expires on ↓

eShopOnWeb2025

✓ ACTIVE

4/21/2026

Generate new Access token

Use this Access token to run test on Microsoft Playwright Testing service.

Access token name *

eShopOnWeb2025

Expiration period *

1 year

Generate token

Cancel

eyJhbGciOiJIUzI1NiIsImtp...



Make sure to copy the new Access token now.
We do not store it and you will not be able to see it again.

Setup guide and configuration

Run high-scale parallel tests and get rich reports

This guide will help you run your Playwright test suite faster and enable you to troubleshoot tests easily from the portal. If you're new to Playwright or don't have existing tests, we recommend you [start your Playwright journey here](#).

Playwright test runner NUnit

1 Install the Playwright Testing service package

```
npm init @azure/microsoft-playwright-testing
```

2 Set up authentication

Entra ID Service Access Token

Login to Azure. You need Azure CLI for this step. [Click here to install](#).

```
az login
```

Note: If you're part of multiple Microsoft Entra tenants, sign in to the one linked to your workspace using '`az login --tenant <TenantID>`'.
[Learn how to find your tenant ID](#)

3 Add region endpoint in your setup

Run this command in the terminal window to set up the workspace home location endpoint to request browsers.

Bash Powershell

```
export PLAYWRIGHT_SERVICE_URL= wss://eastus.api.playwri...
```

4 Run high-scale parallel tests and get rich reports

Run this command in the terminal window to run tests with many parallel workers and get rich reports in the dashboard.

```
npx playwright test --config=playwright.service.config.ts --workers=20
```

Run high-scale parallel tests and get rich reports

This guide will help you run your Playwright test suite faster and enable you to troubleshoot tests easily from the portal. If you're new to Playwright or don't have existing tests, we recommend you [start your Playwright journey here](#).

Playwright test runner

NUnit

1 Install the Playwright Testing service package

```
npm init @azure/microsoft-playwright-testing
```

2 Set up authentication

Entra ID

Service Access Token

Login to Azure. You need Azure CLI for this step. [Click here to install](#).

```
az login
```



Note: If you're part of multiple Microsoft Entra tenants, sign in to the one linked to your workspace using `'az login --tenant <TenantID>'`.

[Learn how to find your tenant ID](#) ↗



Note: If you're part of multiple Microsoft Entra tenants, sign in to the one linked to your workspace using '`az login --tenant <TenantID>`'.

[Learn how to find your tenant ID](#)

3 Add region endpoint in your setup

Run this command in the terminal window to set up the workspace home location endpoint to request browsers.

Bash

Powershell

```
export PLAYWRIGHT_SERVICE_URL= wss://eastus.api.playwri...
```

4 Run high-scale parallel tests and get rich reports

Run this command in the terminal window to run tests with many parallel workers and get rich reports in the dashboard.

```
npx playwright test --config=playwright.service.config.ts --workers=20
```

Pipeline Variable Settings

```
← eShopOnWeb-BuildDeploy

main ▾ eShopOnWeb / azure-pipelines-builddeploy.yml

1  name: 'eShopOnWeb-E2E-$(Date:yyyyMMdd)$(Rev:.r)'
2
3  trigger: none
4
5  variables:
6    - {name: workingDirectory, value: '$(System.DefaultWorkingDirectory)'}
7    - {name: BuildConfiguration, value: 'Release'}
8    - {name: azureSubscriptionId, value: 'febd7629-60bf-43ef-ab1a-db1bcb82f103'}
9    - {name: myServicePrincipal, value: 'eShopOnWeb_82f103_Owner'}
10   - {name: Azure_Resource_GroupName, value: 'rg-eShopOnWeb'}
11   - {name: Azure_Resource_GroupRegion, value: 'EastUS2'}
12   - {name: BiceptemplateFile, value: 'main.bicep'}
13   - {name: pool, value: 'ubuntu-latest'}
14
15  stages:
16    #####
17    # STAGE: Build the Web Application
18    # eShopOnWeb_82f103
19    #####
20    - stage: Build
21      dependsOn: []
22      displayName: 'Build stage'
23      jobs:
24        - job: Build
25          displayName: 'Build'
26          pool:
27            vmImage: 'ubuntu-latest'
```

Variables ×

+

fx

AZURE_TOKEN

= 1ud4vGthFcCWtly1mB8dNHl2vyG4DpF19HuTgdyoeEe2c...

fx

PASSWORD

= Pass@word1

fx

PAT_TOKEN_PACKAGE

= 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

fx

PLAYWRIGHT_SERVICE_ACCESS_TOKEN

= eyJhbGciOiJSUzI1NiIsImtpZCI6ImY4ZGY5M2FjMWVhY2Q...

📄

🗑️

fx

PLAYWRIGHT_SERVICE_URL


= wss://eastus.api.playwright.microsoft.com/accounts/east...

Pipeline Variable Settings

 AZURE_TOKEN
= 1ud4vGthFcCWtly1mB8dNHI2vyG4DpF19HuTgdyoeEe2c...

 PASSWORD
= Pass@word1

 PAT_TOKEN_PACKAGE
= 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

 PLAYWRIGHT_SERVICE_ACCESS_TOKEN
= eyJhbGciOiJSUzI1NiIsImtpZCI6ImY4ZGY5M2FjMWFkYTQ...



 PLAYWRIGHT_SERVICE_URL
= wss://eastus.api.playwright.microsoft.com/accounts/east...

Pipeline Variable Settings

 AZURE_TOKEN
= 1ud4vGthFcCWtly1mB8dNHI2vyG4DpF19HuTgdyoeEe2c...

 PASSWORD
= Pass@word1

 PAT_TOKEN_PACKAGE
= 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

 PLAYWRIGHT_SERVICE_ACCESS_TOKEN
= eyJhbGciOiJSUzI1NiIsImtpZCI6ImY4ZGY5M2FjMWFkYTQ...



 PLAYWRIGHT_SERVICE_URL
= wss://eastus.api.playwright.microsoft.com/accounts/east...

Pipeline Tasks

```
# #####
# STAGE: Run Playwright Testing Service
# # #####

- stage: PlaywrightTestsOnService
  displayName: Playwright Testing Service
  dependsOn: [PlaywrightTesting]
  variables:
    | WebsiteName: $(AZURE_AppService_Name) # Use the Azure DevOps pipeline variable directly

  jobs:
    - job: PlaywrightTests
      pool: ...

      steps:
        - script: echo "##vso[task.setvariable variable=website_URL]https://$(WebsiteName)-qa.azurewebsites.net" ...
        - script: echo $(website_URL) ...
        - task: NodeTool@0 ...

        # Regenerate package-lock.json to sync with package.json
        # Clean install dependencies
        - task: PowerShell@2 ...

        - script: echo "##vso[task.setvariable variable=PAT_TOKEN_PACKAGE]$(PAT_TOKEN_PACKAGE)"
          | displayName: set ADO Token env var for Playwright Test Reporter

# Microsoft Playwright Testing Preview Service
- task: PowerShell@2
  enabled: true
  displayName: "Run Playwright tests"
  env:
    | PLAYWRIGHT_SERVICE_ACCESS_TOKEN: $(PLAYWRIGHT_SERVICE_ACCESS_TOKEN)
    | PLAYWRIGHT_SERVICE_URL: $(PLAYWRIGHT_SERVICE_URL)
    | PLAYWRIGHT_SERVICE_RUN_ID: $(Build.DefinitionName) - $(Build.BuildNumber) - $(System.JobAttempt)-$(Date:yyyyMMddHHmmss)
    | website_URL: '$(website_URL)'
    | #CI: 'true'
  inputs:
    | targetType: 'inline'
    | script: 'npx playwright test -c playwright.service.config.ts --workers=40'
    | workingDirectory: . # update accordingly
    | continueOnError: true
```

Pipeline Tasks

```
- script: echo "##vso[task.setvariable variable=PAI_TOKEN_PACKAGE]$(PAI_TOKEN_PACKAGE)"
  displayName: set ADO Token env var for Playwright Test Reporter

# Microsoft Playwright Testing Preview Service
- task: PowerShell@2
  enabled: true
  displayName: "Run Playwright tests"
  env:
    PLAYWRIGHT_SERVICE_ACCESS_TOKEN: $(PLAYWRIGHT_SERVICE_ACCESS_TOKEN)
    PLAYWRIGHT_SERVICE_URL: $(PLAYWRIGHT_SERVICE_URL)
    PLAYWRIGHT_SERVICE_RUN_ID: $(Build.DefinitionName) - $(Build.BuildNumber) - $(System.JobAttempt)
    website_URL: '$(website_URL)'
    #CI: 'true'
  inputs:
    targetType: 'inline'
    script: 'npx playwright test -c playwright.service.config.ts --workers=40'
    workingDirectory: . # update accordingly
  continueOnError: true
```


Pipeline Tasks

```
- script: echo "##vso[task.setvariable variable=PAI_TOKEN_PACKAGE]$(PAI_TOKEN_PACKAGE)"
  displayName: set ADO Token env var for Playwright Test Reporter

# Microsoft Playwright Testing Preview Service
- task: PowerShell@2
  enabled: true
  displayName: "Run Playwright tests"
  env:
    PLAYWRIGHT_SERVICE_ACCESS_TOKEN: $(PLAYWRIGHT_SERVICE_ACCESS_TOKEN)
    PLAYWRIGHT_SERVICE_URL: $(PLAYWRIGHT_SERVICE_URL)
    PLAYWRIGHT_SERVICE_RUN_ID: $(Build.DefinitionName) - $(Build.BuildNumber) - $(System.JobAttempt)
    website_URL: '$(website_URL)'
    #CI: 'true'
  inputs:
    targetType: 'inline'
    script: 'npx playwright test -c playwright.service.config.ts --workers=40'
    workingDirectory: . # update accordingly
  continueOnError: true
```



Run Playwright tests

Starting: Run Playwright tests

```
=====
Task       : PowerShell
Description : Run a PowerShell script on Linux, macOS, or Windows
Version    : 2.247.1
Author     : Microsoft Corporation
Help       : https://docs.microsoft.com/azure/devops/pipelines/tasks/utility/powershell
=====
```

Generating script.

===== Starting Command Output =====

```
/usr/bin/pwsh -NoLogo -NoProfile -NonInteractive -Command . '/home/vsts/work/_temp/82146a66-9771-42b9-917d-8f11b30da835.ps1'  =>
```

Running 48 tests using 40 workers

azure: Using run 1017956 to publish test results

azure: AZURE_PW_TEST_RUN_ID: 1017956

✓ 23 [chromium] > PlaywrightTests/SimulationLargeTestSuites.spec.ts:36:9 > Header > [11186] Shop by Brand - .Net 2 (12.6s)

azure: [11186] Shop by Brand - .Net 2 - passed

azure: Start publishing: [11186] Shop by Brand - .Net 2

✓ 10 [chromium] > PlaywrightTests/ShopByBrand.spec.ts:73:7 > Header > [11189] Shop by Brand - SQL Server (13.8s)

azure: [11189] Shop by Brand - SQL Server - passed

azure: Start publishing: [11189] Shop by Brand - SQL Server

azure: There are 2 testPoints found for the test case

[11186] Shop by Brand - .Net 2,

you should set testRunConfig.configurationIds and/or use set a testPointMapper!

✓ 8 [chromium] > PlaywrightTests/ShopByBrand.spec.ts:10:7 > Header > [11185] Shop by Brand - All (13.4s)

azure: [11185] Shop by Brand - All - passed

azure: Start publishing: [11185] Shop by Brand - All

✓ 25 [chromium] > PlaywrightTests/SimulationLargeTestSuites.spec.ts:13:9 > Header > [11185] Shop by Brand - All 2 (13.1s)

azure: [11185] Shop by Brand - All 2 - passed

azure: Start publishing: [11185] Shop by Brand - All 2

✓ 34 [chromium] > PlaywrightTests/SimulationLargeTestSuites.spec.ts:13:9 > Header > [11185] Shop by Brand - All 8 (12.8s)

azure: [11185] Shop by Brand - All 8 - passed

azure: Start publishing: [11185] Shop by Brand - All 8

azure: Uploading attachments for test: [11186] Shop by Brand - .Net 2

azure: Uploaded attachments

azure: Result published: [11186] Shop by Brand - .Net 2

azure: Uploading attachments for test: [11189] Shop by Brand - SQL Server



Run Playwright tests

Task : PowerShell
Description : Run a PowerShell script on Linux, macOS, or Windows
Version : 2.247.1
Author : Microsoft Corporation
Help : <https://docs.microsoft.com/azure/devops/pipelines/tasks/utility/powershell>

Generating script.

===== Starting Command Output =====

```
/usr/bin/pwsh -NoLogo -NoProfile -NonInteractive -Command . '/home/vsts/work/_te
```

Running 48 tests using 40 workers

azure: Using run 1017956 to publish test results

azure: AZURE_PW_TEST_RUN_ID: 1017956

✓ 23 [chromium] › PlaywrightTests/SimulationLargeTestSuites.spec.ts:36:9 › H

azure: [11186] Shop by Brand - .Net 2 - passed

azure: Start publishing: [11186] Shop by Brand - .Net 2

✓ 10 [chromium] › PlaywrightTests/ShopByBrand.spec.ts:73:7 › Header › [11189

azure: [11189] Shop by Brand - SQL Server - passed

azure: Start publishing: [11189] Shop by Brand - SQL Server

azure: There are 2 testPoints found for the test case



Run Playwright tests

azure: Using run 1017956 to publish test results

azure: AZURE_PW_TEST_RUN_ID: 1017956

✓ 23 [chromium] › PlaywrightTests/SimulationLargeTestSuites.spec.ts:36:9 › H

azure: [11186] Shop by Brand - .Net 2 - passed

azure: Start publishing: [11186] Shop by Brand - .Net 2

✓ 10 [chromium] › PlaywrightTests/ShopByBrand.spec.ts:73:7 › Header › [11189]

azure: [11189] Shop by Brand - SQL Server - passed

azure: Start publishing: [11189] Shop by Brand - SQL Server

azure: There are 2 testPoints found for the test case

[11186] Shop by Brand - .Net 2,

you should set testRunConfig.configurationIds and/or use set a testPoint

✓ 8 [chromium] › PlaywrightTests/ShopByBrand.spec.ts:10:7 › Header › [11185]

azure: [11185] Shop by Brand - All - passed

azure: Start publishing: [11185] Shop by Brand - All

✓ 25 [chromium] › PlaywrightTests/SimulationLargeTestSuites.spec.ts:13:9 › H

azure: [11185] Shop by Brand - All 2 - passed

azure: Start publishing: [11185] Shop by Brand - All 2

✓ 34 [chromium] › PlaywrightTests/SimulationLargeTestSuites.spec.ts:13:9 › H

azure: [11185] Shop by Brand - All 8 - passed

azure: Start publishing: [11185] Shop by Brand - All 8



Run Playwright tests

Task : PowerShell
Description : Run a PowerShell script on Linux, macOS, or Windows
Version : 2.247.1
Author : Microsoft Corporation
Help : <https://docs.microsoft.com/azure/devops/pipelines/tasks/utility/powershell>

Generating script.

===== Starting Command Output =====

```
/usr/bin/pwsh -NoLogo -NoProfile -NonInteractive -Command . '/home/vsts/work/_te
```

Running 48 tests using 40 workers

azure: Using run 1017956 to publish test results

azure: AZURE_PW_TEST_RUN_ID: 1017956

✓ 23 [chromium] › PlaywrightTests/SimulationLargeTestSuites.spec.ts:36:9 › H

azure: [11186] Shop by Brand - .Net 2 - passed

azure: Start publishing: [11186] Shop by Brand - .Net 2

✓ 10 [chromium] › PlaywrightTests/ShopByBrand.spec.ts:73:7 › Header › [11189

azure: [11189] Shop by Brand - SQL Server - passed

azure: Start publishing: [11189] Shop by Brand - SQL Server

azure: There are 2 testPoints found for the test case



Run Playwright tests

Slow test file: [chromium] › PlaywrightTests/ShopForLargeQuantities.spec.ts (1.1m)

Consider splitting slow test files to speed up parallel execution

5 failed

[chromium] › PlaywrightTests/eShopLogin.spec.ts:44:7 › Header › [11084] Login - General but flaky

[chromium] › PlaywrightTests/eShopLogin.spec.ts:68:7 › Header › [11441] Login - Admin but flaky

[chromium] › PlaywrightTests/ShopByBrand.spec.ts:115:7 › Header › [11190] Shop by Brand but Flaky

[chromium] › PlaywrightTests/ShopByType.spec.ts:137:7 › Header › [11179] Shop by Type but Flaky

[chromium] › PlaywrightTests/ShopForLargeQuantities.spec.ts:10:7 › Header › [13798] Login - Large Quantity

43 passed (1.5m)

azure: Uploading attachments for test: [11190] Shop by Brand but Flaky

azure: Uploaded attachments

azure: Result published: [11190] Shop by Brand but Flaky

azure: Run 1017956 - Completed

##[error]PowerShell exited with code '1'.

Finishing: Run Playwright tests

Reporting

last 90 daysBranch

All (6)Passed (0)Failed (3)Flaky (0)Reporting disabled (3)

Test runs

Refactor Azure Pipelines configuration by commenting out the dependency installation step and upd...	46 passed 2 failed
25th April 1:35 PM Randy Pagels refs/heads/main # 8fe51842524810cd... 8227ba7	1m... 20 ... 9...
Update azure-pipelines-builddeploy.yml for Azure Pipelines	43 passed 5 failed
25th April 11:26 ... Randy Pag... refs/heads/m... # 11a525554c3ac3eff... 66ea5d3 1m:39.9s	20 workers 24m:37.8s
Update Playwright service config to enable access token authentication	8 passed 40 failed
21st April 3:30 P... Randy Pag... refs/heads/ma... # d3f2794b6ef6fc90... 5f4ce5c 1m:15.6s	40 workers 15m:35.9s
eShopOnWeb-PlaywrightTesting - eShopOnWeb-PlaywrightTesting-20250421.12 - 1	Completed
21st April 1:13 PM Randy Pagels 0m:39.1s	40 workers 15m:18.8s

dependency installation step and upd...

✔ 46 passed ✖ 2 failed

842524810cd... | 🔗 8227ba7

⌚ 1m... | 🤖 20 ... | 🧪 9...

✔ 43 passed ✖ 5 failed

554c3ac3eff... | 🔗 66ea5d3

⌚ 1m:39.9s | 🤖 20 workers 🧪 24m:37.8s

entication

✔ 8 passed ✖ 40 failed

94b6ef6fc90... | 🔗 5f4ce5c

⌚ 1m:15.6s | 🤖 40 workers 🧪 15m:35.9s

id: 20250421_12_1

Completed

Update azure-pipelines-builddeploy.yml for Azure Pipelines

✓ 43 Passed

✗ 5 Failed

⚠ 0 Flaky

⊖ 0 Skipped

🕒 1m:39.9s

👤 Randy Pagels

📅 25th April 11:26 AM

👥 20 worker

🔗 refs/heads/main

🔗 [66ea5d3](#)

Test summary

🔍

S:Failed ✕

S:Passed ✕

All (48)

✓ Passed (43)

✗ Failed (5)

⚠ Flaky (0)

⊖ Skipped (0)

≡ Job

≡ Project

Test case

Project

Job

Duration

> SimulationLargeTestSuites.spec.ts (30)

▼ eShopLogin.spec.ts (4)

✗ eShopLogin.spec.ts:28 - Header > PlaywrightTests/eShopLogin.spec.ts > [11441] Login - Admin

chromium

21bd1e08-6ec2-5780-0f20-cb36f3f27acc

🕒 1m:06.3s

✗ eShopLogin.spec.ts:45 - Header > PlaywrightTests/eShopLogin.spec.ts > [11084] Login - General but flaky

chromium

21bd1e08-6ec2-5780-0f20-cb36f3f27acc

🕒 1m:01.0s

✗ eShopLogin.spec.ts:11 - Header > PlaywrightTests/eShopLogin.spec.ts > [11084] Login - General

chromium

21bd1e08-6ec2-5780-0f20-cb36f3f27acc

🕒 1m:05.0s

✓ eShopLogin.spec.ts:69 - Header > PlaywrightTests/eShopLogin.spec.ts > [11441] Login - Admin but flaky

chromium

21bd1e08-6ec2-5780-0f20-cb36f3f27acc

🕒 0m:53.4s

▼ ShopByType.spec.ts (6)

✓ ShopByType.spec.ts:63 - Header > PlaywrightTests/ShopByType.spec.ts > [11177] Shop by Type - Sheet

chromium

21bd1e08-6ec2-5780-0f20-cb36f3f27acc

🕒 0m:29.7s

✓ ShopByType.spec.ts:87 - Header > PlaywrightTests/ShopByType.spec.ts > [11178] Shop by Type - T-Shirt

chromium

21bd1e08-6ec2-5780-0f20-cb36f3f27acc

🕒 0m:24.2s

✓ ShopByType.spec.ts:.... - Header > PlaywrightTests/ShopByType.sp... > [11179] Shop by Type - USB Memory ...

chromium

21bd1e08-6ec2-5780-0f20-cb36f3f27acc

🕒 0m:23.2s

Test case

Project

> SimulationLargeTestSuites.spec.ts (30)

✓ eShopLogin.spec.ts (4)

⊗ eShopLogin.spec.ts:28 - Header > PlaywrightTests/eShopLogin.spec.ts > [11441] Login - Admin

chromium

⊗ eShopLogin.spec.ts:45 - Header > PlaywrightTests/eShopLogin.spec.ts > [11084] Login - General but flaky

chromium

⊗ eShopLogin.spec.ts:11 - Header > PlaywrightTests/eShopLogin.spec.ts > [11084] Login - General

chromium

✓ eShopLogin.spec.ts:69 - Header > PlaywrightTests/eShopLogin.spec.ts > [11441] Login - Admin but flaky

chromium

✓ ShopByType.spec.ts (6)

Complete Test Case Errors, Steps, Videos, and Screenshots

Test case

< Next test > X

[11084] Login - General but flaky

Header > PlaywrightTests/eShopLogin.spec.ts

Timeout
1m:01.0s

Chrome

21bd1e08-6ec2-5780-0f20-cb36f3f27acc
chromium

Randy Pagels
refs/heads/main

Update azure-p...
66ea5d3

Errors

Test steps

Attachments

View trace viewer

Test timeout of 60000ms exceeded.

Error: expect(locator).toContainText(expected)

Locator: locator('#logoutForm')

- Expected string - 1

+ Received string + 18

- flaky@microsoft.com

+ [REDACTED]

+ demouser@microsoft.com

+ [REDACTED]

+ [REDACTED]

+ [REDACTED]

+ My orders

+ [REDACTED]

+ My account

+ [REDACTED]

+ Log Out

+ [REDACTED]

+ [REDACTED]

+ [REDACTED]

Call log:

- expect.toContainText with timeout 60000ms

- waiting for locator('#logoutForm')

29 x locator resolved to <form method="post" id="logoutForm" class="navbar-right" action="/Identity/Account/

- unexpected value "

demouser@microsoft.com

Errors

Test steps

Attachments

Test timeout of 60000ms exceeded.

Error: `expect(locator).toContainText(expected)`

Locator: `locator('#logoutForm')`

- Expected string - 1

+ Received string + 18

- flaky@microsoft.com

+

+

+

+

+

+

+

+

+

+

+

demouser@microsoft.com

My orders


My account

Test steps

✓	Before Hooks	18,624 ms
✓	locator.getByRole('link', { name: 'Login' }).click PlaywrightTests/eShopLogin.spec.ts	2,165 ms
✓	locator.getByLabel('Email').click PlaywrightTests/eShopLogin.spec.ts	4,074 ms
✓	locator.fill(demouser@microsoft.com) PlaywrightTests/eShopLogin.spec.ts	85 ms
✓	locator.getByLabel('Email').press(Tab) PlaywrightTests/eShopLogin.spec.ts	37 ms
✓	locator.fill(Pass@word1) PlaywrightTests/eShopLogin.spec.ts	28 ms
✓	locator.getByRole('button', { name: 'Log in' }).click PlaywrightTests/eShopLogin.spec.ts	12,189 ms
✗	expect.toContainText PlaywrightTests/eShopLogin.spec.ts	25,564 ms


Test Steps Screenshots Captured

Screenshots



Test Steps Video Captured

Videos



The screenshot shows the eSHOP OnWeb login page. The email field contains 'demouser@microsoft.com' and the password field contains 'Pass@word1'. The 'Remember me?' checkbox is unchecked. Below the login fields are links for 'Log in', 'Forgot your password?', and 'Register as a new user'. A note states: 'Note that for demo purposes you don't need to register and can login with these credentials: User: demouser@microsoft.com OR admin@microsoft.com Password: Pass@word1'. The page header includes the eSHOP OnWeb logo, a 'LOGIN' link, and a shopping cart icon with a '0' badge.

0:24 / 1:00

© Copyright 2025 e-ShopOnWeb. All rights reserved. e-ShopOnWeb is a trademark of Microsoft Corporation in the United States and other countries.

Microsoft Playwright Testing PREVIEW

Microsoft Playwright Testing is a service for running Playwright tests easily at scale. It uses the cloud to enable you to run Playwright tests with much higher parallelization across different operating system-browser combinations.

Scalable end-to-end web app testing and comprehensive reporting of test results

The service is currently in preview

Check out the Microsoft Playwright Testing service at <https://aka.ms/mpt/about>

Azure Entra Authentication

- Store the credentials of test accounts using environment variables.

```
test(`example test`, async ({ page }) => {  
  // ...  
  await page.getByLabel('User Name').fill(process.env.USERNAME);  
  await page.getByLabel('Password').fill(process.env.PASSWORD);  
});
```

- Set the values of these variables to use your CI system's secret management or Azure Key Vault.

```
testE2E:  
  name: Run Playwright E2E tests  
  runs-on: ubuntu-latest  
  container: mcr.microsoft.com/playwright:v1.27.0-jammy  
  env:  
    USERNAME: ${secrets.USERNAME}  
    PASSWORD: ${secrets.PASSWORD}
```

- Local Development? Use .env files and add to .gitignore.

```
# .env file  
STAGING=0  
USERNAME=me  
PASSWORD=secret
```

Note: MFA cannot be fully automated and requires manual intervention.

Selenium vs Cypress vs Playwright

Playwright is not the only browser automation tool out there

Feature	Selenium	Cypress	Playwright
Popularity	Widely used by QA teams	Popular with front-end developers	Rapidly growing in Dev/Test pipelines
Language Support	C#, Java, JavaScript, Python, Ruby	JavaScript, TypeScript	C#, Java, JavaScript, Python
Browser Coverage	All major full browsers	Chrome, Edge, Firefox, Electron	Chromium, Firefox, WebKit
Protocol	WebDriver	In-browser JavaScript	Native browser debug protocols
Framework Type	Requires external frameworks	Built-in modern framework	Built-in modern framework
Speed	Slower with poor waits	Moderate, depends on DOM wait	Typically fastest (native protocols)
Open Source	W3C Standard, vendor-neutral	Maintained by Cypress.io	Maintained by Microsoft

Playwright Resources

Documentation: <https://playwright.dev>

Source / Issues: <https://github.com/microsoft/playwright>

Social Media

- <https://aka.ms/playwright/discord>
- <https://aka.ms/playwright/youtube>

Microsoft Playwright Testing

<https://aka.ms/mpt/about>

<https://playwright.microsoft.com/workspaces>

Test Automation with Playwright with Visual Guide Cheatsheet

<https://www.azurestaticwebapps.dev/blog/devtools-playwright>

eShopOnWeb: <https://github.com/dotnet-architecture/eShopOnWeb>

Slides: <https://github.com/PagelsR/Talks> (Mastering Application Testing with Playwright.pdf)

Thank you!

<https://github.com/PagelsR/Talks>



Randy-Pagels



Appendix

Test Generator

Playwright Test Generator is a GUI tool that records actions performed in the browser and generates code.

CLI

- `npx playwright codegen`


VS Code

- Use Plugin, "Record Now"

With the test generator you can:

- Record Actions
- Assert Elements
- Create Locators
- Emulate Devices

<https://playwright.dev/docs/codegen>



Trace Viewer

Playwright Trace Viewer is a GUI tool that helps you explore recorded Playwright traces after the script has ran.

CLI


- `npx playwright test test.ts --trace on`

VS Code


- Use Plugin

Hosted Trace File Viewer

- <https://trace.playwright.dev>



Playwright Trace Viewer is a Progressive Web App, it does not send your trace anywhere, it opens it locally.



Report List

Playwright Test comes with a few built-in reporter.

HTML Report

- `npx playwright test --reporter=html`

List Report

- `npx playwright test --reporter=list`

Line Report

- `npx playwright test --reporter=line`

Dot Report

- `npx playwright test --reporter=dot`

1

Q

All 24 Passed 23 **Failed 1** Flaky 0 Skipped 0

Project: chromium Total time: 12.0s

▼ demo-todo-app.spec.ts

- ✗ New Todo > should append new items to the bottom of the list 7.2s
demo-todo-app.spec.ts:53
- ✓ New Todo > should allow me to add todo items 1.3s
demo-todo-app.spec.ts:14
- ✓ New Todo > should clear text input field when an item is added 1.4s
demo-todo-app.spec.ts:40

2

```
Running 6 tests using 6 workers

✓ 1 [chromium] > demo-todo-app.spec.ts:14:7 > New Todo >
✓ 2 [chromium] > demo-todo-app.spec.ts:53:7 > New Todo >
✓ 3 [firefox] > demo-todo-app.spec.ts:14:7 > New Todo >
✓ 4 [firefox] > demo-todo-app.spec.ts:40:7 > New Todo >
✓ 5 [chromium] > demo-todo-app.spec.ts:40:7 > New Todo >
✓ 6 [firefox] > demo-todo-app.spec.ts:53:7 > New Todo >

6 passed (11.1s)
```

3

```
Running 6 tests using 6 workers
.....
6 passed (11.1s)
```

Playwright UI Mode

Explore, run and debug tests with a time travel experience complete with watch mode

CLI

```
npx playwright test testname.ts --ui
```

DOM Inspection

- page structure, inspect elements, view attributes.

Console Logs

- JavaScript-generated logs, errors, and warnings.

Network Monitoring

- Requests, timings, inspect headers, payloads.

Interactivity


- Trigger events, clicks, real-time page responses.

Element Highlighting

- Hover over elements to highlight them.

Source Code Access

- View HTML, CSS, JS source for debugging.



Why use locators?

Locators represents a view to the element(s) on the page. It captures the logic sufficient to retrieve the element at any given moment.

<https://playwright.dev/docs/api/class-locator>

How do I use locators?

Instead of this

```
await page.click('text="Login"');
```

Use this

```
await page.locator('text="Login"').click();
```

Operations on the target DOM element will fail

```
// Throws if there are several buttons in DOM  
await page.locator('button').click();
```

This results in 3 outcomes:

- Test works as expected
- Selector does not match anything and test fails
- Multiple elements match the selector, test fails with helpful error message


AUTOMATED TESTING WITH PLAYWRIGHT

MASTERING UI TESTING AT SCALE



RANDY PAGELS • XEBIA GITHUB TRAINER

STIR TREK 2025 • MAY 2 • AMC EASTON 30 • COLUMBUS, OH



Configuration for Playwright.config.ts

```
reporter: [  
  ['list'],  
  ['json', { outputFile: 'test-results.json' }],  
  ['junit', { outputFile: 'playwright-report-junit/e2e-junit-results.xml' }],  
  [  
    '@alex_neo/playwright-azure-reporter',  
    {  
      orgUrl: 'https://dev.azure.com/xpirit',  
      token: process.env.AZURE_TOKEN,  
      planId: 11154,  
      projectName: 'eShopOnWeb2024',  
      environment: 'QA',  
      logging: true,  
      testRunTitle: 'Playwright Test Run',  
      publishTestResultsMode: 'testResult',  
      uploadAttachments: true,  
      attachmentsType: ['screenshot', 'video', 'trace'],  
      testRunConfig: {  
        owner: {  
          displayName: 'Randy Pagels',  
        },  
        comment: 'Playwright Test Run',  
        configurationIds: [ 509, 510 ],  
      },  
    },  
  ],  
] as AzureReporterOptions,
```

Azure DevOps Org

Test Suite ID

Team Project Name in ADO

What to Capture

Test Configurations Capture IDs