

Fake Mail



From Name: Bill gates

From E-mail: bgates@microsoft.com


To: mflavio2k@yahoo.com.br

Subject: Hello, my friend!


Attachment: Escolher arquivo Nenhum arquivo selecionado

É uma forma de enviar um e-mail com a origem "falsa", parecendo que veio de qualquer pessoa.

Assim, quem recebe a mensagem pode achar que está recebendo de um amigo ou colega de trabalho.



Dumpster Diving






Phishing



Consiste em enviar emails "falsos" de forma
atrativa, para que a
vítima clique em um
link contendo um
cavalo de tróia que irá
tentar roubar seus
dados bancários







Exemplo de Phishing

Cobrança

VERIFIQUE SEUS DEBITOS

SET – Social Engineering Toolkit

Select from the menu:

- 1) Spear-Phishing Attack Vectors
- 2) Website Attack Vectors
- 3) Infectious Media Generator
- 4) Create a Payload and Listener
- 5) Mass Mailer Attack
- Arduino-Based Attack Vector
- SMS Spoofing Attack Vector
- 8) Wireless Access Point Attack Vector
- 9) QRCode Generator Attack Vector
- 10) Powershell Attack Vectors
- 11) Third Party Modules
- 99) Return back to the main menu.

Ferramenta para auxiliar em ataques de Engenharia Social.
Consegue criar modelos falsos de websites, enviar e-mail em massa, criar phishing, gerar documentos com falhas, criar um ataque Wireless e muito mais.



- 1) Java Applet Attack Method
- Metasploit Browser Exploit Method
- Credential Harvester Attack Method
- 4) Tabnabbing Attack Method
- Man Left in the Middle Attack Method
- Web Jacking Attack Method
- Multi-Attack Web Method
- Victim Web Profiler
- 9) Create or import a CodeSigning Certificate
- 99) Return to Main Menu



SET

The **Infectious** USB/CD/DVD module will creMetasploit payload. When the DVD/USB/CD run if autorun is enabled.

Pick the attack vector you wish to use:

- File-Format Exploits
- 2) Standard Metasploit Executable
- 99) Return to Main Menu



SET

Engenharia Social

Assista à minha palestra sobre Engenharia Social:

http://tinyurl.com/artedeenganar









