No. 445, Nawala Hoad, Rajaginya, Sn Lanka

moo.eorof&m@ohii : lism3 Tel: +94 112 794 646 Fax: +94 115 332 456

ON SA



INSTALLATION COMPLETION ACKNOWLEDGEMENT

etallation Completed Date	
Installation Location (If different)	
Address	No.663/2, Galawila Road, Homagama,
Client Name	Dr. Lalantha Gurusinghe

The following equipment has been installed.

	<i>‡</i>	III AIEM DRIVE ORIUNIA III	13 N
8	soN	ni view Bullet Cameras - IPC2122LR3-PF40-C	
2	soN	NIBELESS KEYFOB FOUR BUTTON RFKF-FB	W SI
	soM	91sgs92 - Seagate	11 2
		P 18.5" LED Widescreen Monitor	IH OF
1 1 1	soN	NV NVR301-08L-P8 Network Video Recorder NVR301-08L-P8	1U 6
l	soM	AAS.8,VST - yette	
L	soN	robe Light	
L	soN		meterial and all the first
L	soN	ni Horn Speaker 80hm 10W	
49	soM	agneic Contact - Surface Brown (Wired MC) LK-152N	sM 2
	soN	SRF Receiver ST Wireless Streamline BUS Interface RF3212E	d p
l.		ue Line Gen2 PIR Motion Detectors (Indoor) ISC-BPR2-WP12	
2	aoM	D Key Pad CP 508 LW (8 Zone) ICP-CP508LW	
1	SOM	ntrol Panel 488 ICP-CC488-APR	
1	soM		#oN
Quantity	Unit Type	Mame	H-14
		and a second sec	ne tollowing

Intruder Detection System: How to Arm & Dissim the IDS, How to Add User Codes, How to Activate Fire, Medical, Were you trained on:

Vehicle Tracking System : Software Training.		
	S9Y	οN
Access Control System: Adding / Deleting Cards, Software Training, Emergency Door release.	SƏY	οN
Guard Tour System : Test Tour, Downloading Data to PC, Taking Reports.	Хех	οN
Fire Alarm System : Activating Alarms through MCP , Identifying Zones, Deactivating after Alarm.	ХөУ	οN
CCTV System : Live Viewing, Play Back Viewing (including Time & Date search) , PTZ Control, Remote Viewing, Taking Backups ,What action to take during heavy lightening to protect the System.	səA	οN
ightening to protect the panel.	<u> </u>	

Panic & Duress, How to Use of Remote Controller, Fault Diagnosis, Isolating Zone, What action to take during heavy

Comments:	
On hehelf of MCCover (Duth) Ltd	On behalf of Customer
On behalf of M3Force (Pvt) Ltd	On benail of Customer
111	
PD .	Any
Signature	Signature & Company Seal
H.D. Sanjaga	A 60 AA 18122 Lee.
Name	Dr. S.S.M. Wijeringhe. Name
rechnical officer	medical Officer
Designation	Designation
26/8/12/15	15 /12 / 2018.
Date	Date