

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 8.5

Revision Date 02.07.2024

Print Date 26.08.2024

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Sulfuric acid about 98% EMPLURA®

Product Number : 1.93400

Catalogue No. : 193400

Brand : Millipore

Index-No. : 016-020-00-8

REACH No. : 01-2119458838-20-XXXX

CAS-No. : 7664-93-9

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Reagent for analysis

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Chemical Pvt Limited  
Industrial Area, Anekal Taluka  
Plot No 12,  
12 Bommasandra - Jigani Link Road  
560100 BANGALORE  
INDIA

**1.4 Emergency telephone**

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Corrosive to Metals, (Category 1) H290: May be corrosive to metals.

Skin corrosion, (Sub-category 1A) H314: Causes severe skin burns and eye damage.

Serious eye damage, (Category 1) H318: Causes serious eye damage.



## 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal Word

Danger

Hazard Statements

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

Precautionary Statements

P234

Keep only in original packaging.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements

none

### Reduced Labeling (<= 125 ml)

Pictogram



Signal Word

Danger

Hazard Statements

H314

Causes severe skin burns and eye damage.

Precautionary Statements

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements

none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Millipore- 1.93400

Page 2 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



#### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

|                  |                                  |
|------------------|----------------------------------|
| Formula          | : H <sub>2</sub> SO <sub>4</sub> |
| Molecular weight | : 98,08 g/mol                    |
| CAS-No.          | : 7664-93-9                      |
| EC-No.           | : 231-639-5                      |
| Index-No.        | : 016-020-00-8                   |

| Component             |              | Classification   | Concentration |
|-----------------------|--------------|--|---------------|
| <b>sulphuric acid</b> |              |  |               |
| CAS-No.               | 7664-93-9    | Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1; H290, H314, H318<br>Concentration limits:<br>>= 15 %: Skin Corr. 1A, H314; 5 - < 15 %: Skin Irrit. 2, H315; 5 - < 15 %: Eye Irrit. 2, H319; >= 0,3 %: Met. Corr. 1, H290; | <= 100 %      |
| EC-No.                | 231-639-5    |  |               |
| Index-No.             | 016-020-00-8 |  |               |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.



**If swallowed**

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture**

Sulfur oxides

Not combustible.

Fire may cause evolution of:

Sulfur oxides

Ambient fire may liberate hazardous vapours.

**5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

**5.4 Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

**6.2 Environmental precautions**

Do not let product enter drains.

**6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H<sup>+</sup>, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

**6.4 Reference to other sections**

For disposal see section 13.



---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No metal containers.  
Tightly closed.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

##### Derived No Effect Level (DNEL)

| Application Area | Routes of exposure | Health effect           | Value                  |
|------------------|--------------------|-------------------------|------------------------|
| Workers          | Inhalation         | Acute local effects     | 0,1 mg/m <sup>3</sup>  |
| Workers          | Inhalation         | Long-term local effects | 0,05 mg/m <sup>3</sup> |

##### Predicted No Effect Concentration (PNEC)

| Compartment                   | Value        |
|-------------------------------|--------------|
| Sea water                     | 0,00025 mg/l |
| Fresh water                   | 0,0025 mg/l  |
| Sea sediment                  | 0,002 mg/kg  |
| Fresh water sediment          | 0,002 mg/kg  |
| Onsite sewage treatment plant | 8,8 mg/l     |

### 8.2 Exposure controls

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

##### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please



contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Viton®

Minimum layer thickness: 0,7 mm

Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm

Break through time: 120 min

Material tested: Butoject® (KCL 898)

### **Body Protection**

Acid-resistant protective clothing

### **Respiratory protection**

Recommended Filter type: Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |   |                        |
|---|------------------------|
| a) Physical state                               | liquid                 |
| b) Color  | colorless              |
| c) Odor   | odorless               |
| d) Melting point/freezing point                 | Melting point: -20 °C  |
| e) Initial boiling point and boiling range      | ca.335 °C at 1.013 hPa |
| f) Flammability (solid, gas)                    | No data available      |
| g) Upper/lower flammability or explosive limits | No data available      |
| h) Flash point                                  | Not applicable         |
| i) Autoignition                                 | No data available      |

Millipore- 1.93400

Page 6 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



|    |  |   |
|----|--|---|
|    | temperature                            |   |
| j) | Decomposition temperature              | No data available   |
| k) | pH                                     | 0,3 at 49 g/l at 25 °C  |
| l) | Viscosity                              | Viscosity, kinematic: No data available<br>Viscosity, dynamic: ca.24 mPa.s at 20 °C |
| m) | Water solubility                       | at 20 °C soluble, (caution ! development of heat)                                   |
| n) | Partition coefficient: n-octanol/water | Not applicable for inorganic substances   |
| o) | Vapor pressure                         | ca.0,0001 hPa at 20 °C  |
| p) | Density                                | 1,84 g/cm <sup>3</sup> at 20 °C   |
|    | Relative density                       | No data available   |
| q) | Relative vapor density                 | No data available   |
| r) | Particle characteristics               | No data available   |
| s) | Explosive properties                   | Not classified as explosive.  |
| t) | Oxidizing properties                   | Oxidizing potential   |

## 9.2 Other safety information

|                        |                    |
|------------------------|--------------------|
| Bulk density           | Not applicable     |
| Surface tension        | 55,1 mN/m at 20 °C |
| Relative vapor density | ca.3,4             |

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

strong oxidising agent

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Violent reactions possible with:

Alkali metals

alkali compounds

Ammonia

Aldehydes

acetonitrile

Alkaline earth metals



alkalines  
Acids  
alkaline earth compounds  
Metals  
metal alloys  
Oxides of phosphorus  
phosphorus  
hydrides  
halogen-halogen compounds  
oxyhalogenic compounds  
permanganates  
nitrates  
Carbides  
combustible substances  
organic solvent  
acetylidene  
Nitriles  
organic nitro compounds  
anilines  
Peroxides  
picrates  
nitrides  
lithium silicide  
iron(III) compounds  
bromates  
chlorates  
Amines  
perchlorates  
hydrogen peroxide

#### 10.4 Conditions to avoid

no information available

#### 10.5 Incompatible materials

animal/vegetable tissues, MetalsContact with metals liberates hydrogen gas.

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

LD50 Oral - Rat - male and female - 2.140 mg/kg (sulphuric acid)

Remarks: (ECHA)

Inhalation: No data available

Dermal: No data available

##### Skin corrosion/irritation

Skin - Rabbit (sulphuric acid)

Result: Extremely corrosive and destructive to tissue.

Millipore- 1.93400

Page 8 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada





Remarks: (IUCLID)

**Serious eye damage/eye irritation**

Remarks: Causes serious eye damage.

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

Test Type: Ames test

(sulphuric acid)

Test system: Salmonella typhimurium

Result: negative

Remarks: (HSDB)

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

## 11.2 Additional Information

### Endocrine disrupting properties

**Product:**

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Pulmonary edema. Effects may be delayed. (sulphuric acid)

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. (sulphuric acid)

After inhalation of aerosols: damage to the affected mucous membranes. After skin contact: severe burns with formation of scabs. After eye contact: burns, corneal lesions. After swallowing: severe pain (risk of perforation!), nausea, vomiting and diarrhoea. After a latency period of several weeks possibly pyloric stenosis.

(sulphuric acid)

Other dangerous properties can not be excluded.

(sulphuric acid)

Handle in accordance with good industrial hygiene and safety practice.



(sulphuric acid)

---

## SECTION 12: Ecological information

### 12.1 Toxicity

|   |  |
|---|--|
| Toxicity to daphnia and other aquatic invertebrates | static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (sulphuric acid) (OECD Test Guideline 202)             |
| Toxicity to algae                                   | static test ErC50 - Desmodesmus subspicatus (green algae) - > 100 mg/l - 72 h (sulphuric acid) (OECD Test Guideline 201) |

### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

Biological effects:

Forms corrosive mixtures with water even if diluted.

Harmful effect due to pH shift.

Endangers drinking-water supplies if allowed to enter soil or water.

Discharge into the environment must be avoided.

Biological effects:

Harmful effect due to pH shift.

Caustic even in diluted form.

Does not cause biological oxygen deficit.

Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities.

Neutralisation possible in waste water treatment plants.

Discharge into the environment must be avoided.



---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

No data available

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 1830

IMDG: 1830

IATA: 1830

### 14.2 UN proper shipping name

ADR/RID: SULPHURIC ACID

IMDG: SULPHURIC ACID

IATA: Sulphuric acid

### 14.3 Transport hazard class(es)

ADR/RID: 8

IMDG: 8

IATA: 8

### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

### 14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : sulphuric acid

#### Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

---

## SECTION 16: Other information

### Full text of H-Statements

Millipore- 1.93400

Page 11 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



|      |  |
|------|--|
| H290 | May be corrosive to metals.              |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation.                  |

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the



document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

