


MANEJO DE VERSIONES

En el proyecto *Segundo Parcial Pacman*, cada desarrollador trabajó en una rama independiente (rama-paula, rama-bravo, rama-ariza). Todas las actualizaciones fueron integradas en la rama principal (master) mediante procesos de *merge* realizados tras revisión y sincronización con los repositorios locales.


Cada integrante realizó sus commits localmente y luego sincronizó los cambios mediante `git push origin <rama>`. Al finalizar una funcionalidad, se realizó un *pull request* o un *merge* hacia la rama principal master, asegurando la integración continua del proyecto.

Creación del repositorio Segundo Parcial Pacman por parte de Paula:




The screenshot shows the 'Create a new repository' page on GitHub. It is divided into two sections: 'General' and 'Configuration'. In the 'General' section, the 'Repository name' is 'Segundo Parcial Pacman' and the 'Owner' is 'Paisamares12'. A green message indicates the repository will be created as 'Segundo-Parcial-Pacman'. The 'Description' field is empty. In the 'Configuration' section, 'Choose visibility' is set to 'Public', 'Add README' is 'Off', 'Add .gitignore' is 'No .gitignore', and 'Add license' is 'No license'. A green 'Create repository' button is at the bottom right.

Repositorio Creado Segundo-Parcial-Pacman:



Se agregaron los colaboradores:



Añadir origen remoto para Paula:

```
paia@MSI MINGW64 ~/OneDrive/Desktop/Cosas Importantes Paula/Programación Avanzada/Pacman
$ git init
Initialized empty Git repository in C:/Users/paia/OneDrive/Desktop/Cosas Importantes Paula/Programación Avanzada/Pacman/.git/

paia@MSI MINGW64 ~/OneDrive/Desktop/Cosas Importantes Paula/Programación Avanzada/Pacman (master)
$ git remote add origin https://github.com/Paisamares12/Segundo-Parcial-Pacman.git
```

Creación rama local Paula (rama-paula):

```
paia@MSI MINGW64 ~/OneDrive/Desktop/Cosas Importantes Paula/Programación Avanzada/Pacman (master)
$ git checkout -b rama-paula
Switched to a new branch 'rama-paula'
```


Manejo Push de Paula:

```
paia@MSI MINGW64 ~/OneDrive/Desktop/Cosas Importantes Paula/Programación Avanzada/Pacman (rama-paula)
$ git add .

paia@MSI MINGW64 ~/OneDrive/Desktop/Cosas Importantes Paula/Programación Avanzada/Pacman (rama-paula)
$ git commit -m "Cambios vista y otros paquetes"
rama-paula 24d8e10 Cambios vista y otros paquetes
51 files changed, 1287 insertions(+), 45 deletions(-)
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/control/ControlCliente.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/control/ControlInterfazCliente$1.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/control/ControlInterfazCliente$2.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/control/ControlInterfazCliente$3.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/control/ControlInterfazCliente$4.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/control/ControlInterfazCliente.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/modelo/ClienteEstado.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/vista/IClienteUI.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/vista/Iconos.class
create mode 100644 build/classes/udistrital/avanzada/parcial/mensajes/ComandoMovimiento.class
create mode 100644 build/classes/udistrital/avanzada/parcial/mensajes/SnapshotTablero.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/control/ControlInterfazServidor.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/control/ControlJuego.class
delete mode 100644 build/classes/udistrital/avanzada/parcial/servidor/vista/MarcoJuego.class
delete mode 100644 build/classes/udistrital/avanzada/parcial/servidor/vista/MarcoServidor.class
delete mode 100644 build/classes/udistrital/avanzada/parcial/servidor/vista/PanelJuego.class
create mode 100644 src/udistrital/avanzada/parcial/cliente/control/ControlCliente.java
create mode 100644 src/udistrital/avanzada/parcial/cliente/control/ControlInterfazCliente.java
create mode 100644 src/udistrital/avanzada/parcial/cliente/modelo/ClienteEstado.java
create mode 100644 src/udistrital/avanzada/parcial/cliente/vista/IClienteUI.java
create mode 100644 src/udistrital/avanzada/parcial/cliente/vista/Iconos.java
create mode 100644 src/udistrital/avanzada/parcial/mensajes/ComandoMovimiento.java
create mode 100644 src/udistrital/avanzada/parcial/mensajes/SnapshotTablero.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/control/ControlInterfazServidor.java
rename src/udistrital/avanzada/parcial/servidor/vista/MarcoJuego.java => control/ControlJuego.java (73%)
create mode 100644 src/udistrital/avanzada/parcial/servidor/vista/MarcoServidor.java
delete mode 100644 src/udistrital/avanzada/parcial/servidor/vista/PanelJuego.class
create mode 100644 src/udistrital/avanzada/parcial/servidor/vista/PanelJuegoServidor.java

paia@MSI MINGW64 ~/OneDrive/Desktop/Cosas Importantes Paula/Programación Avanzada/Pacman (rama-paula)
$ git push
Enumerating objects: 139, done.
Counting objects: 100% (138/138), done.
Delta compression using up to 12 threads
Compressing objects: 100% (83/83), done.
Writing objects: 100% (90/90), 39.93 KiB | 1.05 MiB/s, done.
Total 90 (delta 26), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (26/26), completed with 21 local objects.
To https://github.com/Paisamares12/Segundo-Parcial-Pacman.git
   b0c2277..24d8e10 rama-paula -> rama-paula
```

Manejo del merge a la rama master desde rama-paula:



Commit message

Merge pull request #1 from Paisamares12/rama-paula


Extended description

Inicio estructura

This commit will be authored by paisamares12@gmail.com.

Confirm merge


Cancel



✓ **No conflicts with base branch**
Merging can be performed automatically.

Merge pull request

You can also merge this with the command line. [View command line instructions.](#)



Commit message

Merge pull request #1 from Paisamares12/rama-paula

Extended description

Merge rama-paula con rama master

This commit will be authored by paisamares12@gmail.com.

Confirm merge

Cancel

Manejo Pulls por parte de Paula:

```

msi:~\MSI\MINGW64 ~/OneDrive/Desktop/Cosas Importantes Paula/Programacion Avanza
da/Pacman (rama-paula)
$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.

msi:~\MSI\MINGW64 ~/OneDrive/Desktop/Cosas Importantes Paula/Programación Avanza
da/Pacman (master)
$ git pull
remote: Enumerating objects: 98, done.
remote: Counting objects: 100% (96/96), done.
remote: Compressing objects: 100% (52/52), done.
remote: Total 72 (delta 14), reused 69 (delta 14), pack-reused 0 (from 0)
Unpacking objects: 100% (72/72), 27.48 KiB | 88.00 KiB/s, done.
From https://github.com/Paisamares12/Segundo-Parcial-Pacman
   d56f9a4..76c7ccf  master    -> origin/master
   + [new branch]      Juan-Sebastian-Bravo-Rojas -> origin/Juan-Sebastian-Bravo-R
ojas
Updating d56f9a4..76c7ccf
Fast-forward
 build/classes/.netbeans_automatic_build | 0
 build/classes/.netbeans_update_resources | 0
 build/classes/Imagenes/Comida.png        | 8in 0 -> 155 bytes
 build/classes/Imagenes/PacmanAbajo.png   | 8in 0 -> 204 bytes
 build/classes/Imagenes/PacmanArriba.png  | 8in 0 -> 207 bytes
 build/classes/Imagenes/PacmanDerecha.png | 8in 0 -> 205 bytes
 build/classes/Imagenes/PacmanIzquierda.png | 8in 0 -> 203 bytes
 build/classes/Imagenes/Pared.png         | 8in 0 -> 152 bytes
 build/classes/data/registroPuntajes.properties | 5 +
 .../parcial/cliente/app/ClientePrincipal.class | 8in 0 -> 2292 bytes
 .../parcial/cliente/vista/MarcoCliente.class | 8in 0 -> 345 bytes
 .../parcial/cliente/vista/PanelControles.class | 8in 0 -> 351 bytes
 .../parcial/cliente/vista/PanelJuegoCliente.class | 8in 0 -> 360 bytes
 .../parcial/servidor/app/ServidorPrincipal.class | 8in 0 -> 2663 bytes
 .../parcial/servidor/modelo/ConstantesJuego.class | 8in 0 -> 706 bytes
 .../parcial/servidor/modelo/Direccion.class | 8in 0 -> 1656 bytes
 .../parcial/servidor/modelo/EstadoJuego.class | 8in 0 -> 2735 bytes
 .../avanzada/parcial/servidor/modelo/Fruta.class | 8in 0 -> 1306 bytes
 .../parcial/servidor/modelo/LimitesTablero.class | 8in 0 -> 1268 bytes
 .../avanzada/parcial/servidor/modelo/Pacman.class | 8in 0 -> 830 bytes
 .../parcial/servidor/modelo/Posicion.class | 8in 0 -> 1418 bytes
 .../parcial/servidor/modelo/TipoFruta.class | 8in 0 -> 1795 bytes
 .../servidor/servicios/ServicioFrutas.class | 8in 0 -> 3950 bytes
 .../servidor/servicios/ServicioPuntaje.class | 8in 0 -> 1700 bytes
 .../servidor/servicios/ServicioTiempo.class | 8in 0 -> 1047 bytes
 .../parcial/servidor/vista/MarcoJuego.class | 8in 0 -> 341 bytes
 .../avanzada/parcial/servidor/vista/PanelHud.class | 8in 0 -> 335 bytes
 .../parcial/servidor/vista/PanelJuego.class | 8in 0 -> 341 bytes
 nbproject/private/config.properties | 0
 nbproject/private/private.properties | 8 +-
 nbproject/private/private.xml | 7 ++
 nbproject/project.properties | 5 +-
 src/Imagenes/Comida.png | 8in 0 -> 155 bytes
 src/Imagenes/PacmanAbajo.png | 8in 0 -> 204 bytes
 src/Imagenes/PacmanArriba.png | 8in 0 -> 207 bytes
 src/Imagenes/PacmanDerecha.png | 8in 0 -> 205 bytes
 src/Imagenes/PacmanIzquierda.png | 8in 0 -> 203 bytes
 src/Imagenes/Pared.png | 8in 0 -> 152 bytes
 src/data/registroPuntajes.properties | 5 +
 src/pacman/Pacman.java | 20 ----
 .../parcial/cliente/app/ClientePrincipal.java | 61 ++++++
 .../parcial/cliente/vista/MarcoCliente.java | 13 +++
 .../parcial/cliente/vista/PanelControles.java | 13 +++
 .../parcial/cliente/vista/PanelJuegoCliente.java | 13 +++
 .../parcial/servidor/app/ServidorPrincipal.java | 67 ++++++
 .../parcial/servidor/modelo/ConstantesJuego.java | 35 ++++++
 .../parcial/servidor/modelo/Direccion.java | 74 ++++++
 .../parcial/servidor/modelo/EstadoJuego.java | 88 ++++++
 .../avanzada/parcial/servidor/modelo/Fruta.java | 67 ++++++
 .../parcial/servidor/modelo/LimitesTablero.java | 103 ++++++
 .../avanzada/parcial/servidor/modelo/Pacman.java | 39 ++++++

```

```

.../avanzada/parcial/servidor/modelo/Posicion.java | 62 ++++++
.../parcial/servidor/modelo/TipoFruta.java | 41 ++++++
.../parcial/servidor/servicios/ServicioFrutas.java | 107 ++++++
.../servidor/servicios/ServicioPuntaje.java | 67 ++++++
.../parcial/servidor/servicios/ServicioTiempo.java | 76 ++++++
.../parcial/servidor/vista/MarcoJuego.java | 13 +++
.../avanzada/parcial/servidor/vista/PanelHud.java | 13 +++
.../parcial/servidor/vista/PanelJuego.java | 13 +++
39 files changed, 982 insertions(+), 21 deletions(-)
create mode 100644 build/classes/.netbeans_automatic_build
create mode 100644 build/classes/.netbeans_update_resources
create mode 100644 build/classes/Imagenes/Comida.png
create mode 100644 build/classes/Imagenes/PacmanAbajo.png
create mode 100644 build/classes/Imagenes/PacmanArriba.png
create mode 100644 build/classes/Imagenes/PacmanDerecha.png
create mode 100644 build/classes/Imagenes/PacmanIzquierda.png
create mode 100644 build/classes/Imagenes/Pared.png
create mode 100644 build/classes/data/registroPuntajes.properties
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/app/ClientePrincipal.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/vista/MarcoCliente.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/vista/PanelControles.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/vista/PanelJuegoCliente.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/app/ServidorPrincipal.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/modelo/ConstantesJuego.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/modelo/Direccion.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/modelo/EstadoJuego.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/modelo/Fruta.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/modelo/LimitesTablero.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/modelo/Pacman.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/modelo/Posicion.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/modelo/TipoFruta.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/servicios/ServicioFrutas.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/servicios/ServicioPuntaje.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/servicios/ServicioTiempo.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/vista/MarcoJuego.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/vista/PanelHud.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/vista/PanelJuego.class
create mode 100644 nbproject/private/config.properties
create mode 100644 nbproject/private/private.xml
create mode 100644 src/Imagenes/Comida.png
create mode 100644 src/Imagenes/PacmanAbajo.png
create mode 100644 src/Imagenes/PacmanArriba.png
create mode 100644 src/Imagenes/PacmanDerecha.png
create mode 100644 src/Imagenes/PacmanIzquierda.png
create mode 100644 src/Imagenes/Pared.png
create mode 100644 src/data/registroPuntajes.properties
delete mode 100644 src/pacman/Pacman.java
create mode 100644 src/udistrital/avanzada/parcial/cliente/app/ClientePrincipal.java
create mode 100644 src/udistrital/avanzada/parcial/cliente/vista/MarcoCliente.j

```

```

create mode 100644 src/udistrital/avanzada/parcial/cliente/vista/PanelControles.java
create mode 100644 src/udistrital/avanzada/parcial/cliente/vista/PanelJuegoCliente.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/app/ServidorPrincipal.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/modelo/ConstantesJuego.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/modelo/Direccion.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/modelo/EstadoJuego.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/modelo/Fruta.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/modelo/LimitesTablero.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/modelo/Pacman.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/modelo/Posicion.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/modelo/TipoFruta.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/servicios/ServicioFrutas.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/servicios/ServicioPuntaje.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/servicios/ServicioTiempo.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/vista/MarcoJuego.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/vista/PanelHud.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/vista/PanelJuego.java

```

Clonación del proyecto por parte de Sebastián Bravo:

```

C:\Users\juans\OneDrive\Documentos\NetBeansProjects\Segundo Parcial>git clone https://github.com/Paisamares12/Segundo-Parcial-Pacman.git
Cloning into 'Segundo-Parcial-Pacman'...
remote: Enumerating objects: 120, done.
remote: Counting objects: 100% (120/120), done.
remote: Compressing objects: 100% (88/88), done.
remote: Total 120 (delta 21), reused 117 (delta 20), pack-reused 0 (from 0)
Receiving objects: 100% (120/120), 46.62 KiB | 2.33 MiB/s, done.
Resolving deltas: 100% (21/21), done.

```

Manejo de rama de Sebastián Bravo:

```
C:\Users\juans\OneDrive\Documentos\NetBeansProjects\Segundo Parcial\Segundo-Parcial-Pacman>git checkout -b "Juan-Sebastian-Bravo-Rojas"
Switched to a new branch 'Juan-Sebastian-Bravo-Rojas'
```

Pusheos por Sebastián Bravo:

```
C:\Users\juans\OneDrive\Documentos\NetBeansProjects\Segundo Parcial\Segundo-Parcial-Pacman>git push origin Juan-Sebastian-Bravo-Rojas
Enumerating objects: 81, done.
Counting objects: 100% (81/81), done.
Delta compression using up to 12 threads
Compressing objects: 100% (63/63), done.
Writing objects: 100% (69/69), 24.89 KiB | 1.18 MiB/s, done.
Total 69 (delta 14), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (14/14), completed with 4 local objects.
To https://github.com/Paisamares12/Segundo-Parcial-Pacman.git
   e58455e..a050c96  Juan-Sebastian-Bravo-Rojas -> Juan-Sebastian-Bravo-Rojas
```


```
C:\Users\juans\OneDrive\Documentos\NetBeansProjects\Segundo Parcial\Segundo-Parcial-Pacman>git push origin Juan-Sebastian-Bravo-Rojas
Enumerating objects: 183, done.
Counting objects: 100% (183/183), done.
Delta compression using up to 12 threads
Compressing objects: 100% (100/100), done.
Writing objects: 100% (109/109), 52.67 KiB | 2.63 MiB/s, done.
Total 109 (delta 44), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (44/44), completed with 43 local objects.
To https://github.com/Paisamares12/Segundo-Parcial-Pacman.git
   9445295..2b7be0f  Juan-Sebastian-Bravo-Rojas -> Juan-Sebastian-Bravo-Rojas
```

Commit hechos por Sebastián Bravo:

```
C:\Users\juans\OneDrive\Documentos\NetBeansProjects\Segundo Parcial\Segundo-Parcial-Pacman>git commit -m "Ordenando paquetes y creacion de mains"
[Juan-Sebastian-Bravo-Rojas a050c96] Ordenando paquetes y creacion de mains
 50 files changed, 162 insertions(+), 48 deletions(-)
 delete mode 100644 build/classes/udistrital/avanzada/parcial/app/ClientePrincipal.class
 delete mode 100644 build/classes/udistrital/avanzada/parcial/app/ServidorPrincipal.class
 create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/app/ClientePrincipal.class
 rename build/classes/udistrital/avanzada/parcial/{vista/cliente => cliente/vista}/MarcoCliente.class (51%)
 rename build/classes/udistrital/avanzada/parcial/{vista/cliente => cliente/vista}/PanelControles.class (69%)
 rename build/classes/udistrital/avanzada/parcial/{vista/cliente => cliente/vista}/PanelJuegoCliente.class (68%)
 delete mode 100644 build/classes/udistrital/avanzada/parcial/modelo/ConstantesJuego.class
 delete mode 100644 build/classes/udistrital/avanzada/parcial/modelo/Fruta.class
 delete mode 100644 build/classes/udistrital/avanzada/parcial/modelo/Pacman.class
 delete mode 100644 build/classes/udistrital/avanzada/parcial/servicios/ServicioFrutas.class
 delete mode 100644 build/classes/udistrital/avanzada/parcial/servicios/ServicioPuntaje.class
 create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/app/ServidorPrincipal.class
 create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/modelo/ConstantesJuego.class
 rename build/classes/udistrital/avanzada/parcial/{ => servidor}/modelo/Direccion.class (61%)
 rename build/classes/udistrital/avanzada/parcial/{ => servidor}/modelo/EstadoJuego.class (56%)
 create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/modelo/Fruta.class
 rename build/classes/udistrital/avanzada/parcial/{ => servidor}/modelo/LimitesTablero.class (59%)
 create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/modelo/Pacman.class
 rename build/classes/udistrital/avanzada/parcial/{ => servidor}/modelo/Posicion.class (69%)
 rename build/classes/udistrital/avanzada/parcial/{ => servidor}/modelo/TipoFruta.class (58%)
 create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/servicios/ServicioFrutas.class
```

```
C:\Users\juans\OneDrive\Documentos\NetBeansProjects\Segundo Parcial\Segundo-Parcial-Pacman>git commit -m "Refinamiento de la lógica del programa"
[Juan-Sebastian-Bravo-Rojas 2b7be0f] Refinamiento de la lógica del programa
 71 files changed, 851 insertions(+), 419 deletions(-)
 create mode 100644 .gitignore
 create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/vista/VentanaConfiguracionCliente.class
 create mode 100644 build/classes/udistrital/avanzada/parcial/mensajes/SnapshotFactory.class
 delete mode 100644 build/classes/udistrital/avanzada/parcial/servidor/app/IniciadorBD.class
 create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/control/ControlIniciadorBD.class
 create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/persistencia/IniciadorBD.class
 create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/vista/VentanaIniciadorBD.class
 create mode 100644 src/udistrital/avanzada/parcial/cliente/vista/VentanaConfiguracionCliente.java
 create mode 100644 src/udistrital/avanzada/parcial/mensajes/SnapshotFactory.java
 delete mode 100644 src/udistrital/avanzada/parcial/servidor/app/IniciadorBD.java
 create mode 100644 src/udistrital/avanzada/parcial/servidor/control/ControlIniciadorBD.java
 create mode 100644 src/udistrital/avanzada/parcial/servidor/persistencia/IniciadorBD.java
 create mode 100644 src/udistrital/avanzada/parcial/servidor/vista/VentanaIniciadorBD.java
```

Merge hecho por Juan Sebastián Bravo Rojas:



Commit message

Merge pull request #3 from Paisamares12/Juan-Sebastian-Bravo-Rojas

Extended description

Ordenando paquetes y creacion de mains

This commit will be authored by juansebasbraro@gmail.com.

Confirm merge


Cancel

[Still in progress? Convert to draft](#)

Juan sebastian bravo rojas #10

 Open

MrBraro wants to merge 2 commits into `master` from `Juan-Sebastian-Bravo-Rojas` 

 Conversation 0

 Commits 2


 Checks 0

 Files changed 71


 MrBraro commented 1 minute ago

Collaborator ...

No description provided.



 MrBraro and others added 2 commits 2 hours ago

 Merge pull request #9 from Paisamares12/master

Verified9445295

 Refinamiento de la lógica del programa

2b7be0f



 No conflicts with base branch

Merging can be performed automatically.


Merge pull request

▼


You can also merge this with the command line. [View command line instructions.](#)

[Still in progress? Convert to draft](#)


Merge para el pulleo de commits #12


Merged MrBraro merged 3 commits into [Juan-Sebastian-Bravo-Rojas](#) from [master](#)  now






Conversation 0 Commits 3 Checks 0 Files changed 74



 **MrBraro** commented [now](#) Collaborator ...

No description provided.



 **MrBraro** and others added 3 commits [4 hours ago](#)

-   Merge pull request [#10](#) from Paisamares12/Juan-Sebastian-Bravo-Rojas Verified [7ff56d5](#)
-  [Implementación parte logica y visual V1](#) [56b8647](#)
-   [Primera integración de la lógica \(ampliada\) a la vista](#) Verified [e1db279](#)

  **MrBraro** merged commit [dbc5f03](#) into [Juan-Sebastian-Bravo-Rojas](#) [now](#) Revert

Pull request successfully merged and closed
You're all set — the branch has been merged.

Manejo de Pulls Sebastián Bravo:

```
C:\Users\juans\OneDrive\Documentos\NetBeansProjects\Segundo Parcial\Segundo-Parcial-Pacman>git pull origin Juan-Sebastian-Bravo-Rojas
From https://github.com/Paisamares12/Segundo-Parcial-Pacman
* branch          Juan-Sebastian-Bravo-Rojas -> FETCH_HEAD
Updating a050c96..9445295
Fast-forward
 Docs/Integrantes.txt          | 3 +
 Docs/URL Github.txt          | 1 +
 build/built-jar.properties    | 4 +
 .../Librerias/mysql-connector-java-5.1.46.jar | Bin 0 -> 1004838 bytes
 .../classes/data/DatosConexionUsuarios.properties | 24 ++
 .../cliente/api/EstadoClienteObservable.class | Bin 0 -> 534 bytes
 .../parcial/cliente/api/EventosCliente.class | Bin 0 -> 512 bytes
 .../parcial/cliente/app/ClientePrincipal.class | Bin 2292 -> 5483 bytes
 .../parcial/cliente/conexion/ConexionBD.class | Bin 0 -> 3714 bytes
 .../cliente/control/ConfiguracionCliente.class | Bin 0 -> 2531 bytes
 .../parcial/cliente/control/ControlCliente.class | Bin 0 -> 5630 bytes
 .../cliente/control/ControlInterfazCliente$1.class | Bin 0 -> 1240 bytes
 .../cliente/control/ControlInterfazCliente$2.class | Bin 0 -> 1239 bytes
 .../cliente/control/ControlInterfazCliente$3.class | Bin 0 -> 1243 bytes
 .../cliente/control/ControlInterfazCliente$4.class | Bin 0 -> 1241 bytes
 .../cliente/control/ControlInterfazCliente.class | Bin 0 -> 2190 bytes
 .../parcial/cliente/modelo/ClienteEstado.class | Bin 0 -> 2053 bytes
 .../parcial/cliente/modelo/JugadorV0.class | Bin 0 -> 1623 bytes
 .../parcial/cliente/modelo/UsuarioV0.class | Bin 0 -> 2144 bytes
 .../parcial/cliente/modelo/dao/IUsuarioDAO.class | Bin 0 -> 818 bytes
```



```

C:\Users\juans\OneDrive\Documentos\NetBeansProjects\Segundo Parcial\Segundo-Parcial-Pacman>git pull origin Juan-Sebastian-Bravo-Rojas
remote: Enumerating objects: 145, done.
remote: Counting objects: 100% (140/140), done.
remote: Compressing objects: 100% (41/41), done.
remote: Total 66 (delta 26), reused 57 (delta 20), pack-reused 0 (from 0)
Unpacking objects: 100% (66/66), 39.47 KiB | 249.00 KiB/s, done.
From https://github.com/Paisamares12/Segundo-Parcial-Pacman
* branch      Juan-Sebastian-Bravo-Rojas -> FETCH_HEAD
   2b7be0f..dbc5f03  Juan-Sebastian-Bravo-Rojas -> origin/Juan-Sebastian-Bravo-Rojas
Updating 2b7be0f..dbc5f03
Fast-forward
 build/built-jar.properties      | 2 +-
 .../cliente/api/EstadoClienteObservable.class | Bin 534 -> 534 bytes
 .../parcial/cliente/api/EventosCliente.class  | Bin 512 -> 512 bytes
 .../parcial/cliente/app/ClientePrincipal.class | Bin 4396 -> 4396 bytes
 .../parcial/cliente/conexion/ConexionBD.class | Bin 3714 -> 3714 bytes
 .../cliente/control/ConfiguracionCliente.class | Bin 2531 -> 2531 bytes
 .../parcial/cliente/control/ControlCliente.class | Bin 5630 -> 5630 bytes
 .../cliente/control/ControlInterfazCliente$1.class | Bin 1240 -> 1240 bytes
 .../cliente/control/ControlInterfazCliente$2.class | Bin 1239 -> 1239 bytes
 .../cliente/control/ControlInterfazCliente$3.class | Bin 1243 -> 1243 bytes
 .../cliente/control/ControlInterfazCliente$4.class | Bin 1241 -> 1241 bytes
 .../cliente/control/ControlInterfazCliente.class | Bin 2190 -> 2190 bytes
 .../parcial/cliente/modelo/ClienteEstado.class | Bin 2053 -> 2053 bytes
 .../parcial/cliente/modelo/JugadorVO.class     | Bin 1623 -> 1623 bytes
 .../parcial/cliente/modelo/UsuarioVO.class     | Bin 2100 -> 2100 bytes

```

Creación repositorio local parte Ariza:

```

Microsoft Windows [Versión 10.0.26200.7019]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\Pc\Documents\NetBeansProjects\Pac-Man>git clone https://github.com/Paisamares12/Segundo-Parcial-Pacman.git
Cloning into 'Segundo-Parcial-Pacman'...
remote: Enumerating objects: 190, done.
remote: Counting objects: 100% (190/190), done.
remote: Compressing objects: 100% (138/138), done.
remote: Total 190 (delta 59), reused 162 (delta 34), pack-reused 0 (from 0)
Receiving objects: 100% (190/190), 57.67 KiB | 703.00 KiB/s, done.
Resolving deltas: 100% (59/59), done.

C:\Users\Pc\Documents\NetBeansProjects\Pac-Man>git remote -v
fatal: not a git repository (or any of the parent directories): .git

```

```

Microsoft Windows [Versión 10.0.26200.7019]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\Pc\Documents\NetBeansProjects\Segundo-Parcial-Pacman>git remote -v
origin https://github.com/Paisamares12/Segundo-Parcial-Pacman.git (fetch)
origin https://github.com/Paisamares12/Segundo-Parcial-Pacman.git (push)

```

Creación Rama de trabajo Ariza:

```

Microsoft Windows [Versión 10.0.26200.7019]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\Pc\Documents\NetBeansProjects\Segundo-Parcial-Pacman>git checkout -b "Ariza-rama"
Switched to a new branch 'Ariza-rama'

C:\Users\Pc\Documents\NetBeansProjects\Segundo-Parcial-Pacman>git branch
* Ariza-rama
master

```

```

C:\Users\Pc\Documents\NetBeansProjects\Segundo-Parcial-Pacman>git push origin Ariza-rama
Enumerating objects: 88, done.
Counting objects: 100% (88/88), done.
Delta compression using up to 16 threads
Compressing objects: 100% (51/51), done.
Writing objects: 100% (61/61), 40.68 KiB | 1.36 MiB/s, done.
Total 61 (delta 10), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (10/10), completed with 10 local objects.
remote:
remote: Create a pull request for 'Ariza-rama' on GitHub by visiting:
remote:   https://github.com/Paisamares12/Segundo-Parcial-Pacman/pull/new/Ariza-rama
remote:
To https://github.com/Paisamares12/Segundo-Parcial-Pacman.git
* [new branch]      Ariza-rama -> Ariza-rama

C:\Users\Pc\Documents\NetBeansProjects\Segundo-Parcial-Pacman>

```

Manejo de push parte de Ariza:

```
C:\Users\Pc\Documents\NetBeansProjects\Segundo-Parcial-Pacman>git commit -m "Agregado SistemaBD"
[Ariza-rama 08c6089] Agregado SistemaBD
29 files changed, 1424 insertions(+), 111 deletions(-)
create mode 100644 build/classes/data/DatosConexionUsuarios.properties
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/conexion/ConexionBD.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/control/ConfiguracionCliente.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/modelo/JugadorV0.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/modelo/UsuarioV0.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/modelo/dao/UsuarioDAO.class
create mode 100644 build/classes/udistrital/avanzada/parcial/mensajes/RespuestaAutenticacion.class
create mode 100644 build/classes/udistrital/avanzada/parcial/mensajes/SolicitudAutenticacion.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/app/InicializadorBD.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/app/ServidorPrincipal$ManejadorCliente.class
create mode 100644 src/data/DatosConexionUsuarios.properties
create mode 100644 src/udistrital/avanzada/parcial/cliente/conexion/ConexionBD.java
create mode 100644 src/udistrital/avanzada/parcial/cliente/control/ConfiguracionCliente.java
create mode 100644 src/udistrital/avanzada/parcial/cliente/modelo/JugadorV0.java
create mode 100644 src/udistrital/avanzada/parcial/cliente/modelo/UsuarioV0.java
create mode 100644 src/udistrital/avanzada/parcial/cliente/modelo/dao/UsuarioDAO.java
create mode 100644 src/udistrital/avanzada/parcial/mensajes/RespuestaAutenticacion.java
create mode 100644 src/udistrital/avanzada/parcial/mensajes/SolicitudAutenticacion.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/app/InicializadorBD.java
```

```
C:\Users\Pc\Documents\NetBeansProjects\Segundo-Parcial-Pacman>git commit -m "Manejo de Arquitectura y principios"
[Ariza-rama 774c996] Manejo de Arquitectura y principios
19 files changed, 664 insertions(+), 136 deletions(-)
create mode 100644 build/built-jar.properties
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/modelo/dao/IUsuarioDAO.class
delete mode 100644 build/classes/udistrital/avanzada/parcial/servidor/app/ServidorPrincipal$ManejadorCliente.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/control/AutenticacionController.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/red/IManejadorCliente.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/red/ManejadorCliente.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/servicios/AutenticacionService.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/servicios/IAutenticacionService.class
create mode 100644 build/classes/udistrital/avanzada/parcial/servidor/vista/PanelHud.rs
create mode 100644 src/udistrital/avanzada/parcial/cliente/modelo/dao/IUsuarioDAO.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/control/AutenticacionController.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/red/IManejadorCliente.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/red/ManejadorCliente.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/servicios/AutenticacionService.java
create mode 100644 src/udistrital/avanzada/parcial/servidor/servicios/IAutenticacionService.java
```

```
C:\Users\Pc\Documents\NetBeansProjects\Segundo-Parcial-Pacman>git push origin Ariza-rama
Enumerating objects: 64, done.
Counting objects: 100% (64/64), done.
Delta compression using up to 16 threads
Compressing objects: 100% (42/42), done.
Writing objects: 100% (46/46), 21.78 KiB | 826.00 KiB/s, done.
Total 46 (delta 11), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (11/11), completed with 9 local objects.
To https://github.com/Paisamares12/Segundo-Parcial-Pacman.git
08c6089..774c996 Ariza-rama -> Ariza-rama
```

```
C:\Users\Pc\Documents\NetBeansProjects\Segundo-Parcial-Pacman>git commit -m "Serialización y Mejora gráfica"
[Ariza-rama 0d11276] Serialización y Mejora gráfica
38 files changed, 1314 insertions(+), 666 deletions(-)
create mode 100644 build/classes/data/ranking.dat
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/modelo/ResultadoPartida.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/persistencia/RankingDAO.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/vista/DialogoFinJuego.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/vista/MarcoCliente$I.class
delete mode 100644 build/classes/udistrital/avanzada/parcial/cliente/vista/PanelJuegoCliente.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/vista/VentanaRanking$I.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/vista/VentanaRanking$2.class
create mode 100644 build/classes/udistrital/avanzada/parcial/cliente/vista/VentanaRanking.class
create mode 100644 build/classes/udistrital/avanzada/parcial/mensajes/RespuestaFinal.class
create mode 100644 src/data/ranking.dat
create mode 100644 src/udistrital/avanzada/parcial/cliente/modelo/ResultadoPartida.java
create mode 100644 src/udistrital/avanzada/parcial/cliente/persistencia/RankingDAO.java
create mode 100644 src/udistrital/avanzada/parcial/cliente/vista/DialogoFinJuego.java
delete mode 100644 src/udistrital/avanzada/parcial/cliente/vista/PanelJuegoCliente.java
create mode 100644 src/udistrital/avanzada/parcial/cliente/vista/VentanaRanking.java
create mode 100644 src/udistrital/avanzada/parcial/mensajes/RespuestaFinal.java
```

```
C:\Users\Pc\Documents\NetBeansProjects\Segundo-Parcial-Pacman>git push origin Ariza-rama
Enumerating objects: 110, done.
Counting objects: 100% (110/110), done.
Delta compression using up to 16 threads
Compressing objects: 100% (63/63), done.
Writing objects: 100% (70/70), 53.82 KiB | 1.99 MiB/s, done.
Total 70 (delta 22), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (22/22), completed with 22 local objects.
To https://github.com/Paisamares12/Segundo-Parcial-Pacman.git
56b8647..0d11276 Ariza-rama -> Ariza-rama
```

Manejo del Merge dentro del repositorio parte de Ariza:

The screenshot shows the GitHub web interface. At the top, there's a section titled "Open a pull request" with a subtext: "Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#). [Learn more about diff comparisons here](#)." Below this, a dropdown menu shows "base: master" and "compare: Ariza-rama" with a green checkmark and the text "Able to merge. These branches can be automatically merged." The main area is for creating a pull request, with fields for "Add a title" (containing "AragadoSistemaBD") and "Add a description" (with a rich text editor). On the right, there are sections for "Reviewers" (listing Paisamares12 with a "Request" button), "Assignees" (set to "No one—assign yourself"), "Labels" (set to "None yet"), "Projects" (set to "None yet"), and "Milestone" (set to "No milestone"). At the bottom right, there's a "Development" section with a note about closing keywords. A green "Create pull request" button is at the bottom center. Below this, the pull request details are shown for "Serialización y Mejora gráfica #13", indicating it was merged by ArizZuxi. A comment from ArizZuxi is visible, stating "No description provided." Below the comment, a commit history shows the merge of commit 2a65eb2 into master. At the bottom, a message states "Pull request successfully merged and closed" and suggests deleting the branch.

Manejo Pulls Ariza:

```
C:\Users\Pc\Documents\NetBeansProjects\Segundo-Parcial-Pacman>git checkout master
error: Your local changes to the following files would be overwritten by checkout:
    build/built-jar.properties
    build/classes/data/ranking.dat
    build/classes/udistrital/avanzada/parcial/cliente/api/EventosCliente.class
    nbproject/private/private.xml
    src/data/ranking.dat
    src/udistrital/avanzada/parcial/cliente/api/EventosCliente.java
Please commit your changes or stash them before you switch branches.
Aborting

C:\Users\Pc\Documents\NetBeansProjects\Segundo-Parcial-Pacman>git reset --hard origin/master
HEAD is now at a359d2a Merge pull request #15 from Paisamares12/rama-paula
```

La imagen muestra cómo Git impide cambiar de rama (git checkout master) por

tener cambios sin guardar, y luego el comando `git reset --hard origin/master` restaura el proyecto al estado más reciente del repositorio remoto, descartando los cambios locales.

Logs:

```
commit 54ee9548d4304e2f49123e6c025a9a85ea9ab16e (HEAD -> master, origin/master, origin/HEAD)
Merge: a359d2a ce73d3f
Author: ArizZzuxi <134643818+ArizZzuxi@users.noreply.github.com>
Date: Wed Nov 12 09:44:28 2025 -0500

    ImplementaciónStreaming

    ImplementaciónStreaming

commit ce73d3fb220aa0de59acefd5b5b19eeeb1692046 (origin/Ariza-rama)
Author: Ariza <juanitoariza21@gmail.com>
Date: Wed Nov 12 09:43:27 2025 -0500

    ImplementaciónStreaming

commit a359d2a2d2d5475e4d2a74d8076192a0ae5e5721
Merge: 2a65eb2 20ec2ae
Author: Paisamares12 <paisamares12@gmail.com>
Date: Wed Nov 12 09:02:32 2025 -0500

    Merge pull request #15 from Paisamares12/rama-paula

...skipping...
commit 54ee9548d4304e2f49123e6c025a9a85ea9ab16e (HEAD -> master, origin/master, origin/HEAD)
Merge: a359d2a ce73d3f
Author: ArizZzuxi <134643818+ArizZzuxi@users.noreply.github.com>
Date: Wed Nov 12 09:44:28 2025 -0500

    ImplementaciónStreaming

    ImplementaciónStreaming

commit ce73d3fb220aa0de59acefd5b5b19eeeb1692046 (origin/Ariza-rama)
Author: Ariza <juanitoariza21@gmail.com>
Date: Wed Nov 12 09:43:27 2025 -0500

    ImplementaciónStreaming

commit a359d2a2d2d5475e4d2a74d8076192a0ae5e5721
Merge: 2a65eb2 20ec2ae
Author: Paisamares12 <paisamares12@gmail.com>
Date: Wed Nov 12 09:02:32 2025 -0500

    Merge pull request #15 from Paisamares12/rama-paula

    Rama paula

commit 20ec2ae1df3c63c0dd72cbe50938b5dac85a5b42 (origin/rama-paula, rama-paula)
Author: Paula <paisamares12@gmail.com>
Date: Wed Nov 12 09:00:51 2025 -0500

    Documentación, eliminación clases entre otros

commit c175847bbe39e9d72f009e543d8c421c9e2b4782
Merge: 5728719 c262d5d
Author: Paula <paisamares12@gmail.com>
Date: Wed Nov 12 07:15:39 2025 -0500

    Resolución conflictos entre ramas

commit c262d5dd9e1e36cb85a5852b6da05f0bdd4a9745
Author: Paula <paisamares12@gmail.com>
Date: Wed Nov 12 07:12:41 2025 -0500

    Manejo

commit 2a65eb28d3e2baf8aaf68cbbbee033678907ac343
Merge: 9fdf40c 0d11276
Author: ArizZzuxi <134643818+ArizZzuxi@users.noreply.github.com>
Date: Wed Nov 12 02:35:01 2025 -0500
:
```

Conclusión:

El manejo de versiones en el proyecto **Segundo Parcial Pacman** permitió mantener una organización clara y un control efectivo del trabajo colaborativo. Cada desarrollador trabajó en su propia rama, realizando commits y sincronizaciones con su repositorio local antes de integrar los cambios en la rama principal **master** mediante

merges controlados. Este proceso garantizó la trazabilidad del código, evitó conflictos y aseguró una versión final estable y coherente del proyecto.