

DRUG PRODUCT - ACCESS CONTROL - WALKABLE CEILING
SCALE: 1:100

REVISION C NOTES / NOTAS REVISÃO C

ADDED ACU TAG NUMBER

ADICIONADO TAG NUMÉRICA NO ACU

ADDED UTP CABLES FOR ACU

ADICIONADO CABOS UTP PARA ACU


RENAMED CABLE TRAY IT CCTV + ACS TO UTP CABLE TRAY

RENOMEADA LE LETROCALHA IT CCTV + ACS PARA
EL ETROCALHA UTP

REVISION 0 NOTES / NOTAS REVISÃO 0

ADDED ACCESS CONTROL BETWEEN B07A AND B07B ADICIONADO CONTROLE DE ACESSO ENTRE B07A E B07B

REVISION 1 NOTES / NOTAS REVISÃO 1 TRANSLATED TO PORTUGUESE. TRADUZIDO PARA O PORTUGUÊS.



Project Services Engineering Design/Build

721 ARBOR WAY, SUITE 100 **BLUE BELL** PENNSYLVANIA 19422 PHONE: 610.828.4090 FAX: 610.828.3656 www.ipsdb.com

Compliance Consulting IPS Professional Engineers and Architects, PC.

REV	DATE	DESCRIPTION	BY	CHECK	APPR
Α	28AUG2020	90% BD ISSUE	MAV	MAF	MSS
В	16OCT2020	FINAL BD ISSUE	MAV	MAF	MSS
С	26APR2021	90%DD ISSUE	ACC	MAF	RSP
0	05OCT2021	ISSUE FOR CONSTRUCTION	ACC	MAF	RSP
1	09NOV2021	ISSUED FOR CONSTRUCTION CONSIDERING COMMENTS	ACC	MAF	RSP
			-		
			-		
	1	I	1	1	



GENERAL NOTES / NOTAS GERAIS:

R. Dr. Cesário Mota Júnior, 424 - Vila Buarque, São Paulo - SP, 01221-020


1. FOR LEGEND, ABBREVIATIONS AND SYMBOL SEE SHEETS 7A-I-0-0-01. PARA LEGENDA, ABREVIATURAS E SÍMBOLOS, VER DES. 7A-I-0-0-01. 2. FOR SECURITY ACS RISER DIAGRAM, SEE SHEET 7A-I-0-7-06 PARA DIAGRAMA DE SEGURANÇA ACS RISER, CONSULTAR 7A-I-0-7-06 3. ALL CONDUIT SHALL BE Ø3/4" UNLESS NOTED OTHERWISE. TODOS CONDUITES DEVEM SER Ø3/4", SALVO ONDE INDICADOS. 4. SUPORTES TO CABLE TRAYS AND CONDUITS SHALL BE PROVIDE TO EACH 2,00 METERS. SUPORTES P/ BANDEJAS, ELETROD. DEVEM SER MONTADOS A CADA 2m 5. MATERIAL LIST SEE DOCUMENT NUMBER PRD-AIC-LIS-040. LISTA DE MATERIAIS, VER DOCUMENTO № PRD-AIC-LIS-040. 6. INTERCONNECTION BETWEEN ACU AND COMPONENTS WILL BE DONE BY ACS CONTRACTOR ACCORDING TO DRAWING 07-I-0-6-02 SECURITY ACCESS CONTROL - TYPICAL DETAILS AS INTERLIGAÇÕES ENTRE ACU E OS COMPONENTES SERÃO FEITOS


PELA CONTRATADA DE ACS DE ACORDO COM OS DETALHES TÍPICOS DE


7. ALL DIMENSIONS SHALL BE IN MILLIMETERS UNLESS NOTED TODAS DIMENSÕES EM MILÍMETROS, SALVO ONDE INDICADAS. 8. TO DRAWING LIST SEE DOCUMENT 7A-I-0-0-01. PARA LISTA DE DESENHOS, VER O DOCUMENTO 7A-I-0-0-01. 9. FOR TECHNICAL SPECIFICATION OF ACS SEE DOCUMENT PRD-AIC-TSP-003.

PARA ESPECIFICAÇÕES TÉCNICAS DO ACS VER DOCUMENTO PRD-AIC-TSP-003.

ACS.DES. № 07-1-0-6-02.







CONFIDENTIAL

THE INFORMATION CONTAINED HEREIN MAY NOT BE USED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION OF INTEGRATED PROJECT SERVICES.



BURITI EPCMV PROJECT

DRUG PRODUCT

ACCESS CONTROL WALKABLE CEILING

DRAWN BY REVIEWED BY SCALE

7A-I-0-3-02