









DOC NR: SHEET: 2 de 7 569-DB7A-AIC-320-005 CLIENT NR:

		PRD-AIC-LIS-029	0
1- THE IDENTIFICATION OF COUPLE IN MULTICABLES MUST BE AS IN	IDICATED BELOW AND ITS MEANING:		
ALBERTA MARIE ALBERTA		 	
TAG OF MULTICABLE = AI-PDT/TT/MT-A1002-01			
AI = PROCESS VARIABLE (ANALAGIC INPUT)		 	
PDT = DIFFERENTIAL PRESSURE TRANSMITTER		 	
TT = TEMPERATURE TRANSMITTER		 	
MT = HUMIDITY TRANSMITTER			
A1002 = PROCESS ROOM			
01 = SEQUENTIAL NUMBER OF INSTRUMENTS			
	REVISION 0 NOTES:		
	INLVISION UNUTES.	 	
	1. ADDED PDIT-A2041-02 & PDIT-A2025-03	 	
	_	 	
	_		
	-		
		 _	










 DOC NR:
 SHEET:

 569-DB7A-AIC-320-005
 3 de 7

 CLIENT NR:
 REV.:

 PRD-AIC-LIS-029
 0

							PRD-AIC-LIS-02	PRD-AIC-LIS-029	
ID	CABLE TAG	NO. OF CORES	VOLTAGE	FROM	то	LENGTH (m)	ROUTE	NOTE	REV.
7	AI-PDIT-A2003-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2003-01	CP-A2600-2	26	7A-I-2-3-25		А
8	AI-PDIT-A2004-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2004-01	CP-A2600-2	16	7A-I-2-3-25		Α
9	AI-PDIT-A2005-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2005-01	CP-A2600-2	35	7A-I-2-3-25		А
10	AI-PDIT-A2005-01	1P#1,0mm2+Sh.	24Vdc	TIT/MIT-A2005-01	CP-A2600-2	32	7A-I-2-3-25		А
11	AI-PDIT-A2005-02	1P#1,0mm2+Sh.	24Vdc	PDIT-A2005-02	CP-A2600-2	27	7A-I-2-3-25		Α
12	AI-PDIT-A2009-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2009-01	CP-A2600-2	22	7A-I-2-3-25		Α
13	AI-PDIT-A2017-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2017-01	CP-A2600-2	21	7A-I-2-3-25		Α
14	AI-PDIT-A2017-02	1P#1,0mm2+Sh.	24Vdc	PDIT-A2017-02	CP-A2600-2	22	7A-I-2-3-25		А
15	AI-PDIT-A2025-02	1P#1,0mm2+Sh.	24Vdc	PDIT-A2025-01	CP-A2600-2	35	7A-I-2-3-25		А
16	AI-PDIT-A2025-03	1P#1,0mm2+Sh.	24Vdc	PDIT-A2025-01	CP-A2600-2	45	7A-I-2-3-25		Α
17	AI-PDIT-A2026-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2026-01	CP-A2600-2	33	7A-I-2-3-25		А
18	AI-PDIT-A2027-01	1P#1,0mm2+Sh.	24Vdc	PDIT/TIT/MIT-A2027-01	CP-A2600-2	39	7A-I-2-3-25		А
19	AI-PDIT-A2027-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2027-01	CP-A2600-2	26	7A-I-2-3-25		А
20	AI-PDIT-A2027-02	1P#1,0mm2+Sh.	24Vdc	PDIT-A2027-02	CP-A2600-2	26	7A-I-2-3-25		0
21	AI-PDIT-A2028-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2028-01	CP-A2600-2	25	7A-I-2-3-25		0
22	AI-PDIT-A2029-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2029-01	CP-A2600-2	25	7A-I-2-3-25		0
23	AI-PDIT-A2029-02	1P#1,0mm2+Sh.	24Vdc	PDIT-A2029-02	CP-A2600-2	36	7A-I-2-3-25		0
24	AI-PDIT-A2030-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2030-01	CP-A2600-2	20	7A-I-2-3-25		0
25	AI-PDIT-A2030-02	1P#1,0mm2+Sh.	24Vdc	PDIT-A2030-02	CP-A2600-2	15	7A-I-2-3-25		0
26	AI-PDIT-A2031-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2031-01	CP-A2600-2	36	7A-I-2-3-25		0
27	AI-PDIT-A2031-02	1P#1,0mm2+Sh.	24Vdc	PDIT-A2031-02	CP-A2600-2	31	7A-I-2-3-25		0
28	AI-PDIT-A2032-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2032-01	CP-A2600-2	31	7A-I-2-3-25		0
29	AI-PDIT-A2032-02	1P#1,0mm2+Sh.	24Vdc	PDIT-A2032-01	CP-A2600-2	32	7A-I-2-3-25		0
30	AI-PDIT-A2034-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2034-01	CP-A2600-2	15	7A-I-2-3-25		0
31	AI-PDIT-A2034-02	1P#1,0mm2+Sh.	24Vdc	PDIT-A2034-02	CP-A2600-2	15	7A-I-2-3-25		0
32	AI-PDIT-A2035-01	1P#1,0mm2+Sh.	24Vdc	PDIT/TIT-A2035-01	CP-A2600-2	15	7A-I-2-3-25		0
33	AI-PDIT-A2035-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2035-01	CP-A2600-2	15	7A-I-2-3-25		0
34	AI-PDIT-A2035-02	1P#1,0mm2+Sh.	24Vdc	PDIT-A2035-02	CP-A2600-2	15	7A-I-2-3-25		0
35	AI-PDIT-A2038-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2038-01	CP-A2600-2	21	7A-I-2-3-25		0
36	AI-PDIT-A2038-02	1P#1,0mm2+Sh.	24Vdc	PDIT-A2038-01	CP-A2600-2	22	7A-I-2-3-25		0
37	AI-PDIT-A2039-02	1P#1,0mm2+Sh.	24Vdc	PDIT-A2039-02	CP-A2600-2	16	7A-I-2-3-25		0
38	AI-PDIT-A2039-03	1P#1,0mm2+Sh.	24Vdc	PDIT-A2039-03	CP-A2600-2	25	7A-I-2-3-25		0
39	AI-PDIT-A2040-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2040-01	CP-A2600-2	25	7A-I-2-3-25		0
40	AI-PDIT-A2041-01	1P#1,0mm2+Sh.	24Vdc	PDIT-A2041-01	CP-A2600-2	41	7A-I-2-3-25		0
41	AI-PDIT-A2041-02	1P#1,0mm2+Sh.	24Vdc	PDIT-A2041-01	CP-A2600-2	45	7A-I-2-3-25		0
42	AI-PDIT-A2046-02	1P#1,0mm2+Sh.	24Vdc	PDIT-A2046-02	CP-A2600-2	36	7A-I-2-3-25		0
43	AI-TIT-A1035-01	1P#1,0mm2+Sh.	24Vdc	TIT-A1035-01	RM-A1043-01	46	7A-I-1-3-15		0
44	AI-TIT-A2008-01	1P#1,0mm2+Sh.	24Vdc	TIT-A2008-01	CP-A2600-2	33	7A-I-2-3-25		0











DOC NR: SHEET: 5 de 7 569-DB7A-AIC-320-005 CLIENT NR: REV.: PRD-AIC-LIS-029

							PRD-AIC-LIS-029		0	
ID	CABLE TAG	NO. OF CORES	VOLTAGE	FROM	то	LENGTH (m)	RC	UTE	NOTE	REV.
1	DO-L1/L2/L3-A1029	5C#1,5mm2	24Vdc	L1/L2/L3-A1029	CP-A2600-2	48	7A-I-	2-3-25		0
2	DO-L1/L2/L3-A1004	5C#1,5mm2	24Vdc	L1/L2/L3-A1004	CP-A2600-2	62	7A-I-	2-3-25		0
3	DO-L1/L2/L3-A2002	5C#1,5mm2	24Vdc	L1/L2/L3-A2002	CP-A2600-2	37	7A-I-	2-3-25		0
4	DO-L1/L2/L3-A2025	5C#1,5mm2	24Vdc	L1/L2/L3-A2025	CP-A2600-2	42	7A-I-	2-3-25		0
5	DO-L1/L2/L3-A2036	5C#1,5mm2	24Vdc	L1/L2/L3-A2036	CP-A2600-2	25	7A-I-	2-3-25		0
6	DO-L1/L2/L3-A2037	5C#1,5mm2	24Vdc	L1/L2/L3-A2037	CP-A2600-2	24	7A-I-	2-3-25		0
7										
8										I
9										
10										I
11										
12										<u> </u>
13										
14										
15										
16										
17										
18										1
19										<u> </u>
20										1
21										<u> </u>
22										
23 24										
24										
25										
26										<u> </u>
27										<u> </u>
28										<u> </u>
29										1
30										
31										
32										
33										1
34										
35										1
36										
37										1









 DOC NR:
 SHEET:

 569-DB7A-AIC-320-005
 6 de 7

 CLIENT NR:
 REV.:

 PRD-AIC-LIS-029
 0

							I ND-AIC-LI	PRD-AIC-LIS-029	
ID	CABLE TAG	NO. OF CORES	VOLTAGE	FROM	то	LENGTH (m)	ROUTE	NOTE	REV.
1	P-PDIT/TIT/MIT-A2001-01	3C#2,5mm ²	24Vdc	PDIT/TIT/MIT-A2001-01	CP-A2600-2	45	7A-I-2-3-25		0
2	P-PDIT/TIT/MIT-A2002-01	3C#2,5mm ²	24Vdc	PDIT/TIT/MIT-A2002-01	CP-A2600-2	35	7A-I-2-3-25		0
3	P-PDIT/TIT/MIT-A2023-01	3C#2,5mm ²	24Vdc	PDIT/TIT-A2023-01	CP-A2600-2	32	7A-I-2-3-25		0
4	P-PDIT/TIT/MIT-A2025-01	3C#2,5mm ²	24Vdc	PDIT/TIT/MIT-A2025-01	CP-A2600-2	35	7A-I-2-3-25		0
5	P-PDIT/TIT/MIT-A2036-01	3C#2,5mm ²	24Vdc	PDIT/TT/MIT-A2036-01	CP-A2600-2	39	7A-I-2-3-25		0
6	P-PDIT/TIT/MIT-A2037-01	3C#2,5mm ²	24Vdc	PDIT/TIT/MIT-A2037-01	CP-A2600-2	39	7A-I-2-3-25		0
7	P-PDIT-A2003-01	3C#2,5mm ²	24Vdc	PDIT-A2003-01	CP-A2600-2	26	7A-I-2-3-25		0
8	P-PDIT-A2004-01	3C#2,5mm²	24Vdc	PDIT-A2004-01	CP-A2600-2	16	7A-I-2-3-25		0
9	P-PDIT-A2005-01	3C#2,5mm ²	24Vdc	PDIT-A2005-01	CP-A2600-2	35	7A-I-2-3-25		0
10	P-PDIT-A2005-01	3C#2,5mm²	24Vdc	TIT/MIT-A2005-01	CP-A2600-2	32	7A-I-2-3-25		0
11	P-PDIT-A2005-02	3C#2,5mm ²	24Vdc	PDIT-A2005-02	CP-A2600-2	27	7A-I-2-3-25		0
12	P-PDIT-A2009-01	3C#2,5mm ²	24Vdc	PDIT-A2009-01	CP-A2600-2	22	7A-I-2-3-25		0
13	P-PDIT-A2017-01	3C#2,5mm ²	24Vdc	PDIT-A2017-01	CP-A2600-2	21	7A-I-2-3-25		0
14	P-PDIT-A2017-02	3C#2,5mm ²	24Vdc	PDIT-A2017-02	CP-A2600-2	22	7A-I-2-3-25		0
15	P-PDIT-A2025-02	3C#2,5mm ²	24Vdc	PDIT-A2025-01	CP-A2600-2	35	7A-I-2-3-25		0
16	P-PDIT-A2025-03	3C#2,5mm ²	24Vdc	PDIT-A2025-01	CP-A2600-2	35	7A-I-2-3-25		0
17	P-PDIT-A2026-01	3C#2,5mm ²	24Vdc	PDIT-A2026-01	CP-A2600-2	33	7A-I-2-3-25		0
18	P-PDIT-A2027-01	3C#2,5mm ²	24Vdc	PDIT/TIT/MIT-A2027-01	CP-A2600-2	39	7A-I-2-3-25		0
19	P-PDIT-A2027-01	3C#2,5mm ²	24Vdc	PDIT-A2027-01	CP-A2600-2	26	7A-I-2-3-25		0
20	P-PDIT-A2027-02	3C#2,5mm ²	24Vdc	PDIT-A2027-02	CP-A2600-2	26	7A-I-2-3-25		0
21	P-PDIT-A2028-01	3C#2,5mm ²	24Vdc	PDIT-A2028-01	CP-A2600-2	25	7A-I-2-3-25		0
22	P-PDIT-A2029-01	3C#2,5mm ²	24Vdc	PDIT-A2029-01	CP-A2600-2	25	7A-I-2-3-25		0
23	P-PDIT-A2029-02	3C#2,5mm ²	24Vdc	PDIT-A2029-02	CP-A2600-2	36	7A-I-2-3-25		0
24	P-PDIT-A2030-01	3C#2,5mm ²	24Vdc	PDIT-A2030-01	CP-A2600-2	20	7A-I-2-3-25		0
25	P-PDIT-A2030-02	3C#2,5mm ²	24Vdc	PDIT-A2030-02	CP-A2600-2	15	7A-I-2-3-25		0
26	P-PDIT-A2031-01	3C#2,5mm ²	24Vdc	PDIT-A2031-01	CP-A2600-2	36	7A-I-2-3-25		0
27	P-PDIT-A2031-02	3C#2,5mm ²	24Vdc	PDIT-A2031-02	CP-A2600-2	31	7A-I-2-3-25		0
28	P-PDIT-A2032-01	3C#2,5mm ²	24Vdc	PDIT-A2032-01	CP-A2600-2	31	7A-I-2-3-25		0
29	P-PDIT-A2032-02	3C#2,5mm ²	24Vdc	PDIT-A2032-01	CP-A2600-2	32	7A-I-2-3-25		0
30	P-PDIT-A2034-01	3C#2,5mm ²	24Vdc	PDIT-A2034-01	CP-A2600-2	15	7A-I-2-3-25		0
31	P-PDIT-A2034-02	3C#2,5mm ²	24Vdc	PDIT-A2034-02	CP-A2600-2	15	7A-I-2-3-25		0
32	P-PDIT-A2035-01	3C#2,5mm ²	24Vdc	PDIT/TIT-A2035-01	CP-A2600-2	15	7A-I-2-3-25		0
33	P-PDIT-A2035-01	3C#2,5mm ²	24Vdc	PDIT-A2035-01	CP-A2600-2	15	7A-I-2-3-25		0
34	P-PDIT-A2035-02	3C#2,5mm²	24Vdc	PDIT-A2035-02	CP-A2600-2	15	7A-I-2-3-25		0
35	P-PDIT-A2038-01	3C#2,5mm²	24Vdc	PDIT-A2038-01	CP-A2600-2	21	7A-I-2-3-25		0
36	P-PDIT-A2038-02	3C#2,5mm²		PDIT-A2038-01	CP-A2600-2	22	7A-I-2-3-25		0
37	P-PDIT-A2039-02	3C#2,5mm²	24Vdc	PDIT-A2039-02	CP-A2600-2	16	7A-I-2-3-25		0
38	P-PDIT-A2039-03	3C#2,5mm²		PDIT-A2039-03	CP-A2600-2	25	7A-I-2-3-25		0









 DOC NR:
 SHEET:

 569-DB7A-AIC-320-005
 7 de 7

 CLIENT NR:
 REV.:

 PRD-AIC-LIS-029
 0

							PRD-AIC-LIS-0	PRD-AIC-LIS-029	
ID	CABLE TAG	NO. OF CORES	VOLTAGE	FROM	то	LENGTH (m)	ROUTE	NOTE	REV.
39	P-PDIT-A2040-01	3C#2,5mm²	24Vdc	PDIT-A2040-01	CP-A2600-2	25	7A-I-2-3-25		0
40	P-PDIT-A2041-01	3C#2,5mm²	24Vdc	PDIT-A2041-01	CP-A2600-2	41	7A-I-2-3-25		0
41	P-PDIT-A2041-02	3C#2,5mm²	24Vdc	PDIT-A2041-01	CP-A2600-2	41	7A-I-2-3-25		0
42	P-PDIT-A2046-01	3C#2,5mm²	24Vdc	PDIT/TIT-A2046-01	CP-A2600-2	32	7A-I-2-3-25		0
43	P-PDIT-A2046-02	3C#2,5mm²	24Vdc	PDIT-A2046-02	CP-A2600-2	36	7A-I-2-3-25		0
44	P-TIT/MIT-A1002-01	3C#2,5mm²	24Vdc	TIT/MIT-A1002-01	RM-A1043-01	66	7A-I-1-3-15		0
45	P-TIT/MIT-A1004-01	3C#2,5mm²	24Vdc	TIT/MIT-A1004-01	RM-A1043-01	56	7A-I-1-3-15		0
46	P-TIT/MIT-A1006-01	3C#2,5mm²	24Vdc	TIT/MIT-A1006-01	RM-A1043-01	45	7A-I-1-3-15		0
47	P-TIT/MIT-A1007-01	3C#2,5mm²	24Vdc	TIT/MIT-A1007-01	RM-A1043-01	42	7A-I-1-3-15		0
48	P-TIT/MIT-A1019-01	3C#2,5mm²	24Vdc	TIT/MIT-A1019-01	RM-A1043-01	36	7A-I-1-3-15		0
49	P-TIT/MIT-A1029-01	3C#2,5mm ²	24Vdc	TIT/MIT-A1029-01	RM-A1043-01	66	7A-I-1-3-15		0
50	P-TIT-A1035-01	3C#2,5mm²	24Vdc	TIT-A1035-01	RM-A1043-01	46	7A-I-1-3-15		0
51	P-TIT/MIT-A1037-01	3C#2,5mm²	24Vdc	TIT/MIT-A1037-01	RM-A1043-01	51	7A-I-1-3-15		0
52	P-TIT/MIT-A1040-01	3C#2,5mm²	24Vdc	TIT/MIT-A1040-01	RM-A1043-01	35	7A-I-1-3-15		0
53	P-TIT/MIT-A2001-01	3C#2,5mm²	24Vdc	TIT/MIT-A2001-01	CP-A2600-02	47	7A-I-2-3-25		0
54	P-TIT/MIT-A2006-01	3C#2,5mm²	24Vdc	TIT/MIT-A2006-01	CP-A2600-02	35	7A-I-2-3-25		0
55	P-TIT/MIT-A2012-01	3C#2,5mm²	24Vdc	TIT/MIT-A2012-01	CP-A2600-02	46	7A-I-2-3-25		0
56	P-TIT/MIT-A2014-01	3C#2,5mm²	24Vdc	TIT/MIT-A2014-01	CP-A2600-02	56	7A-I-2-3-25		0
57	P-TIT-A2008-01	3C#2,5mm²	24Vdc	TIT-A2008-01	CP-A2600-02	33	7A-I-2-3-25		0
58	P-TIT-A2042-01	3C#2,5mm²	24Vdc	TIT-A2042-01	CP-A2600-02	52	7A-I-2-3-25		0
59									
60									
61									
62			1						
63									
64									
65									
66									
67									
68									
69									
70									
71									
72									
73									
74									
	1	1		1	I		1		