

DRUG SUBSTANCE - CCTV - FIRST FLOOR


7B-1-2-3-24 SCALE: 1:100

REVISION 0 NOTES / NOTAS REVISÃO 0 UPDATED TO REVISION 0 ATUALIZADO PARA REVISÃO 0

REVISION 1 NOTES / NOTAS REVISÃO 1 TRANSLATED TO PORTUGUESE. TRADUZIDO PARA O PORTUGUÊS.

Project Services 721 ARBOR WAY, SUITE 100 **BLUE BELL** PENNSYLVANIA 19422 Engineering Design/Build PHONE: 610.828.4090 FAX: 610.828.3656 Compliance

Consulting



IPS Professional Engineers and Architects, PC.

www.ipsdb.com





GENERAL NOTES:/ NOTAS GERAIS:


1. FOR LEGEND, ABBREVIATIONS AND SYMBOL SEE SHEETS 7B-I-0-0-01. PARA LENDA, ABREVIATURAS E SÍMBOLOS VEJA FOLHAS 7B-0-0-0-01. 2. FOR TELECOMMUNICATIONS VoIP&DATA RISER DIAGRAM, SEE SHEET PARA TELECON VOIP&DATA DIAGRAMA, CONSULTE A FOLHA 7B-0-7-01. 3. ALL CONDUIT SHALL BE Ø3/4" UNLESS NOTED OTHERWISE. TODOS ELETRODUTOS SERÃO Ø3/4", SALVO ONDE INDICADO. 4. SUPORTES TO CABLE TRAYS AND CONDUITS SHALL BE PROVIDE TO

EACH 2,00 METERS SUPORTES P/ BANDEJAS, ELETROD. DEVEM SER MONTADOS A CADA 2m 5. ALL TELECOMMUNICATION ETHERNET CABLING BY OWNER'S TELECOMMUNICATION CONTRACTOR. TODOS CABOS DE TELECOMUNICAÇÕES, ETHERNET SERÃO FEITOS PEL CONTRATADA. 6. ALL DIMENSIONS SHALL BE IN MILLIMETERS UNLESS NOTED OTHERWISE. TODAS DIMENSÕES EM MILÍMETROS, SALVO ONDE INDICADAS. 7. MATERIAL LIST SEE DOCUMENT NUMBER PRD-AIC-LIS-023. LISTA DE MATERIAIS CONSULTE DOCUMENTO № PRD-AIC-LIS-023. B. FOR TYPICAL DETAILS SEE DOCUMENT 07-I-0-6-03.

- PARA DETALHES TÍPICOS, CONSULTE O DOCUMENTO № 07-1-0-6-03. 9. TO DRAWING LIST SEE DOCUMENT 7B-I-0-0-01. PARA LISTA DE DESENHOS, VER O DOCUMENTO 7B-I-0-0-01. 10. THE CONDUITS OF THE IT_CCTV SYSTEM DEDICATED TO OPTICAL FIBER MUST BE SHARED, INCLUDING OPTICAL FIBERS FROM THE ACCESS CONTROL AND DOOR INTERLOCK SYSTEM. OS ELETRODUTOS DO SISTEMA IT_CCTV DEDICADO À FIBRA ÓPTICA DEVEM SER COMPARTILHADOS, INCLUINDO FIBRAS ÓPTICAS DO SISTEMA DE CONTROLE DE ACESSO E INTERTRAVAMENTO DE PORTAS. 1. FOR TECHNICAL SPECIFICATION SEE DOCUMENT PRD-AIC-TSP-017. PARA ESPECIFICAÇÃO TÉCNICA CONSULTE DOCUMENTO PRD-AIC-TSP-017.
- 2. FOR THE INSTALLATION OF THE CABLE TRAY CONSIDER THE REFERENCE HEIGHT WITH THE WALKABLE CEILING. PARA A INSTALAÇÃO DA BANDEJA DO CABO CONSIDERE A ALTURA DE REFERÊNCIA COM O TETO CAMINHÁVEL.







CONFIDENTIAL THE INFORMATION CONTAINED HEREIN MAY NOT BE USED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION OF

INTEGRATED PROJECT SERVICES.



BURITI EPCMV PROJECT

DRUG SUBSTANCE TELECOMMUNICATIONS CCTV - FIRST FLOOR

DRAWN BY REVIEWED BY SCALE

7B-I-2-3-24