REMOTE RM-B3012-1

REFERENCES

1. SEE DRAWING 7B-I-0-3-08 - DRUG SUBSTANCE - BMS ARCHITECTURE

NOTES

- 1. POWER SUPPLY (220 VAC @ 60HZ) TO REMOTES PANEL IS SCOPE OF ELECTRIC DISCIPLINE.
- 2. FOR 220 VAC SHALL USE RED MONOPOLAR CABLE AND BLACK MONOPOLAR CABLE RED, SIZE 2.5 MM2. FOR 24 VDC SHALL USE BLUE MONOPOLAR CABLE FOR 24 VDC(+) AND WHITE MONOPOLAR CABLE FOR VDC (-), SIZE 2.5 MM2.
- 3. GENERAL GROUNDING (GND) MUST BE CONNECTED TO GROUNDING BUS IN THE CONTROL PANEL INTERIOR AT BOTTOM OF THE CABINET.
- 4. ELECTRICAL MUST GROUNDING THE FOLLOWING: DOOR, PLATE, AND PANEL.
- 5. USE A SINGLE CONDUCTOR GREEN OR GREEN-YELLOW INSULATION TO CONNECT THE EQUIPMENTS WHITH THE BAR BUS.
- 6. EACH CABLE WITHIN THE CONTROL PANEL SHALL BE PERMANENTLY TAGGED AND IDENTIFIED AT BOTH ENDS.
- 7. FOR ALL TERMINAL BLOCKS NUMBERS AND POINT IDENTIFICATIONS SHALL BE PERMANENTLY MARKED BY MARKING STRIPS ON TERMINAL STRIPS.
- 8. IDENTIFICATION SHALL BE TERMINAL BLOCK NUMBERS AND POINT NUMBERS SHOWN ON THE WIRING DIAGRAMS.
- 9. IS THE CONTRACTOR RESPONSIBILITY TO CONSIDER THE MISCELLANEOUS NECESSARY TO GUARANTEE ALL THE CONNECTIONS AND CORRECT INSTALLATION.

REVISION O NOTES

- 1. UPDATE IN NUMBERS OF THE ALL SHEETS.
- 2. UPDATE IN ITEM DRAWINGS REFERENCE.

REVISION 1 NOTES

1. FIXED THE ADDRESSING OF LINES BETWEEN PAGES.

REVISION 2 NOTES AS PER N+1 UPDATE

1. HIGHLIGHTED TEXT INFORM FUTURE INSTRUMENTS.

| | _ | | | | | |
|---|-----------|--|------------|----------|----------|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 2 | 25APR2022 | ISSUED FOR CONSTRUCTION. UPDATED AS PER NOTES. | AG | MAF | RSP | |
| 1 | 14FEB2022 | ISSUE FOR CONSTRUCTION CONSIDERING COMMENTS | ACC | MAF | RSP | |
| 0 | 30SET2021 | ISSUE FOR CONSTRUCTION | AAS | MAF | RSP | |
| Α | 28MAY2021 | 90% DD ISSUE | AAS | MAF | RSP | |
| | DATE | DESCRIPTION | DRAWING BY | ENGINEER | REVIEWED | |







DRAWING TITLE

DRUG SUBSTANCE BMS - WIRING DIAGRAM

CLIENT NR.

7B-I-0-3-25

2







































