

DRUG SUBSTANCE - TELECOM VoIP&DATA GROUND FLOOR

SCALE: 1:100

REVISION D NOTES / NOTAS REVISÃO D ADDED IT TAG NUMBER ADICIONADO TAG NUMÉRICA NO IT ADDED UTP CABLES FOR IT ADICIONADO CABOS UTP PARA IT RENOMEADA A ELETROCALHA IT CCTV + ACS PARA

REVISION 1 NOTES / NOTAS REVISÃO 1

REVISION 0 NOTES / NOTAS REVISÃO 0

UPDATED TP REVISION 0 ATUALIZADO PARA REVISÃO 0

TRANSLATED TO PORTUGUESE. TRADUZIDO PARA O PORTUGUÊS.

RENAMED CABLE TRAY IT CCTV + ACS TO UTP CABLE TRAY ELETROCALHA UTP

721 ARBOR WAY, SUITE 100 Services PENNSYLVANIA 19422 Engineering PHONE: 610.828.4090 Design/Build

FAX: 610.828.3656 Compliance Consulting www.ipsdb.com IPS Professional Engineers and Architects, PC.

BLUE BELL

REV	DATE	DESCRIPTION	BY	CHECK	API
Α	28AUG2020	90% BD ISSUE	MAV	MAF	MS
В	16OCT2020	FINAL BD ISSUE	MAV	MAF	MS
С	17DEC2020	FINAL BD ISSUE	MAV	MAF	MS
D	03MAI2021	90% DD ISSUE	ACC	MAF	RS
0	08OCT2021	ISSUE FOR CONSTRUCTION	ACC	MAF	RS
1	16NOV2021	ISSUED FOR CONSTRUCTION CONSIDERING COMMENTS	ACC	MAF	RS
<u> </u>					
-					



TODOS ELETRODUTOS SERÃO Ø3/4", SALVO ONDE INDICADO.


FOR LEGEND, ABBREVIATIONS AND SYMBOL SEE SHEETS 7B-I-0-0-01 PARA LENDA, ABREVIATURAS E SÍMBOLOS VEJA FOLHAS 7B-0-0-0-01. FOR TELECOMMUNICATIONS VoIP&DATA RISER DIAGRAM, SEE SHEET PARA TELECON VOIP&DATA DIAGRAMA, CONSULTE A FOLHA 7B-0-7-01. ALL CONDUIT SHALL BE Ø3/4" UNLESS NOTED OTHERWISE.


GENERAL NOTES:/ NOTAS GERAIS:


R. Dr. Cesário Mota Júnior, 424 - Vila Buarque, São Paulo - SP, 01221-020

SUPORTES TO CABLE TRAYS AND CONDUITS SHALL BE PROVIDE TO SUPORTES P/ BANDEJAS, ELETROD. DEVEM SER MONTADOS A CADA 2m ALL TELECOMMUNICATION ETHERNET CABLING BY OWNER'S TELECOMMUNICATION CONTRACTOR. TODOS CABOS DE TELECOMUNICAÇÕES, ETHERNET SERÃO FEITOS PELA ALL DIMENSIONS SHALL BE IN MILLIMETERS UNLESS NOTED OTHERWISE TODAS DIMENSÕES EM MILÍMETROS, SALVO ONDE INDICADAS. MATERIAL LIST SEE DOCUMENT NUMBER PRD-AIC-LIS-039. LISTA DE MATERIAIS CONSULTE DOCUMENTO Nº PRD-AIC-LIS-039. FOR TYPICAL DETAILS SEE DOCUMENT 07-I-0-6-01. PARA DETALHES TÍPICOS, CONSULTE O DOCUMENTO № 07-I-0-6-01.

D. TO DRAWING LIST SEE DOCUMENT 7B-I-0-0-01. PARA LISTA DE DESENHOS, VER O DOCUMENTO 7B-1-0-0-01. MUST BE SHARED, INCLUDING OPTICAL FIBERS FROM THE ACCESS CONTROL AND DOOR INTERLOCK SYSTEM. OS ELETRODUTOS DO SISTEMA IT CCTV DEDICADO À FIBRA ÓPTICA DEVEM SER COMPARTILHADOS, INCLUINDO FIBRAS ÓPTICAS DO SISTEMA DE CONTROLE DE ACESSO E INTERTRAVAMENTO DE PORTAS. . FOR TECHNICAL SPECIFICATION SEE DOCUMENT PRD-AIC-TSP-003. PARA ESPECIFICAÇÃO TÉCNICA CONSULTE DOCUMENTO







CONFIDENTIAL

THE INFORMATION CONTAINED HEREIN MAY NOT BE USED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION OF INTEGRATED PROJECT SERVICES.



BURITI EPCMV PROJECT

XREF FILE(S)

DRUG SUBSTANCE TELECOM VoIP&DATA -GROUND FLOOR

ITD19439.01 DRAWN BY REVIEWED BY SCALE AS NOTED

DRAWING NUMBER

7B-I-1-3-10