Computer Engineering 171 Homework 4: Logic Programming

Due: June 6th at 9:00 am

In this assignment, you will write programs in Prolog, a logic programming language. Use the Linux machines in the Computing Center for this project. The Prolog interpreter is gprolog. Choose any two of the following three programs.

1 Quicksort

In Prolog, write a program to sort a list using the *quicksort* sorting algorithm discussed previously. Call this program sort.pro and submit it using Camino. Your program should contain at least the following relations:

quicksort(X,Y): Succeeds if Y can be unified with a list containing the sorted elements of X.

Goal: To gain experience with list processing in a logical language.

Hints: Write a relation partition that partitions a list into two lists, one containing the elements below the pivot element, and another containing the elements above the pivot element.

2 Binary Search Trees

As in the first assignment, a **binary search tree** is either empty, or it consists of a node with two binary search trees as subtrees. Each node holds an integer. In Prolog, write a program to implement binary search trees. Call your program tree.pro and submit it using Camino. Your program should contain at least the following relations:

- insert (X,Y,Z): Succeeds if Z can be unified to a tree that is the result of inserting the value X into Y.
- exists(X,Y): Succeeds if the integer value X is present in the tree Y.

Goal: To represent structures as terms in Prolog.

Hints: A tree node can be represented using terms such as node/3 and empty/0.

3 The 8-Queens Problem

Write a Prolog program to solve the **8-queens problem** from the second assignment. Your program should be capable of backtracking so that all possible solutions can be generated. Call this program queens.pro and submit it using Camino. Your program should contain at least the following relations:

• queens (X): Succeeds if X can be unified to a chessboard containing a solution to problem of placing eight queens on the board such that no queen can attack another.

Goal: To learn how backtracking works in Prolog.

Hints: Represent the board as a list of positions. Each position is a term consisting of the row and column number of a queen such as R/C or piece(R,C). Since each queen must be placed in a different row, unify each row variable with its row number so that you need only solve for the column number.