Model comparison

Francisco Rodríguez-Sánchez

https://frodriguezsanchez.net

Trees dataset

```
trees <- read.csv("data/trees.csv")
head(trees)</pre>
```

```
      site
      dbh
      height
      sex
      dead

      1
      4
      29.68
      36.1
      male
      0

      2
      5
      33.29
      42.3
      male
      0

      3
      2
      28.03
      41.9
      female
      0

      4
      5
      39.86
      46.5
      female
      0

      5
      1
      47.94
      43.9
      female
      0

      6
      1
      10.82
      26.2
      male
      0
```

Four models

```
m1 <- lm(height ~ dbh, data = trees)

m2 <- lm(height ~ sex, data = trees)

m3 <- lm(height ~ site, data = trees)

m4 <- lm(height ~ site*dbh, data = trees)</pre>
```

Compare model performance


```
library("performance")
compare_performance(m1, m2, m3, m4)
```

Comparison of Model Performance Indices

Name	I	Model	1	AIC	I	BIC	I	R2	1	R2	(adj.)	I	RMSE	Sigma
m1		lm	1	5660.250		5674.973	1	0.787	1		0.787	1	4.089	4.093
m2		lm	1	7206.145		7220.868		0.002	1		0.001		8.856	8.865
m3		lm	1	7117.264		7171.250		0.102	1		0.093		8.404	8.446
m4		lm	1	5084.253		5187.316		0.885	1		0.882		3.011	3.041

Compare model performance

```
library("see")
plot(compare_performance(m1, m2, m3, m4))
```



Compare parameters

```
library("parameters")
compare_parameters(m1, m2, m3, m4)
```

Parameter	I	m1	I		m2	I			m3	I			m4
(Intercept)	19.34 (1	8.73, 19.95)	36.93	(36.15,	37.71)	ı	33.84	(33.00,	34.68)	I	16.36 (15	5.65,	17.07)
dbh	0.62 (0.60, 0.64)	l								0.63 (0.61,	0.65)
sex (male)			-0.84	(-1.94,	0.26)	1							
site (5)	I		l				4.37	(2.52,	6.22)		3.92 (2	2.21,	5.63)
site (2)			l			1	6.34	(4.94,	7.74)		7.68 (6.49,	8.88)
site (3)	I		l				5.00	(3.07,	6.93)		4.52 (2	2.82,	6.22)
site (4)			l			1	0.53	(-1.40,	2.47)		2.77 (1	1.17,	4.37)
site (9)	I		l				9.17	(3.25,	15.09)		2.62 (-7	7.34,	12.58)
site (6)			l			1	4.76	(2.46,	7.06)		4.16 (2	2.17,	6.14)
site (7)	I		l				-0.74	(-4.37,	2.89)		-2.31 (-5	5.35,	0.74)
site (8)			l			1	-0.68	(-5.54,	4.17)		-2.62 (-10	0.64,	5.41)
site (10)	I		l				-0.58	(-8.04,	6.88)		4.66 (-1	1.21,	10.53)
site (3) * dbh			l			1				-	-6.03e-03 (-0	0.06,	0.05)
site (4) * dbh			l			1					-0.03 (-0	0.09,	0.02)
site (5) * dbh			l			1					-0.01 (-0	0.06,	0.04)
site (2) * dbh			l			1					-0.04 (-0	0.08,	0.00)
site $(7) * dbh$	I		l								0.08 (-0	0.02,	0.18)
site (8) * dbh	I		l								-0.08 (-0	0.30,	0.14)
site (9) * dbh			l			1					0.08 (-0	0.21,	0.37)
site (6) * dbh			l			1					1.34e-03 (-0	0.06,	0.06)
site (10) * dbh	1		l							I	-0.10 (-0	0.33,	0.12)
Observations		1000			1000	ı			1000				1000

Compare parameters

```
library("parameters")
plot(compare_parameters(m1, m2, m3, m4))
```

