
GLM as a unified framework for data analysis

Francisco Rodríguez-Sánchez

https://frodriguezsanchez.net

How I was taught statistics



• Why should we really use analysis Y over Z?

- Why should we really use analysis Y over Z?
- $\boldsymbol{\cdot}$ What if my data are **not Normal**?

- Why should we really use analysis Y over Z?
- · What if my data are **not Normal**?
- What if they are not independent?


- Why should we really use analysis Y over Z?
- What if my data are not Normal?
- What if they are not independent?
- Why am I getting different p-values with different tests?

- Why should we really use analysis Y over Z?
- What if my data are not Normal?
- What if they are not independent?
- Why am I getting different p-values with different tests?
- What even is a p-value?


- Why should we really use analysis Y over Z?
- What if my data are not Normal?
- What if they are not independent?
- Why am I getting different p-values with different tests?
- What even is a p-value?
- · How can I take different factors into account?

- Why should we really use analysis Y over Z?
- What if my data are not Normal?
- What if they are not independent?
- Why am I getting different p-values with different tests?
- What even is a p-value?
- How can I take different factors into account?
- · Can I make predictions?


A unified framework



Linear regression




Is predictor X qualitative?



More than 2 groups?


$$y = a + bx_2 + cx_3$$



7

My data (residuals) are not Normal


$$y = f(a + bx)$$




My data are structured (space, time, phylogeny)

$$y = f(a + bx + \eta)$$

Relationships are not linear





t-tests

ANOVA

regression

•

are special cases of GLM

With GLM we can analyse many different types of data using many predictors (quantitative & qualitative)

GLMM (mixed models): accommodate data structure
 & variation (space, time, phylogeny)

- GLMM (mixed models): accommodate data structure
 & variation (space, time, phylogeny)
- GAMM (generalised additive models): non-linear relationships

- GLMM (mixed models): accommodate data structure
 & variation (space, time, phylogeny)
- GAMM (generalised additive models): non-linear relationships
- · Model-based multivariate statistics

- GLMM (mixed models): accommodate data structure
 & variation (space, time, phylogeny)
- GAMM (generalised additive models): non-linear relationships
- Model-based multivariate statistics
- · Bayesian modelling