
# Descriptive statistics



# Graph your estimates

hist(age)





► Central tendency / location



- ► Central tendency / location
  - mean:  $\frac{a_1 + a_2 + a_3}{n}$



- ► Central tendency / location

  - ► mean:  $\frac{a_1 + a_2 + a_3}{n}$ ► median (50% percentile)



- ► Central tendency / location

  - ► mean:  $\frac{a_1 + a_2 + a_3}{n}$ ► median (50% percentile)
  - mode (most frequent value)



- ► Central tendency / location

  - ► mean:  $\frac{a_1 + a_2 + a_3}{n}$ ► median (50% percentile)
  - mode (most frequent value)
- ► Variation / Spread



- Central tendency / location

  - ► mean:  $\frac{a_1 + a_2 + a_3}{n}$ ► median (50% percentile)
  - mode (most frequent value)
- ► Variation / Spread
  - min, max, range



- Central tendency / location

  - ► mean:  $\frac{a_1 + a_2 + a_3}{n}$ ► median (50% percentile)
  - mode (most frequent value)
- Variation / Spread
  - min, max, range
  - quantiles (quartiles, percentiles...)



- Central tendency / location

  - ▶ mean:  $\frac{a_1 + a_2 + a_3}{n}$ ▶ median (50% percentile)
  - mode (most frequent value)
- Variation / Spread
  - min, max, range
  - quantiles (quartiles, percentiles...)
  - standard deviation:  $SD = \sqrt{\frac{\sum (x \mu)^2}{n}}$



#### Central tendency / location

- ▶ mean:  $\frac{a_1 + a_2 + a_3}{n}$ ▶ median (50% percentile)
- mode (most frequent value)

#### Variation / Spread

- min, max, range
- quantiles (quartiles, percentiles...)
- standard deviation:  $SD = \sqrt{\frac{\sum (x \mu)^2}{n 1}}$ standard error:  $SEM = \frac{SD}{\sqrt{n}}$



#### Central tendency / location

- ▶ mean:  $\frac{a_1 + a_2 + a_3}{n}$ ▶ median (50% percentile)
- mode (most frequent value)

#### Variation / Spread

- min, max, range
- quantiles (quartiles, percentiles...)
- ► standard deviation:  $SD = \sqrt{\frac{\sum (x \mu)^2}{n 1}}$ ► standard error:  $SEM = \frac{SD}{\sqrt{n}}$
- coefficient of variation (CV = SD / mean)





#### Central tendency / location


- ▶ mean:  $\frac{a_1 + a_2 + a_3}{n}$ ▶ median (50% percentile)
- mode (most frequent value)

#### Variation / Spread


- min, max, range
- quantiles (quartiles, percentiles...)
- ► standard deviation:  $SD = \sqrt{\frac{\sum (x \mu)^2}{n 1}}$ ► standard error:  $SEM = \frac{SD}{\sqrt{n}}$
- coefficient of variation (CV = SD / mean)
- confidence intervals









- SD quantifies scatter in population
- SEM quantifies uncertainty in parameter estimate (population mean)
- ► SEM = SD/sqrt(n)






- SD quantifies scatter in population
- SEM quantifies uncertainty in parameter estimate (population mean)
- ightharpoonup SEM = SD/sqrt(n)
- SEM decreases with sample size (mean better known), SD does not.



- SD quantifies scatter in population
- SEM quantifies uncertainty in parameter estimate (population mean)
- ➤ SEM = SD/sqrt(n)
- SEM decreases with sample size (mean better known), SD does not.
- https://gallery.shinyapps.io/ sampling\_and\_stderr/

## In a Normal distribution



# What statistical descriptors are best? (and why)

https://pollev.com/franciscorod726

