

Feature			Scer	nario			Step		
Name	Duration	T	P	F	S	T	P	F	S
Administrator - Application Questions.	45.252 s	1	0	1	0	6	3	1	2

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Administrator - Application Questions.	Verify the Create Questions in Application Questions


TAG		Scer	nario		Feature				
Name	Т	P	F	S	Т	P	F	S	
@Test:ApplicationQuestions001	1	0	1	0	1	0	1	0	
@CreateQuestions	1	0	1	0	1	0	1	0	
@TestName:CreateQuestion	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	Administrator - Application Questions.	1	0	1	0	45.252 s	

SCENARIOS SUMMARY -- 6



#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	Administrator - Application Questions.	Verify the Create Questions in Application Questions	6	3	1	2	45.243 s	

DETAILED SECTION -- 7 --

## **Administrator - Application Questions.**

FAILED	DURATION - 45.252 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 7:42:33.693 PM	// 7:43:18.945 PM /	Pass - 0	1	Pass - 3	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

## **Verify the Create Questions in Application Questions**

FAILED DURATION - 45.243 s					•	- 1		Steps	
/ 7:42:33.702 PM // 7:43:18.945 PM /	20 -							Total - 6 Pass - 3	
Administrator - Application Questions.	10 -			<u>-                                 </u>				Fail - 1	6
@Test:ApplicationQuestions001 @CreateQuestions @TestName:CreateQuestion	0 -		_					Skip - 2	
- <u>-</u>		1	2	3	4	5	6		

#	Step / Hook Details	Status	Duration
1	Given Read the testdata "TC_ADMS_AQ_001" "SISQA.xlsx" "ApplicationQuestions"	PASSED	3.941 s
2	Given the user logs in with valid credentials "administrator"	PASSED	3.302 s
3	When the user navigates to the "Screen" screen	PASSED	9.439 s
4	When user click on GO & Create button.	FAILED	28.220 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //span[text()='Create']' (tried for 20 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at common.Wait.elementToBeClickable(Wait.java:29) at com.cucumber.pages.CommonElements.clickCreatebutton(CommonElements.java:126) at com.cucumber.steps.AppquestionStepDef.user_click_on_go_create_button(AppquestionStepDef.java:17) at ?.user click on GO & Create button.(file:///C:/Users/PakkiraReddyYatam/git/Automation_BDD_Framework/Automation_BDD_Framework/src/test/resources/features/ApplicationQuestion.feature:11) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//span[text()='Create']"} (Session info: chrome=131.0.6778.265) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.13' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [e51d5ea3caadee06a8c0711aa49a169f, findElement {using=xpath, value=//span[text()='Create']}]		

#	Step / Hook Details	Status	Duration
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.265, chrome: {chromedriverVersion: 131.0.6778.264 (2d05e315153, userDataDir: C:\Users\PAKKIR~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54359}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54359/devtoo, se:cdpVersion: 131.0.6778.265, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoadStrategy: normal platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54359/devtoo, se:cdpVersion: 131.0.6778.265, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoadStrategy: normal platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54359/devtoo, se:cdpVersion: 131.0.6778.265, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoadStrategy: normal platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54359/devtoo, se:cdpVersion: 131.0.6778.265, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoadStrategy: normal platformName: windows proxy: Proxy(), se:cdp: ws://localhost:54359/devtoo, se:cdpVersion: 131.0.6778.265, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoadStrategy: normal platformName: windows proxy: pageLoadStrategy: normal platformName: windows platformName: win		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:prf: true, webauthn:ext		
	true} Session ID: e51d5ea3caadee06a8c0711aa49a169f		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy34.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at common.Wait.elementToBeClickable(Wait.java:29)		
	at com.cucumber.pages.CommonElements.clickCreatebutton(CommonElements.java:126)		
	at com.cucumber.steps.AppquestionStepDef.user_click_on_go_create_button(AppquestionStepDef.java:17)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.cucumber.steps.CommonSetpdef.tearDown(io.cucumber.java.Scenario)	PASSED	0.315 s
	20		
	Responsive Id     Comment		
5	And user enter and select the "Question" "Question_type" "Answers" in Create Questions	SKIPPED	0.002 s
6	And click on create button	SKIPPED	0.000 s