CS 532: Assignment 2

Dinesh Kumar Paladhi

Spring 2016

Contents

1	Proble	m 1					
	1.1	Solution					
	1.2	Code Listing					
	1.3	Results					
2	Proble	m 2					
	2.1	Solution					
	2.2	Code Listing					
	2.3	Results					
3	Problem 3						
	3.1	Solution					
	3.2	Code Listing					
	3.3	Results					

1 Problem 1

- 1. Write a Python program that extracts 1000 unique links from Twitter. You might want to take a look at:
 - http://thomassileo.com/blog/2013/01/25/using-twitter-rest-api-v1-dot-1-with-python/
- 2. But there are many other similar resources available on the web. Note that only Twitter API 1.1 is currently available; version 1 code will no longer work.
- 3. Also note that you need to verify that the final target URI (i.e., the one that responds with a 200) is unique. You could have different shortened URIs for www.cnn.com (t.co, bit.ly, goo.gl, etc.).
- 4. You might want to use the search feature to find URIs, or you can pull them from the feed of someone famous (e.g., Tim O'Reilly).
 - Hold on to this collection we'll use it later throughout the semester.

1.1 Solution

Extracting 1000 unique links from Twitter was more complex endeavor than expected.

The following steps were taken in order to get the links

- 1. I did not know where to start, so first i referenced the link provided in the question. This link gave me good idea on how to solve the problem.
- 2. I got to know that we need to create an app in "https://apps.twitter.com/" and then from there i can get my keys in order to hit twitter and get urls.
- 3. I wrote the code such that i can search for some key words in all the tweets in twitter and get only those tweets which have my key word.
- 4. This Key word should be given every single time through command prompt and i have queried Subway, Walmart, Trump, McDonalds and Old Dominion to get 1000 urls.
- 5. I extracted each url using urllib library and saved urls which return status-code as 200 OK.
- 6. I have had a counter to count my urls and i saved the twitter id, tweet creation date, tweet text and the urls.
- 7. I preferred to store these files in json format so that it will be well structured and can be easily used in future.
- 8. I had gone through a lot of problems with the first program for writing data into json file.
- 9. There were many other errors coming and i managed to resolve few of those with the help of except block.
- 10. Results of my python code are shown below. The output is in the json format.

1.2 Code Listing

Here is the python code that is used to collect Thousand URL's from twitter.

```
# I have queried subway, walmart, trump, McDonalds, Old Dominion
       import urllib
 3
       import json
  4
       import tweepy
  5
        import sys
       import time
 6
  7
       ACCESS\_TOKEN = \ '118623489 - QsSuqItzx8cnReRHI67ylffqpOPNs7z4Qp8hcOil' \ \ \# \ Variables \ \ that
 8
                 contains the user credentials to access Twitter API
        ACCESS_SECRET = 'PAPovgDO6QPy9QV8BbllM8p2MGWrcLLD8pesMHjXxTEMl'
 9
       CONSUMER_KEY = 'wxSZ8GSC7aRC7dAsM3m7UqgIg'
10
       \label{eq:consumer_secret} {\tt CONSUMER\_SECRET = 'HuauQk780HuKWyQky9e4J6QM1DlwVxHXuvrLbgHGWhkmRXlvE4'} \\ {\tt CONSUMER\_SECRET = 'HuauQk780HuKWyQky9e4J6QM1DlwWxhXuvrLbgHGWhkmRXlvE4'} \\ {\tt CONSUMER\_SECRET = 'HuauQk780HuKWyQky9e4J6QM1DlwWxhXuvrLbgHGWhkmRXlvE4'' \\ {\tt CONSUMER\_SECRET = 'HuauQk780HuKWyQky9e4J6QM1DlwWxhXuvrLbgHGWhkmRXlvE4'' \\ {\tt CONSUMER\_SECRET = 'HuauQk780HuKWyQky9e4J6QM1DlwWxhXuvrLbgHGWhkwyQky9e4J6QM1DlwWxhXuvrLbgHgWhkwyQky9e4J6QM1DlwWxhXuvrLbgHgWhkwyQky9e4J6QM1DlwWxhXuvrLbgHgWhkwyQky9e4J6QM1DlwWxhXuvrLbgHgWhkwyQky9e4J6QM1DlwWxhXuvrLbgHgWhkwyQky9e4J6QM1DlwWxhXuvrLbgHgWhkwyQky9e4J6QM1DlwWxhXuvrLbgHgWhkwyQky9e4J6QM1DlwWxhXuvrLbgHgWhkwyQky9e4J6QM1DlwWxyQky9e4J6QM1DlwWxyQky9e4J6QM1DlwWxyQky9e4J6QM1DlwWxyQky9e4J6QM1DlwWxy
11
12
        i = 0
13
        auth = tweepy.OAuthHandler(CONSUMER_KEY, CONSUMER_SECRET)
                                                                                                                                          \#Authentication is handled by
14
                 the tweepy. AuthHandler class
        \verb"auth.set_access_token" (ACCESS\_TOKEN, ACCESS\_SECRET)"
15
16
17
18
        api = tweepy.API(auth) # Construct the API instance
19
20
        var=sys.argv[1]
                                                                                                                                                                    \#Takes\ input\ from
                command\ prompt
21
        list_of_urls=set()
                                                                                               #declaring url list as set to avoid duplicate url's
        output_file=open(',my_json_data', 'a')
22
        Final_results = tweepy.Cursor(api.search,q=var).items()
24
        while True:
25
                         try:
26
                                           status = Final_results.next()
27
                                           element=status._json
                                           one_element={} # below code is to write data into json format
28
29
30
                                           i=i+1
31
                                           for url in element ['entities'] ['urls']: # to get url's from each tweet
                                                             if len(list_of_urls) == 1000: #url count
32
33
                                                             else:
34
                                                                              response=urllib.urlopen(url['url'])
35
36
                                                                              final_url=response.url
                                                                              print response.getcode()
37
38
                                                                              print final_url
39
                                                                              print len(list_of_urls)
40
                                                                              if response.getcode()==200: #checking where status code is
                                                                                      200 or not
41
                                                                                               if final_url in list_of_urls:
42
                                                                                                                break
43
                                                                                               else:
44
                                                                                                                one_element['tweet_id'] = element['id_str']
                                                                                                                           #storing tweet id and date of creation
                                                                                                                         of it in json file
                                                                                                                one_element['date_of_creation'] = element['
45
                                                                                                                         user']['created_at']
46
                                                                                                                list_of_urls.add(final_url)
                                                                                                                one_element['url']=final_url
47
                                                                                                                output_file.write(json.dumps(one_element)+'\
48
                                                                                                                         n') #adding each element into json file
49
                                           if len(list_of_urls) == 1000: #url count
50
51
                                                            break
52
                          except tweepy. TweepError:
53
                                           time.sleep (60 * 1)
54
                          continue
55
        print len(list_of_urls)
```

Listing 1: Python program for acquiring 1000 unique links for a given keyword

1.3 Results

```
["date_of_creation": "Wed Jun 17 06:30:38 +0000 2009", "tweet_id": "696771908373770241", "url": "https://www.swarmapp.com/c/idwSEHCELii")
("date_of_creation": "Sat Jun 22 18:33:53 +0000 2013", "tweet_id": "69677191083479261", "url": "https://www.swarmapp.com/c/idwSEHCELii")
("date_of_creation": "Wed Jun 17 06:30:38 +0000 2011", "tweet_id": "6967719108479261", "url": "https://www.swarmapp.com/c/IdwSEHCELii")
("date_of_creation": "Bun 30 14:48:28 +0000 2001", "tweet_id": "69677108184370", "url": "https://www.swarmapp.com/c/IdwSeHCELii")
("date_of_creation": "Bun 30 14:48:28 +0000 2001", "tweet_id": "6967710818181053440", "url": "https://www.swarmapp.com/c/IdwSeHCELii")
("date_of_creation": "Wed_Jun 17 06:30:38 +0000 2015", "tweet_id": "696770093004586495", "url": "https://www.swarmapp.com/c/IdwSeHCELii")
("date_of_creation": "Wed_Jun 17 06:30:38 +0000 2015", "tweet_id": "696770093004586495", "url": "https://www.swarmapp.com/c/JunJidscar/Itype="" date_of_creation": "Wed_Jun 17 06:30:38 +0000 2015", "tweet_id": "696769898053516800", "url": "https://www.swarmapp.com/c/JunJidscar/Itype="" date_of_creation": "Wed_Jun 17 06:30:38 +0000 2015", "tweet_id": "69676989805638370", "url": "https://www.swarmapp.com/c/JunJidscar/Itype="" date_of_creation": "Wed_Jun 17 06:30:38 +0000 2015", "tweet_id": "696769898656443300", "url": "https://www.swarmapp.com/c/JunJidscar/Itype="" date_of_creation": "Wed_Jun 17 06:30:38 +0000 2015", "tweet_id": "696769898656443300", "url": "https://www.swarmapp.com/c/JunJidscar/Itype="" date_of_creation": "Wed_feb_15 23:23:29 +0000 2012", "tweet_id": "696769898656443300", "url": "https://www.swarmapp.com/c/JunJidscar/Itype="" date_of_creation": "Wed_feb_15 23:23:29 +0000 2012", "tweet_id": "696769958676443300", "url": "https://www.swarmapp.com/c/JunJidscar/Itype="" date_of_creation": "Wed_feb_15 23:23:29 +0000 2015", "tweet_id": "696769958676443300", "url": "https://www.swarmapp.com/c/JunJidscar/Itype="" date_of_creation": "Wed_feb_15 23:23:20 +0000 2015", "tweet_id": "696769958676443300", "url": "
```

Figure 1: Sample Url's

2 Problem 2

Download the TimeMaps for each of the target URIs. We'll use the ODU Memento Aggregator, so for example:

URI-R = http://www.cs.odu.edu/

URI-T = http://mementoproxy.cs.odu.edu/aggr/timemap/link/1/http://www.cs.odu.edu/

Create a histogram* of URIs vs. number of Mementos (as computed from the TimeMaps). For example, 100 URIs with 0 Mementos, 300 URIs with 1 Memento, 400 URIs with 2 Mementos, etc.

* = https://en.wikipedia.org/wiki/Histogram

2.1 Solution

- 1. First i played with the memento aggregator in the command prompt and i was getting timemaps for each url and i found mementos in each time map.
- 2. Now i got to know what to do so i started to write a python code to calculate mementos with urls given as input.
- 3. I got a lot of errors and had a hard time working with those. So,I was searching for any other way to find the mementos.
- 4. I took the URI-T and pasted it in the browser and ran it. Surprisingly a file downloaded and i opened it in notepad++ and was happy to see all the time maps in it.
- 5. So now i switched to this method and used urllib library to run all the urls in the browser and got their respective time maps.
- 6. I got 404 error for some URI's which indicated that they have no mementos. I had written one function called getmementos(url) in my code to get urls having mementos.
- 7. Now my next task was to find and count the number of mementos. I used regular expression which finds all the expressions like rel=mementos,rel=first memento and rel=memento last from the time maps..
- 8. I ran a for loop and counted the number of mementos for each url and saved the url and number of mementos in json format.
- 9. I observed that out of 1000 only 177 urls had 1 or more mementos and remaining 823 urls had 0 mementos.
- 10. I wrote code to get 3 output files, one with urls and number of mementos, one csv file only with the number of mementos which is used to give input to R and one json file with urls and number of mementos where number of mementos is greater than zero.
- 11. The last file is used to give input to the third question because we need to calculate age for only those urls which have mementos greater than or equal to one.

2.2 Code Listing

Code for counting mementos for each url

```
import re
 1
 2
    import urllib2
 3
    import json
 4
    import sys
5
 6
    def getmementos (url):
             mem_prefix = 'http://mementoproxy.cs.odu.edu/aggr/timemap/link/1/' + url
7
                 aggregator is concatenated with the url for which mementos should be found out
 8
                      response = urllib2.urlopen(mem_prefix)
 9
10
                      time_map = response.read()
             except urllib2.HTTPError:
11
12
                      time_map = None
13
             return time_map
14
    find_memento = re.compile(r'rel.*?=.*?"memento".*?') # To find memento using regular
15
         expression
    my_urls = open('my_json_data', 'r+') #This file contains 1000 urls their tweets, tweet ids
16
        and created dates
    output_file = open('mem_and_links.json','a') # This file stores number of mementos for each
17
18
    output_file2 = open('only_count.csv', 'a')
    output_file_carbon = open('mem_grt0.json', 'a')
19
20
    one_element={}
21
    count_of_mems = [] #array is created to store count
    for line in my_urls.readlines(): #reads line by line
22
23
             each_line = json.loads(line)
24
             url = each_line['url']
25
             memento_data = getmementos(url)
26
27
             \#print\ memento\_data
28
             if memento_data == 'Null':
29
                      count = 0
                      one_element['num_of_mems'] = count
one_element['url'] = url
30
31
32
                      output_file.write(json.dumps(one_element)+'\n') #adding each element into
                          json file
33
                      \#print\ count,"
                                         ", url
34
             else:
                      \mathtt{count} = \mathbf{len} ( \mathtt{find\_memento.findall} ( \mathbf{str} ( \mathtt{memento\_data} ) ) ) \ \textit{\#forms an array where} \ \textit{"}
35
                          memento"" is found and finds the length of that array
36
                      \# a=find\_memento.findall(str(memento\_data))
37
                      \# print a
                      one_element['num_of_mems'] = count
one_element['url'] = url
38
39
40
                      output_file.write(json.dumps(one_element)+'\n') #adding each element into
                          json file
                      output_file2.write("%s\n" % (count))
41
42
                      if one_element['num_of_mems'] != 0:
                               output_file_carbon.write(json.dumps(one_element)+'\n') # for getting
43
                                     urls and mementos for mementos > 0
                      \#output\_file2. write(' \setminus r \setminus n')
44
45
                      #print count,"
                                        ", url
    output_file.close()
46
    output_file2.close()
47
48
    output_file_carbon.close()
```

Listing 2: Python program for counting mementos

R code for histogram

```
1
 2
     R version 3.2.3 (2015-12-10) -- "Wooden Christmas-Tree"
 3
     Copyright (C) 2015 The R Foundation for Statistical Computing
     Platform: i386-w64-mingw32/i386 (32-bit)
 4
     R is free software and comes with ABSOLUTELY NO WARRANTY.
 6
 7
     You are welcome to redistribute it under certain conditions.
 8
     Type 'license()' or 'licence()' for distribution details.
 9
        Natural language support but running in an English locale
10
11
     {f R} is a collaborative project with many contributors. Type 'contributors()' for more information and
12
13
      'citation()' on how to cite R or R packages in publications.
14
15
     Type 'demo()' for some demos, 'help()' for on-line help, or
16
17
      'help.start()' for an HTML browser interface to help.
18
     Type 'q()' to quit R.
19
20
     > hist_mementos = scan("only_count.csv")
21
     Read 1000 items
     > \mathbf{hist} \, (\, \mathbf{hist} \, \_ mementos \, , \, x \, lab = \, "Number \, of \, \, Mementos" \, \, , \, \, y \, lab = \, "Number \, of \, \, URI's" \, , main \, = "Histogram \, of \, momento/URI's" \, , y \, lim = \mathbf{c} \, (\, 0 \, , 800) \, \, , \, las = 1, \mathbf{col} = 3)
     > \mathbf{hist} \, (\, \mathbf{hist} \, \_\mathbf{mementos} \, , \, \mathbf{xlab} = \, "\, \mathbf{Number} \  \, \mathbf{of} \  \, \mathbf{Mementos} " \, \, , \, \, \, \mathbf{ylab} = \, "\, \mathbf{Number} \  \, \mathbf{of} \  \, \mathbf{URI's} \, " \, , \mathbf{main} \, = "\, \mathbf{Histogram} \, )
23
            of momento/URI's", x \lim_{c \to c} (0,150), y \lim_{c \to c} (0,200), las=1, breaks=100000, col=3)
24
```

Listing 3: R program for generating the histograms for Question 2

- 1. I had gone through the R tutorial once before plotting histogram with this data.
- 2. Then i passed my mementos count to R. Code used for R is shown above.
- 3. Histogram takes only one input and the frequency of the input is automatically taken on y-axis.
- 4. My first histogram graph is shown below. This graph shows that more than 800 urls have 0 mementos and very small number of urls have 1 or more mementos.
- 5. I wanted to elaborate this graph to show the number of urls that have greater than or equal to 1 memento. So, I scaled the histogram.
- 6. X-axis is scaled from 0 to 150 using xlim and y-axis is scaled from 0 to 200 using ylim. This graph is shown below and named as Histogram 2.

2.3 Results

Output for the getting mementos

```
("url": "http://www.iheartthemart.com/hamilton-beach-3-5-quart-orbital-stand-mixer-only-45-97/?utm_source=feedblitz&utm_medium=1
("url": "https://twitter.com/dcjohnson/status/696786613750267905", "num_of_mems": 0)
""url": "http://www.couponingtodisney.com/couponing-walmart-deals-air-wick-breathe-right-old-el-paso/", "num_of_mems": 0}
("url": "https://www.facebook.com/photo.php?fbid=1118527994853932", "num_of_mems": 26)
("url": "https://twitter.com/chanelvswalmart/status/693848742571696129", "num_of_mems": 0}
("url": "http://www.harpseals.org/help/letters and emails/wal-mart email.php", "num of mems": 0
("url": "https://twitter.com/JeanetteJing/status/670503379815243776", "num_of_mems": 0)
["url": "http://www.ascendingbutterfly.com/2016/02/jennycraig-5-day-weight-loss-starter.html?platform=hootsuite", "num_of_mems"
("url": "https://www.dealighted.com/main/page/comment/Fisher_Price_Brilliant_Basics_Stack_and_Roll_Cups_5_07_Free_store_pickup |
("url": "https://vine.co/v/ObAt76XXaTq", "num_of_mems": 0)
("url": "https://www.google.com/url?rct=j&sa=t&url=http%3A%2F%2Fabcl3.com%2Fnews%2Fbaytown-police-thieves-worked-as-team-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-steam-to-s
("url": "http://poshonabudget.com/2016/01/walmart-100-giveaway-event.html", "num of mems": 0
 "url": "http://www.dailykos.com/story/2016/2/6/1480842/-Bernie-Sanders-slams-Walmart-as-a-welfare-recipient", "num_of_mems": 0
 {"url": "http://www.gomplaces.com/", "num_of_mems": 32}
("url": "https://amp.twimg.com/v/04f9015b-a8a1-4f0e-9503-217af6585e4d", "num_of_mems": 0)
("url": "https://www.washingtonpost.com/news/wonk/wp/2016/02/05/what-happens-to-a-tiny-town-when-walmart-disappears/", "num_of_1
("url": "http://www.walmart.com/browse/super-bowl-50-champions-denver-broncos/0/0/? refineresult=true& be shelf id=4418&search;
("url": "http://www.americanthinker.com/articles/2015/11/sanctuary city fan to be walmart greeter at border.html", "num of mems
("url": "http://www.surveygizmo.com/s3/2521175/NRPA-Walmart-Foundation-2016-Out-of-School-Time-Programs-Grant-Application", "nu
("url": "https://www.instagram.com/p/BBib73itnIX/", "num_of_mems": 0}
("url": "https://practicalfrugality.com/love-is-in-the-air/", "num_of_mems": 0}
("url": "https://twitter.com/chanelvswalmart/status/693890306098470912", "num_of_mems": 0}
("url": "http://www.forbes.com/sites/clareoconnor/2016/01/26/walmart-pepsi-coca-cola-nestle-donate-6-5m-bottles-of-water-to-fli
("url": "http://abc13.com/news/baytown-police-thieves-worked-as-team-to-steal-electronics-from-walmart/1192102/", "num of mems
("url": "http://tpankuch.com/2016/02/hugs-and-kisses-giveaway-hop/", "num_of_mems": 0)
("url": "http://www.huffingtonpost.ca/2016/02/03/walmart-canada-expands-grocery-pickup-service-in-toronto-area_n_9149698.html?p.
{"url": "https://www.youtube.com/watch?v=yZC2a1-smWI", "num_of_mems": 16}
{"url": "http://www.royaldraw.com/WIN-a-50-Walmart-Gift-Card-D2467?rcsrc=YXV0b1R3ZWV0", "num_of_mems": 0}
"url": "http://tpankuch.com/2016/01/bmn-loves-giveaways-event-hop-215/", "num_of_mems": 0}
["url": "https://www.swarmapp.com/c/d0kTlxXigP7", "num_of_mems": 0}
("url": "http://www.amazon.ca/Pepperidge-Farm-Goldfish-Crackers-18-Count/dp/B00HKKJKCC", "num of mems": 1
("url": "http://aubainesenligne.blogspot.ca/2016/02/mini-craquelins-au-cheddar-goldfish-de.html", "num_of_mems": 0}
("url": "http://www.walmart.com/ip/Cool-Baker-Magic-Mixer-Maker-Pink/38475255", "num_of_mems": 4)
```

Figure 2: Links along with the number of mementos

Urls with Mementos greater Zero

```
{"url": "http://www.gomplaces.com/", "num of mems": 32}
{"url": "http://www.theverge.com/2016/2/8/10938038/subspotting-app-nyc-subway-wireless-cell-se
{"url": "https://www.sfmta.com/projects-planning/projects/19th-avenue-m-ocean-view-project",
"url": "http://www.latimes.com/opinion/livable-city/la-ol-crenshaw-beverly-hills-takes-metro-
{"url": "http://www.dailymail.co.uk/news/article-3437278/Shut-told-shut-Shocking-moment-angry
{"url": "http://KaleyKade.com", "num of mems": 15}
{"url": "http://nypost.com/2016/02/07/cops-cuff-red-haired-robbery-suspect-sprawled-on-subway
{"url": "http://nymag.com/thecut/2016/01/thinx-miki-agrawal-c-v-r.html", "num_of_mems": 4}
"url": "http://www.mbta.com/rider_tools/transit_updates/?ttype=subway&advistory=true&route=Re
{"url": "http://fakeisthenewreal.org/subway/large/", "num_of_mems": 114}
{"url": "https://www.youtube.com/watch?v=KW1Foa0Kp5k&feature=youtu.be&a", "num_of_mems": 16}
{"url": "https://www.youtube.com/watch?v=rkC8EZ6SfNc&feature=youtu.be", "num of mems": 16}
{"url": "http://subway.ru", "num_of_mems": 284}
{"url": "https://www.youtube.com/watch?v=sduYNx92_go&feature=youtu.be", "num_of_mems": 16}
{"url": "https://www.youtube.com/watch?v=bFuODMEWPLI&feature=youtu.be&a", "num of mems": 16}
{"url": "http://www.dailymail.co.uk/news/article-3437109/Subway-slashers-strike-Man-11th-vict
{"url": "http://www.dailymail.co.uk/news/article-3426947/Shocking-footage-claims-group-migran
{"url": "http://www.mbta.com/rider_tools/transit_updates/?ttype=subway&route=Green+Line#detai
{"url": "https://www.youtube.com/watch?v=JSxqy-DkuOc&feature=youtu.be&a", "num_of_mems": 16}
{"url": "http://www.animalsaustralia.org/features/subway-to-drop-cage-eggs.php , "num of mems
{"url": "http://www.kiloo.com/games/subway-surfers/", "num_of_mems": 138}
{"url": "http://www.citynews.ca/2016/02/08/suspect-sought-in-bathurst-bus-assault/", "num_of_
{"url": "http://www.citylab.com/design/2016/02/map-new-york-phone-reception-subway-subspotting
```

Figure 3: Links along with the mementos greater than zero

Mementos count

	Α	В	С	D	Е	F	G	Н	I
1	0								
2	0								
3	0								
4	4								
5	0								
6	32								
7	0								
8	0								
9	0								
10	1								
11	0								
12	0								
13	0								
14	0								
15	6								
16	0								
17	0								
18	0								
19	0								
20	0								
21	0								
22	0								
23	3								
24	0								
25	0								
26	0								
27	0								
28	0								
29	0								
30	0								

Figure 4: Excel sheet with count of number of mementos

Histograms




Figure 5: Histogram 1




Figure 6: Histogram 2

3 Problem 3

Estimate the age of each of the 1000 URIs using the ''Carbon Date'' tool:

http://ws-dl.blogspot.com/2014/11/2014-11-14-carbon-dating-web-version-20.html

Note: you'll should download the library and run it locally; don't try to use the web service.

For URIs that have > 0 Mementos and an estimated creation date, create a graph with age (in days) on one axis and number of mementos on the other.

Not all URIs will have Mementos, and not all URIs will have an estimated creation date. State how many fall into either categories

3.1 Solution

- 1. Aim of this question is to find out the age of each url in days. But only those urls should be considered which have more than 0 mementos.
- 2. I already filtered all those urls with more than 0 mementos from my previous code and that file is given as input to the code written for this question.
- 3. I referred the link given in the question and downloaded the carbon date tool zip file. From the link i got to know that there are 3 methods to find the created date of each link.
- 4. First one was web service which would take a whole lot of time to process my 177 urls. Other two were local.py and server.py.
- 5. I randomly picked local py and understood the code. There was already one function defined which takes url as argument and give creation date and many other parameters as output.
- 6. Now I opened my file with 177 urls and ran a loop which took each url and called the above function and each time i appended my created date for each url to my output file.
- 7. Figure 7 shows my output json file which has url and its respective creation date.
- 8. Now my task was to write code for calculation age of the url and this can be done by subtraction the creation date of the url from the present date.
- 9. Here i got stuck up for a lot of time while subtracting date there was constantly one error called some kind of valueError.
- 10. I searched for this error in Google and got to know that i should use strptime function in order to modify my creation date format into present date's format. This command eliminated 'T' variable which was present in our creation date.
- 11. Now i was successful in finding the age of each url in days and saved that to a csv file which shown below in Figure 8. I had also got number of mementos into a separate csv file so that i can easily pass my inputs to R.
- 12. Number of mementos saved in csv file is shown in Figure 9.
- 13. From the second question i already got some grip on R, so now i was able to pass the age and number of mementos as inputs to R which gave me a scatter plot as output.
- 14. Now this scatter plot shows that higher the number of mementos for a particular url higher is the age of that url. I had a maximum of 8999 mementos for 1 url and maximum age for 1 url was 6922 days.
- 15. The scatter plot is shown below in Figure 10.

3.2 Code Listing

Python code for calculating creation date for each url

```
{\bf from} \ \ {\bf checkForModules} \ \ {\bf import} \ \ {\bf checkForModules}
 2
    import json
    from ordereddict import OrderedDict
 4
    #import simplejson
 5
    import urlparse
 6
    import re
7
 8
    from getBitly import getBitlyCreationDate
g
    {\bf from} \ \ {\tt getArchives\, CreationDate}
    {\bf from} \ \ {\tt getGoogle\ } {\bf import} \ \ {\tt getGoogle\ } {\tt Creation\ } {\tt Date}
10
11
    from getBacklinks import *
12
    from getLowest import getLowest
13
    \textbf{from} \hspace{0.2cm} \textbf{getLastModified} \hspace{0.2cm} \textbf{import} \hspace{0.2cm} \textbf{getLastModifiedDate}
14
15
    #Topsy service is no longer available
    \#from \ \ getTopsyScrapper \ \ import \ \ getTopsyCreationDate
16
17
    from htmlMessages import *
18
    from pprint import pprint
19
20
    from threading import Thread
21
    import Queue
22
    import datetime
23
24
    \mathbf{import} \hspace{0.2cm} \text{os} \hspace{0.1cm}, \hspace{0.1cm} \text{sys} \hspace{0.1cm}, \hspace{0.1cm} \text{traceback}
25
26
27
28
    one_element={}
29
    def cd(url, backlinksFlag = False):
30
31
         #print 'Getting Creation dates for: ' + url
32
33
34
         #scheme missing?
35
         parsedUrl = urlparse.urlparse(url)
         if( len(parsedUrl.scheme)<1 ):</pre>
36
37
              url = 'http://'+url
38
39
40
         threads = []
         outputArray = [',',',',',',',',',']
41
42
         now0 = datetime.datetime.now()
43
44
         lastmodifiedThread = Thread(target=getLastModifiedDate, args=(url, outputArray, 0))
45
         bitlyThread = Thread(target=getBitlyCreationDate, args=(url, outputArray, 1))
46
47
         googleThread = Thread(target=getGoogleCreationDate, args=(url, outputArray, 2))
48
         archivesThread = Thread(target=getArchivesCreationDate, args=(url, outputArray, 3))
49
         if( backlinksFlag ):
50
              backlinkThread = Thread(target=getBacklinksFirstAppearanceDates, args=(url,
51
                   outputArray, 4))
52
53
         \#topsyThread = Thread(target = getTopsyCreationDate, args = (url, outputArray, 5))
54
55
56
         # Add threads to thread list
57
         threads.append(lastmodifiedThread)
58
         threads.append(bitlyThread)
         threads.append(googleThread)
59
60
         threads.append(archivesThread)
61
62
         if( backlinksFlag ):
              threads.append (backlink Thread)\\
63
64
65
         \#threads. append(topsyThread)
66
67
```

```
68
          # Start new Threads
 69
          lastmodifiedThread.start()
 70
          bitlyThread.start()
 71
          googleThread.start()
 72
          archivesThread.start()
 73
 74
          if( backlinksFlag ):
              backlinkThread.start()
 75
 76
 77
         #topsyThread.start()
 78
 79
 80
         # Wait for all threads to complete
          for t in threads:
 81
 82
              t.join()
 83
         # For threads
 84
          lastmodified = outputArray[0]
 85
 86
          bitly = outputArray[1]
          google = outputArray[2]
 87
 88
          archives = outputArray[3]
 89
 90
          if( backlinksFlag ):
 91
              backlink = outputArray[4]
 92
          else:
              backlink = ','
 93
 94
 95
         \#topsy = outputArray[5]
 96
         #note that archives ["Earliest"] = archives [0][1]
 97
 98
              \#lowest = getLowest([lastmodified, bitly, google, archives[0][1], backlink, topsy])
 99
                  #for thread
100
              lowest = getLowest ([lastmodified, bitly, google, archives[0][1], backlink]) #for
                   thread
101
          except:
102
             print sys.exc_type, sys.exc_value , sys.exc_traceback
103
104
105
106
          result = []
107
          result.append(("URI", url))
108
           \begin{array}{ll} \textbf{result.append(("Estimated Creation Date", lowest))} \\ \textbf{result.append(("Last Modified", lastmodified))} \\ \end{array} 
109
110
          result.append(("Bitly.com", bitly))
111
          result.append(("Topsy.com", "Topsy is out of service"))
112
          result.append(("Backlinks", backlink))\\
113
          result.append(("Google.com", google))
result.append(("Archives", archives))
114
115
116
          values = OrderedDict(result)
117
          r = json.dumps(values, sort_keys=False, indent=2, separators=(',', ': '))
118
119
         now1 = datetime.datetime.now() - now0
120
121
122
         \#print "runtime in seconds: "
123
          #print now1.seconds
124
         \#print r
          print 'runtime in seconds: ' + str(now1.seconds) + '\n' + r + '\n'
125
          file_1 = open('url_cdate.json', 'a')
126
127
          one_element['url'] = url
128
          one_element['created_date'] = lowest
129
          file_1 . write (json.dumps(one_element)+'\n')
130
          file_1.close
131
          return r
132
133
134
     q2_data=open("mem_grt0.json",'r')
135
     for each_line in q2_data.readlines():
137
          json_line=json.loads(each_line)
```

```
138 | url=json_line['url']
139 | cd(url)
```

Listing 4: Python program for getting creation date for URI's

Python Code for Calculation age

```
from datetime import datetime
1
2
    import json
3
4
    file_1=open('url_cdate.json','r')
5
    output_file=open('age.csv','w')
file_2=open('mem_grt0.json','r')
6
7
    output_file2=open('num_mems.csv', 'w')
8
9
                     #file_2=open('mem_grt0.json','r')
10
                     \#one\_element = \{\}
11
    today_date=datetime.now()
12
   \#print\ today\_date
   \#print\ (today\_date-datetime.timedelta(2016,02,8,20,46,40)).days
13
   #print "hello"
14
15
    i=0
16
17
    for each_line in file_1.readlines():
             dumy_line=json.loads(each_line)
18
19
             created_date = dumy_line['created_date']
20
             print created_date
21
             convert_date=datetime.strptime(created_date,"%Y-\%m-\%dT\%H:\%M:\%S")
22
                     \#print\ convert\_date
23
             age=(today_date - convert_date).days
24
                     \#print age
25
             \#age_int=int(age)
             print age
26
27
             print i
28
             i=i+1
29
             output_file.write("%s\n" % (age))
30
    for every_line in file_2.readlines():
31
             dumy_ev_line=json.loads(every_line)
             mems=dumy_ev_line['num_of_mems']
32
33
             output_file2.write("%s\n" % (mems))
34
35
36
    output_file.close()
37
    output_file2.close()
38
    file_2.close()
39
    file_1.close()
```

Listing 5: Python program for calculating the age of URI's

R code for scatter plot

```
R version 3.2.3 (2015-12-10) -- "Wooden Christmas-Tree"
   Copyright (C) 2015 The R Foundation for Statistical Computing
2
 3
   Platform: i386-w64-mingw32/i386 (32-bit)
5
   R is free software and comes with ABSOLUTELY NO WARRANTY.
 6
   You are welcome to redistribute it under certain conditions.
 7
    Type 'license()' or 'licence()' for distribution details.
8
      Natural language support but running in an English locale
9
10
11
   R is a collaborative project with many contributors.
12
   Type 'contributors()' for more information and
    'citation ()' on how to cite R or R packages in publications.
13
14
15
    Type 'demo()' for some demos, 'help()' for on-line help, or
    'help.start()' for an HTML browser interface to help.
16
    Type 'q()' to quit R.
17
18
   > age=scan("age.csv")
19
   Read 177 items
   > mementos=scan("num_mems.csv")
21
   Read 177 items
23
   > plot (mementos, age, xlab="Number of mementos", ylab="Age in days", main="Scatter plot for
        Mementos/Days", las=1)
24
```

Listing 6: R program for generating the scatter plot for Question 3

3.3 Results

Creation date of each URL

```
"url": "http://gizmodo.com/track-your-internet-connection-in-the-new-york-subway-w-1757843603", "created_date": "2016-02-08T20:
{"url": "http://www.gomplaces.com/", "created_date": "2006-02-03T00:00:00"}
{"url": "http://www.theverge.com/2016/2/8/10938038/subspotting-app-nyc-subway-wireless-cell-service", "created_date": "2016-02-0
("url": "https://www.sfmta.com/projects-planning/projects/19th-avenue-m-ocean-view-project", "created_date": "2012-06-14T00:00:0
("url": "http://www.latimes.com/opinion/livable-city/la-ol-crenshaw-beverly-hills-takes-metro-subway-20160205-story.html", "crea
{"url": "http://www.dailymail.co.uk/news/article-3437278/Shut-told-shut-Shocking-moment-angry-commuter-snaps-yells-crying-toddle {"url": "http://KaleyKade.com", "created_date": "2015-03-22T17:12:04"}
{"url": "http://nypost.com/2016/02/07/cops-cuff-red-haired-robbery-suspect-sprawled-on-subway-train/", "created_date": "2016-02-
{"url": "http://nymag.com/thecut/2016/01/thinx-miki-agrawal-c-v-r.html", "created_date": "2016-02-02T00:00:00"}
{"url": "http://www.mbta.com/rider_tools/transit_updates/?ttype=subway&advistory=true&route=Red+Line#advise", "created_date": "2
{"url": "http://fakeisthenewreal.org/subway/large/", "created_date": "2008-11-03T06:41:58")
{"url": "https://www.youtube.com/watch?v=KWIFoa0Kp5k&feature=youtu.be&a", "created_date": "2008-06-20T06:57:31"}
{"url": "https://www.youtube.com/watch?v=rkC8EZ6SfNc&feature=youtu.be", "created_date": "2008-06-20T06:57:31"}
  "url": "http://subway.ru", "created_date": "1999-10-09T21:26:23"}
{"url": "https://www.youtube.com/watch?v=sduYNx92_go&feature=youtu.be", "created_date": "2008-06-20T06:57:31"}
{"url": "https://www.youtube.com/watch?v=bFuODMEWPLI&feature=youtu.be&a", "created_date": "2008-06-20T06:57:31"}
("url": "http://www.dailymail.co.uk/news/article-3437109/Subway-slashers-strike-Man-11th-victim-year-random-New-York-knife-attac
{"url": "http://www.dailymail.co.uk/news/article-3426947/Shocking-footage-claims-group-migrant-men-attacking-two-pensioners-stoc{"url": "http://www.mbta.com/rider_tools/transit_updates/?ttype=subway&route=Green+Line#details", "created_date": "2006-12-15T00
{"url": "https://www.youtube.com/watch?v=JSxqy-DkuOc&feature=youtu.be&a", "created_date": "2008-06-20T06:57:31"}
{"url": "http://www.animalsaustralia.org/features/subway-to-drop-cage-eggs.php", "created_date": "2003-09-30T00:00:00"}
{"url": "http://www.kiloo.com/games/subway-surfers/", "created_date": "2012-05-26T13:03:39"}
{"url": "http://www.citynews.ca/2016/02/08/suspect-sought-in-bathurst-bus-assault/", "created_date": "2016-02-08T19:26:11"}
{"url": "http://www.citylab.com/design/2016/02/map-new-york-phone-reception-subway-subspotting/460335/", "created_date": "2016-0 {"url": "http://bj.jumei.com", "created_date": "2009-05-08T00:00:00"} {"url": "https://one-delivery.co.uk/", "created_date": "2013-04-06T01:46:23"}
{"url": "https://www.youtube.com/watch?v=o7EBYjxeGfA&feature=youtu.be&a", "created_date": "2008-06-20T06:57:31"}
{"url": "http://secondavenuesagas.com/2015/04/23/for-onenyc-a-call-for-a-utica-ave-subway-amidst-competing-interests/", "created ("url": "https://secondavenuesagas.com/2015/04/23/for-onenyc-a-call-for-a-utica-ave-subway-amidst-competing-interests/", "created ("url": "https://www.voutube.com/watch?v=XUzUwkWnFTM&feature=voutu.be&a". "created date": "2008-06-20T06:57:31")
```

Figure 7: Each Url along with its creation date

Age of each url

4	Α	В	С	D	Е	F	G	Н	I	J
1	2									
2	3660									
3	2									
4	1337									
5	5									
6	2									
7	326									
8	4									
9	9									
10	3345									
11	2656									
12	2792									
13	2792									
14	5968									
15	2792									
16	2792									
17	3									
18	11									
19	3345									
20	2792									
21	4517									
22	1356									
23	3									
24	2									
25	2470									
26	1041									
27	2792									
28 29	294									
30	2792 6									
31	2792									
32	773									
33	2792									
34	3540									
35	2792									
36	3387									
37	1882									
38	2792									
39	3047									
-	30-77									

Figure 8: Age of each url

Number of Mementos for each url

4	Α	В	С	D	E	F	G	Н	I	J	K	L
1	4											
2	32											
3	1											
4	6											
5	3											
6	2											
7	15											
8	7											
9	4											
10	134											
11	114											
12	16											
13	16											
14	284											
15	16											
16	16											
17	2											
18	14											
19	62											
20	16											
21	9											
22	138											
23	2											
24	1											
25	1070											
26	65											
27	16											
28	8											
29	16											
30	6											
31	16											
32	17											
33	16											
34	17											
35	16											
36	23											
37	40											
38	16											

Figure 9: Number of Mementos for each url

Q3-scatterplot

Scatter plot for Mementos/Days




Figure 10: ScatterPlot

Bibliography

- [1] Carbon dating tool: http://ws-dl.blogspot.com/2014/11/2014-11-14-carbon-dating-web-version-20.html.
- [2] Checking format of json: http://jsonlint.com/.
- [3] Mememto aggregator:. http://mementoproxy.cs.odu.edu/aggr/timemap/link/1/http://www.cs.odu.edu/.
- [4] Processing twitter user data:. http://social-metrics.org/twitter-user-data/.
- [5] Producing simple graphs in r:. http://www.harding.edu/fmccown/r/.
- [6] Re library:. https://docs.python.org/2/library/re.html.
- [7] Tweepy library:. http://docs.tweepy.org/en/latest/getting-started.html.
- [8] Using twitter api with python:. http://thomassileo.com/blog/2013/01/25/using-twitter-rest-api-v1-dot-1-with-python/.
- [9] Writing json data to file: http://stackoverflow.com/questions/12309269/how-do-i-write-json-data-to-a-file-in-python.