# **Keyboard Shortcuts Cheat Sheet**

https://csci-1301.github.io/about#authors

March 1, 2022 (03:10:33 PM)

#### **Contents**

| 1 | Fore | eword               | 1 |
|---|------|---------------------|---|
| 2 | Use  | ful Shortcuts       | 2 |
|   | 2.1  | Build solution      | 2 |
|   | 2.2  | Exit any program*   | 2 |
|   | 2.3  | Redo*               | 2 |
|   | 2.4  | Run/execute program | 2 |
|   | 2.5  | Save*               | 2 |
|   | 2.6  | Save All*           | 2 |
|   | 2.7  | Undo*               | : |

#### 1 Foreword

This document contains useful keyboard shortcuts for different operating systems and IDEs. We use the following symbols:

| Symbol        | Common Name       |
|---------------|-------------------|
| Û             | Shift             |
| $\mathcal{T}$ | Option (or Alt)   |
| $\mathbb{H}$  | Command (or Cmd)  |
| $\leftarrow$  | (Carriage) Return |

The sections labeled with the star symbol ("\*") work generally everywhere, beyond your IDE.

More advanced shortcuts may be available to your particular IDE:

- For Visual Studio for Windows, refer to the documentation<sup>1</sup>,
- For Visual Studio for MacOS, refer to the documentation<sup>2</sup>
- For Rider, refer to the documentation<sup>3</sup>,
- For MonoDevelop, you can refer to this cheatsheet<sup>4</sup> or directly access the key binding panel<sup>5</sup>.

 $<sup>^{1}</sup>$ https://docs.microsoft.com/en-us/visualstudio/ide/default-keyboard-shortcuts-in-visual-studio?view=vs-2019

 $<sup>^2</sup> https://docs.microsoft.com/en-us/visual studio/mac/keyboard-shortcuts?view=vsmac-2019$ 

 $<sup>^3</sup> https://www.jetbrains.com/help/rider/mastering\_keyboard\_shortcuts.html$ 

<sup>&</sup>lt;sup>4</sup>https://shortcutworld.com/Xamarin-Studio/win/Xamarin-Studio-(MonoDevelop) Shortcuts

<sup>&</sup>lt;sup>5</sup>https://mhut.ch/journal/2011/02/05/monodevelop-tips-key-bindings

## 2 Useful Shortcuts

### 2.1 Build solution

| OS      | Keys                  |
|---------|-----------------------|
| Linux   | $Ctrl + \uparrow + B$ |
| MacOS   | $\mathbb{H} + B$      |
| Windows | $Ctrl + \uparrow + B$ |

# 2.2 Exit any program\*

| OS      | Keys                      |
|---------|---------------------------|
| Linux   | Alt + F4  or  Ctrl + q    |
| MacOS   | $\mathbb{X} + \mathbf{q}$ |
| Windows | Alt + F4                  |

### 2.3 Redo\*

| OS      | Keys                      |
|---------|---------------------------|
| Linux   | Ctrl + y                  |
| MacOS   | $\mathbb{H} + \mathbf{y}$ |
| Windows | Ctrl + y                  |

# 2.4 Run/execute program

| OS      | Keys                             |
|---------|----------------------------------|
| Linux   | Ctrl + F5                        |
| MacOS   | F5 -or- $\tau + \# + \leftarrow$ |
| Windows | Ctrl + F5                        |

### 2.5 Save\*

| OS      | Keys     |
|---------|----------|
| Linux   | Ctrl + s |
| MacOS   | # + s    |
| Windows | Ctrl + s |

### 2.6 Save All\*

| OS    | Keys                  |
|-------|-----------------------|
| Linux | $Ctrl + \uparrow + s$ |
| MacOS | $\mathbb{X} + 1 + 5$  |

| OS      | Keys                  |
|---------|-----------------------|
| Windows | $Ctrl + \uparrow + s$ |

# 2.7 Undo\*

| OS      | Keys     |
|---------|----------|
| Linux   | Ctrl + z |
| MacOS   | # + z    |
| Windows | Ctrl + z |