



BRAND GUIDELINES

"IT'S POWER-STRONG"



OUR BRAND

INTRODUCTION

The Deon Tapes brand represents strength, precision, and reliability. These guidelines define how to present our brand consistently — across every product, document, and digital touchpoint.

MISSION

To be India's premier provider of superior tape solutions, driven by innovation, quality, and customer satisfaction.

VISION

To revolutionize adhesive solutions, setting new standards of excellence and reliability across diverse industrial sectors.

TAGLINE

"IT'S POWER-STRONG"

Always in uppercase. Never modified.

WE ARE

01

PRECISE

Engineering-grade quality at every step.

02

INDUSTRIAL

Built for real-world, demanding environments.

03

RELIABLE

200+ OEM brands trust us.

04

GLOBAL

Export-centric, internationally certified.

IDENTITY

LOGO

The Deon Tapes logo is the primary mark of our brand. It must always be reproduced from approved artwork files and never recreated, redrawn, or modified.



ON WHITE (PRIMARY)



ON DARK



ON RED

CLEAR SPACE



Always maintain a minimum clear space around the logo equal to the height of the letter "D" in the Deon wordmark. No other elements should appear within this zone.

INCORRECT USAGE

- ✗ **Colour** — change the logo colour to anything other than the approved versions
- ✗ **Proportion** — stretch, compress, rotate, or skew the logo in any direction
- ✗ **Effects** — apply drop shadows, outlines, gradients, or effects to the logo
- ✗ **Placement** — place the logo on a busy background or low-contrast surface
- ✗ **Recreation** — recreate or retype the logo using any font
- ✗ **Resolution** — use low-resolution or compressed versions of the logo

IDENTITY

COLOUR PALETTE


Our colour palette is built around Deon Red — strong, bold, and industrial. White and charcoal provide balance and clarity across all applications.

PRIMARY COLOURS




Deon Red

HEX #CC0000
RGB 204, 0, 0
CMYK 0, 100, 100, 20
Pantone 485 C



Pure White

HEX #FFFFFF
RGB 255, 255, 255
CMYK 0, 0, 0, 0
Pantone White



Deon Charcoal


HEX #111111
RGB 17, 17, 17
CMYK 0, 0, 0, 93
Pantone Black 6 C

SECONDARY COLOURS



**Deep Red —
#AA0000**

Use for hover states and
pressed buttons



**Off White —
#F8F8F8**

Use for page
backgrounds and
section fills



**Body Grey —
#444444**

Use for body text and
secondary content



**Muted Grey —
#999999**

Use for captions, labels,
metadata

COLOUR USAGE RULES

Digital (Screen) — Use HEX values for all digital applications: website, email, social media, presentations. Deon Red on screen: #CC0000.

Print — Use CMYK values for all print applications: packaging, brochures, stationery. For spot colour printing, use Pantone 485 C for Deon Red.

IDENTITY

TYPOGRAPHY

Two typefaces form the Deon typographic system — Barlow Condensed for impact and authority, Inter for clarity and legibility.

PRIMARY — HEADINGS & DISPLAY

BARLOW
CONDENSED

Font Barlow Condensed
Weights ExtraBold 800, Bold 700, SemiBold 600
Case UPPERCASE always
Source Google Fonts (free)

ABCDEFGHIJKLM
NOPQRSTUVWXYZ
0123456789

SECONDARY — BODY & UI

Inter is used for all body copy, captions, labels, product descriptions, UI text, and any content that requires extended reading. It is clean, neutral, and highly legible at all sizes.

Font Inter
Weights Regular 400, Medium 500, SemiBold 600, Bold 700
Case Sentence case for body; UPPERCASE for labels
Source Google Fonts (free)

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

TYPE SCALE

DISPLAY	POWER-STRONG	40px / 800
H1	DEON TAPES PRODUCTS	28px / 800
H2	ELECTRICAL INSULATION TAPE	22px / 700
BODY	Premium PVC insulation tape with rubber adhesive.	14px / 400
LABEL	PRODUCT CODE · DEON 31700	11px / 600

VOICE

BRAND VOICE & TONE

How we write is as important as how we look. Deon's voice is confident, technical, and direct — the voice of an expert manufacturer, not a salesperson.

CONFIDENT, NOT ARROGANT

We state facts, not boasts. "51M sqm/month production capacity" not "we're the best tape company in India." Let the numbers and quality speak.

TECHNICAL, NOT JARGON-HEAVY

We know our products deeply and communicate specs clearly. We use the right technical terms but explain them where necessary — we respect our buyers' intelligence.

DIRECT, NOT PUSHY

We get to the point. B2B buyers don't want marketing fluff — they want to know if our product fits their application. Be clear, be brief, be useful.

RELIABLE, NOT STIFF

We're a modern manufacturer with a human team. Professional but approachable — especially on WhatsApp and in customer communication.

DO WRITE LIKE THIS

- ✓ Deon 31700 is resistant to UV, acids, and solvents.
- ✓ We manufacture in-house using Taiwanese technology.
- ✓ Contact us for samples or pricing.
- ✓ ISO 9001:2015 certified — quality at every stage.
- ✓ 51M+ sqm/month. Built to scale with your demand.

DON'T WRITE LIKE THIS

- ✗ We are the number one tape company in India!
- ✗ Our amazing, world-class products are truly unique.
- ✗ Feel free to reach out to us anytime.
- ✗ We offer top-notch quality at affordable prices.
- ✗ Our tapes are perfect for all your taping needs.

Tagline Usage — "IT'S POWER-STRONG" should appear in uppercase, always. It is used as a closing statement on marketing materials, packaging, and the website footer. It should never be modified, abbreviated, or used mid-sentence as a descriptive phrase.

ASSETS

FILE FORMATS & USAGE

Always use the correct logo file format for the application. Using the wrong format results in poor quality reproduction and a weaker brand impression.

**SVG / EPS /
AI****Vector — Print & Large Format**

Use for all print applications — brochures, packaging, banners, signage, trade show materials. Scales to any size without quality loss.

PNG**Transparent — Digital Use**

Use for website, email, presentations, and social media. Always use the transparent-background PNG version. Minimum width: 300px on screen, 1000px for print-resolution digital use.

JPG / JPEG**Compressed — Avoid Where Possible**

Only use JPG for product photography and factory images. Never use JPG for the logo — it does not support transparency and introduces compression artefacts.

PDF**Documents & Print-Ready Files**

Use for all documents sent to printers, clients, and vendors — brochures, certificates, proposals, and service agreements.

IMAGE STYLE

Product Photography — shot on white background for catalogue use, colour background for lifestyle use, and creative/contextual for marketing. All product images should be sharp, well-lit, and consistent in framing.

Factory & Team Photography — should convey precision, scale, and cleanliness. Avoid cluttered or poorly lit shots. Team photos should feel professional but approachable — not overly staged.

BRAND ASSET FOLDER STRUCTURE

Deon Tapes — Brand Assets/**01 — Logo/**

Logo_Primary_OnWhite.png
Logo_Primary_OnDark.png
Logo_Primary_OnRed.png
Logo_Vector.svg / .ai / .eps

02 — Products/

[Product Name]_WhiteBG.jpg
[Product Name]_ColourBG.jpg
[Product Name]_Creative.jpg

03 — Factory/**04 — Certificates/****05 — Brand Guidelines/**



IT'S POWER-STRONG

Deon Tapes Industries Pvt. Ltd. · Brand Guidelines v1.0 · Prepared by Vaelo Creative LLP · 2026