Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- localhost:27017
  - admin
  - config
  - local
  - shoppy
    - cartitems
    - products
    - users

products | cartitems

localhost:27017 > shoppy > products

Open MongoDB shell

Documents 3 | Aggregations | Schema | Indexes 1 | Validation

Type a query: { field: 'value' } or Generate query

Explain | Reset | Find | Options

ADD DATA | EXPORT DATA | UPDATE | DELETE

25 | 1-3 of 3

```
_id: ObjectId('69175d2848ea2fa145a53248')
name : "Blue T-Shirt"
price : 299
description : "Comfortable cotton tee"
stock : 20
createdAt : 2025-11-14T16:47:36.640+00:00
__v : 0
```

```
_id: ObjectId('69175d2848ea2fa145a53249')
name : "Formal Shirt"
price : 899
description : "Slim fit formal shirt"
stock : 10
createdAt : 2025-11-14T16:47:36.640+00:00
__v : 0
```

```
_id: ObjectId('69175d2848ea2fa145a5324a')
name : "Running Shoes"
price : 2499
description : "Lightweight sneakers"
stock : 15
createdAt : 2025-11-14T16:47:36.640+00:00
__v : 0
```

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- localhost:27017
  - admin
  - config
  - local
  - shoppy
    - cartitems
    - products
    - users

products | cartitems

localhost:27017 > shoppy > cartitems

Open MongoDB shell

Documents 0 | Aggregations | Schema | Indexes 1 | Validation

Type a query: { field: 'value' } or Generate query

Explain | Reset | Find | Options

ADD DATA | EXPORT DATA | UPDATE | DELETE

25 | 1-1 of 1

```
_id: ObjectId('69176154a83e4061feec65c3')
user : ObjectId('69175fbea83e4061feec65bc')
product : ObjectId('69175d2848ea2fa145a53248')
quantity : 2
addedAt : 2025-11-14T17:05:24.134+00:00
__v : 0
```



Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

localhost:27017

admin

config

local

shoppy

cartitems

products

users

products | users

localhost:27017 > shoppy > users

Open MongoDB shell

Documents 0 | Aggregations | Schema | Indexes 2 | Validation

Type a query: { field: 'value' } or Generate query

Explain | Reset | Find | Options

ADD DATA | EXPORT DATA | UPDATE | DELETE

25 | 1-2 of 2

```
_id: ObjectId('69175fbea83e4061feec65bc')
name : "Palak"
email : "palak@example.com"
password : "$2b$10$.xlBOBWIDwTJuiUdUYQcK.m8AJ4BAI5RbYaHsVOfDpN4fqHRqkMKy"
createdAt : 2025-11-14T16:58:38.296+00:00
updatedAt : 2025-11-14T16:58:38.296+00:00
__v : 0
```

```
_id: ObjectId('6918b0ca9aa1720dd98796b6')
name : "Palak"
email : "palak@gmail.com"
password : "$2b$10$ux3zkDog4r9Lin6eRreb/usFbscqlWns.DtGA59P.Yh/8eMKMF6yC"
createdAt : 2025-11-15T16:56:42.900+00:00
updatedAt : 2025-11-15T16:56:42.900+00:00
__v : 0
```

backend

THUNDER CL...

New Request

Activity | Collections | Er

filter activity

GET localhost:3000/... just now

DEL localhost:3000/... just now

GET localhost:3000/... just now

POST localhost:300... just now

GET localhost:3000/... 2 days ago

GET localhost:3000/... 2 days ago

GET localhost:3000/... 2 days ago

DEL URL: localhost:... 2 days ago

New Request | New Request | localhost:3000/api/login | localhost:3000/api/produc.. | .env | db.js

DELETE http://localhost:3000/api/cart/6918b3f89aa1720dd98 Send

Query | Headers 3 | Auth | Body 1 | Tests | Pre Run

HTTP Headers | Raw

☑	Accept	*/*
☑	User-Agent	Thunder Client (https://www.thund
☑	Authorization	Bearer eyJhbGciOiJIUzI1NiIsInR5cC
☐	header	value

localhost:3000/api/produc..

Status: 200 OK | Size: 197 Bytes | Time: 18 ms

Response | Headers 6 | Cookies | Results | Docs

```
{
  "message": "Item removed",
  "item": {
    "_id": "6918b3f89aa1720dd98796da",
    "user": "6918b0ca9aa1720dd98796b6",
    "product": "6918af8ce438e86500fc7d31",
    "quantity": 5,
    "addedAt": "2025-11-15T17:10:16.282Z",
    "__v": 0
  }
}
```

Response | Chart

Build with Agent

AI responses may be inaccurate.

Generate Agent Instructions to onboard AI onto your codebase.

PROBLEMS | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

node - shoppybackend

```
(base) palaklulla@palaks-MacBook-Air shoppybackend % node --trace-warnings server.js

[dotenv@17.2.3] injecting env (4) from .env -- tip: override existing env vars with { override: true }
Server running on port 3000
MongoDB connected
```

Add Context...

Describe what to bu

main*

Go Live

backend

THUNDER CL...

New Request

Activity Collections Er

filter activity

GET localhost:3000/...
just now

PUT localhost:3000/...
just now

GET localhost:3000/...
just now

POST localhost:300...
just now

GET localhost:3000/...
2 days ago

GET localhost:3000/...
2 days ago

GET localhost:3000/...
2 days ago

DEL URL: localhost:...
2 days ago

New Request | New Request | localhost:3000/api/login | localhost:3000/api/produc.. | .env | db.js

PUT http://localhost:3000/api/cart/6918b3f89aa1720dd98796d Send

Query Headers 3 Auth Body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
{
  "quantity": 5
}
```

Status: 200 OK Size: 163 Bytes Time: 16 ms

Response Headers 6 Cookies Results Docs

Copy

```
{
  "_id": "6918b3f89aa1720dd98796da",
  "user": "6918b0ca9aa1720dd98796b6",
  "product": "6918af8ce438e86500fc7d31",
  "quantity": 5,
  "addedAt": "2025-11-15T17:10:16.282Z",
  "__v": 0
}
```

Response Chart

Build with Agent

AI responses may be inaccurate.

Generate Agent Instructions to onboard AI onto your codebase.

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

node - shoppybackend

```
(base) palaklulla@palaks-MacBook-Air shoppybackend % node --trace-warnings server.js

[dotenv@17.2.3] injecting env (4) from .env -- tip: override existing env vars with { override: true }
Server running on port 3000
MongoDB connected
```

Add Context...

Describe what to bu

main* 0 0 Go Live

backend

THUNDER CL...

New Request

Activity Collections Er

filter activity

GET localhost:3000/...
just now

GET localhost:3000/...
just now

GET localhost:3000/...
just now

POST localhost:300...
just now

GET localhost:3000/...
2 days ago

GET localhost:3000/...
2 days ago

GET localhost:3000/...
2 days ago

DEL URL: localhost:...
2 days ago

New Request | New Request | localhost:3000/api/login | localhost:3000/api/produc.. | .env | db.js

localhost:3000/api/produc..

GET http://localhost:3000/api/cart Send

Query Headers 3 Auth Body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
{
  "productId": "6918af8ce438e86500fc7d31",
  "quantity": 2
}
```

Status: 200 OK Size: 304 Bytes Time: 11 ms

Response Headers 6 Cookies Results Docs

```
[
  {
    "_id": "6918b3f89aa1720dd98796da",
    "user": "6918b0ca9aa1720dd98796b6",
    "product": {
      "_id": "6918af8ce438e86500fc7d31",
      "name": "Blue T-Shirt",
      "price": 299,
      "description": "Comfortable cotton tee",
      "stock": 20,
      "createdAt": "2025-11-15T16:51:24.388Z",
      "__v": 0
    },
    "quantity": 2,
    "addedAt": "2025-11-15T17:10:16.282Z",
    "__v": 0
  }
]
```

Response Chart

Build with Agent

AI responses may be inaccurate.

Generate Agent Instructions to onboard AI onto your codebase.

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

node - shoppybackend

(base) palaklulla@palaks-MacBook-Air shoppybackend % node --trace-warnings server.js

[dotenv@17.2.3] injecting env (4) from .env -- tip: override existing env vars with { override: true }
Server running on port 3000
MongoDB connected

Add Context...

Describe what to bu

main* 0 0 Go Live

backend

THUNDER CL...

New Request

Activity Collections Er

filter activity

GET localhost:3000/... just now

POST localhost:300... just now

GET localhost:3000/... just now

POST localhost:300... just now

GET localhost:3000/... 2 days ago

GET localhost:3000/... 2 days ago

GET localhost:3000/... 2 days ago

DEL URL: localhost:... 2 days ago

New Request | New Request | localhost:3000/api/login | localhost:3000/api/produc.. | .env | db.js

POST http://localhost:3000/api/cart Send

Query Headers 3 Auth Body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
{
  "productId": "6918af8ce438e86500fc7d31",
  "quantity": 2
}
```

Status: 201 Created Size: 163 Bytes Time: 11 ms

Response Headers 6 Cookies Results Docs

```
{
  "user": "6918b0ca9aa1720dd98796b6",
  "product": "6918af8ce438e86500fc7d31",
  "quantity": 2,
  "_id": "6918b3f89aa1720dd98796da",
  "addedAt": "2025-11-15T17:10:16.282Z",
  "__v": 0
}
```

Response Chart

Build with Agent

AI responses may be inaccurate.

Generate Agent Instructions to onboard AI onto your codebase.

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

node - shoppybackend

```
(base) palaklulla@palaks-MacBook-Air shoppybackend % node --trace-warnings server.js

[dotenv@17.2.3] injecting env (4) from .env -- tip: override existing env vars with { override: true }
Server running on port 3000
MongoDB connected
```

Add Context...

Describe what to bu

main* 0 0 Go Live

backend

THUNDER CL...

New Request

Activity Collections Er

filter activity

POST localhost:300... just now

POST localhost:300... 8 hours ago

GET localhost:3000/... 24 hours ago

GET localhost:3000/... 2 days ago

GET localhost:3000/... 2 days ago

GET localhost:3000/... 2 days ago

DEL URL: localhost:... 2 days ago

seedProducts.js | .gitignore | package.json M | server.js U | New Request | .env | db.js

POST http://localhost:3000/api/auth/login Send

Query Headers 2 Auth Body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
{
  "email": "palak@gmail.com",
  "password": "123456"
}
```

Status: 200 OK Size: 299 Bytes Time: 104 ms

Response Headers 6 Cookies Results Docs


```
{
  "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9
    .eyJpZCI6IjY5MThiMGNhOWFhMTcyMGRkOTg3OTZiNiIsImVtYWlsIjoic
    GFsYWtAZ21haWwuY29tIiwiaWF0IjoxNzYzMjI1ODc0LCJleHAiOjE3NjM
    4MzA2NzR9.l_Fz2c0M2m0ewoWgLBDq_In-67_0QUfGkG02xdvXdI0",
  "user": {
    "id": "6918b0ca9aa1720dd98796b6",
    "name": "Palak",
    "email": "palak@gmail.com"
  }
}
```


Response Chart

Build with Agent

AI responses may be inaccurate.

Generate Agent Instructions to onboard AI onto your codebase.

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

node - shoppybackend

```
(base) palaklulla@palaks-MacBook-Air shoppybackend % node --trace-warnings server.js

[dotenv@17.2.3] injecting env (4) from .env -- tip: override existing env vars with { override: true }
Server running on port 3000
MongoDB connected
```

Add Context...

Describe what to bu

main* 0 0 Go Live

backend

THUNDER CL... | seedProducts.js | .gitignore | package.json M | server.js U | New Request | .env | db.js

New Request

Activity | Collections | Er

filter activity

- POST localhost:300... just now
- POST localhost:300... 8 hours ago
- GET localhost:3000/... 24 hours ago
- GET localhost:3000/... 2 days ago
- GET localhost:3000/... 2 days ago
- GET localhost:3000/... 2 days ago
- DEL URL: localhost:... 2 days ago

POST http://localhost:3000/api/auth/register Send

Query | Headers 2 | Auth | Body 1 | Tests | Pre Run

JSON | XML | Text | Form | Form-encode | GraphQL | Binary

JSON Content Format

```
{
  "name": "Palak",
  "email": "palak@gmail.com",
  "password": "123456"
}
```

New Request

Status: 201 Created Size: 299 Bytes Time: 118 ms

Response | Headers 6 | Cookies | Results | Docs


```
{
  "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9
    .eyJpZCI6IjY5MThiMGNhOWFhMTcyMGRkOTg3OTZiNiIsImVtYWlsIjoic
    GFsYWtAZ21haWwuY29tIiwiaWF0IjoxNzYzMjI1ODAzLCJleHAiOjE3NjM
    4MzA2MDN9.zFItTItvBJ_hisjYrkzSDJguhyJrUDO7V3olyH0ZxoU",
  "user": {
    "id": "6918b0ca9aa1720dd98796b6",
    "name": "Palak",
    "email": "palak@gmail.com"
  }
}
```


Build with Agent

AI responses may be inaccurate.

Generate Agent Instructions to onboard AI onto your codebase.

Response | Chart

PROBLEMS | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

node - shoppybackend

```
(base) palaklulla@palaks-MacBook-Air shoppybackend % node --trace-warnings server.js

[dotenv@17.2.3] injecting env (4) from .env -- tip: override existing env vars with { override: true }
Server running on port 3000
MongoDB connected
```

Add Context...

Describe what to bu

main* | 0 0 | Go Live

backend

THUNDER CL... | seedProducts.js | .gitignore | package.json M | server.js U | New Request | .env | db.js

New Request

Activity | Collections | Er

filter activity

- GET localhost:3000/... just now
- POST localhost:300... 8 hours ago
- GET localhost:3000/... 24 hours ago
- GET localhost:3000/... 2 days ago
- GET localhost:3000/... 2 days ago
- GET localhost:3000/... 2 days ago
- DEL URL: localhost:... 2 days ago

GET http://localhost:3000/api/products Send

Query | Headers 2 | Auth | Body | Tests | Pre Run

Query Parameters

parameter	value

Status: 200 OK Size: 498 Bytes Time: 28 ms

Response | Headers 6 | Cookies | Results | Docs


```
[
  {
    "_id": "6918af8ce438e86500fc7d31",
    "name": "Blue T-Shirt",
    "price": 299,
    "description": "Comfortable cotton tee",
    "stock": 20,
    "createdAt": "2025-11-15T16:51:24.388Z",
    "__v": 0
  },
  {
    "_id": "6918af8ce438e86500fc7d32",
    "name": "Formal Shirt",
    "price": 899,
    "description": "Slim fit formal shirt",
    "stock": 10,
    "createdAt": "2025-11-15T16:51:24.388Z",
    "__v": 0
  },
  {
    "_id": "6918af8ce438e86500fc7d33",
    "name": "Running Shoes",
    "price": 2499,
    "description": "Lightweight sneakers",
    "stock": 15,
    "createdAt": "2025-11-15T16:51:24.388Z",
    "__v": 0
  }
]
```


Build with Agent

AI responses may be inaccurate.

Generate Agent Instructions to onboard AI onto your codebase.

Response | Chart

PROBLEMS | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

node - shoppybackend

```
(base) palaklulla@palaks-MacBook-Air shoppybackend % node --trace-warnings server.js

[dotenv@17.2.3] injecting env (4) from .env -- tip: override existing env vars with { override: true }
Server running on port 3000
MongoDB connected
```

Add Context...

Describe what to bu

main* | 0 0 | Go Live