AWS S3 STATIC HOSTING

NAME : GUGGILLA PALANI KUMAR REDDY
BRANCH : ECE USN : 23BTREC035

HCLID : HCLTFP2283134

AWS S3 Static Website Hosting

S3 Static Website Hosting

It allows you to host a static website using an Amazon S3 bucket without launching an EC2 server. Examples: a portfolio website, a company landing page, or a simple HTML/CSS website.

How it works:

You create an S3 bucket.


You upload website files such as `index.html`, `style.css`, and images.

You enable Static website hosting.

You configure permissions for public website access. You open the website endpoint in your browser.


Create an S3 bucket


Bucket name aws-s3-hosing-01




Upload website files

Create a file named `index.html` on your Mac with this content




Upload objects - S3 bucket
us-east-1.console.aws.amazon.com/s3/upload/aws-s3-hosting-01?region=us-east-1
Amazon S3 > Buckets > aws-s3-hosting-01 > Upload
Upload Info
Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. Learn more
Files and folders (0)
All files and folders in this table will be uploaded.
Find by name
Name
Add files
Add folder
Destination Info
Destination
s3://aws-s3-hosting-01
Destination details
Bucket settings that impact new objects stored in the specified destination.
Permissions
Grant public access and access to other AWS accounts.
Recents
Shared
Favourites
Applications
Desktop
Documents
Downloads
Locations
iCloud Drive
chalamsetty
Macintosh HD
Tags
Red
Orange
Downloads
Search
ecommerceVm_key.pem
First_GCP_Big_Query.sql
funny-site-beanstalk.zip
funny-site.html
IMG_8064.heic
Ka-Chow in C...Drift Art.jpeg
MAC_SEB_1.1.0 (1).dmg
MAC_SEB_1.1.0.dmg
Moneyview Pi...opy (1) (1).pdf
Moneyview Pi...l Copy (1).pdf
movie_recommender_project
my-first-ec2-key.pem
MY-FIRST-EC2.pem
nivas_credentials.csv
funny-site.html
HTML text - 3 KB
Information
Show More
Created
Sunday, 11 October 2026 at 10:25 PM
Cancel
Open
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Amazon S3
Upload succeeded
For more information, see the Files and folders table.
Upload: status
Close
After you navigate away from this page, the following information is no longer available.
Summary
Destination
s3://aws-s3-hosting-01
Succeeded
2 files, 435.8 KB (100.00%)
Failed
0 files, 0 B (0%)
Files and folders
Configuration
Files and folders (2 total, 435.8 KB)
Find by name
Name
Folder
Type
Size
Status
Error
Screenshot 2026-10-29 at 2.2...
-
image/png
432.7 KB
Succeeded
-
funny-site.html
-
text/html
3.1 KB
Succeeded
-
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

Enable static website hosting


Open your bucket.

Select Properties.


Scroll to Static website hosting.


Choose Host a static website.


Set the Index document to `index.html`.




Configure public access





Amazon S3 > Buckets > aws-s3-hosting-01 > Edit Block public access (bucket settings)
Edit Block public access (bucket settings) Info
Block public access (bucket settings)
Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. Learn more
Block all public access
Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.
Block public access to buckets and objects granted through new access control lists (ACLs)
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.
Block public access to buckets and objects granted through any access control lists (ACLs)
S3 will ignore all ACLs that grant public access to buckets and objects.
Block public access to buckets and objects granted through new public bucket or access point policies
S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.
Block public and cross-account access to buckets and objects through any public bucket or access point policies
S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.
Cancel
Save changes
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Amazon S3 > Buckets > aws-s3-hosting-01
Successfully edited Block Public Access settings for this bucket.
aws-s3-hosting-01 Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Permissions overview
Access finding
Access findings are provided by IAM external access analyzers. Learn more about How IAM analyzer findings work
View analyzer for us-east-1
Block public access (bucket settings)
Edit
Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. Learn more
Block all public access
Off
Individual Block Public Access settings for this bucket
Bucket policy
Edit
Delete
The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. Learn more
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Add a bucket policy





Open your website

Return to Properties → Static website hosting and copy the Bucket website endpoint.



FINAL OUTPUT

