

Individual #02 Modified Web App

วิศิษฐ์ สุวรรณนาว์

67070501042

1. Show a screen capture of your new invoice list view that also shows the name of the **sales person** (could be null). At least 3 of your invoices should have a **sales person** (you can create a new invoice with a sales person or edit an existing one to add a **sales person**). The sales person in remaining invoices can be null.

Invoices

+ Create New

Q Search invoice no, customer... 1-10 of 51 invoices 10 / page

INVOICE NO ▲	CUSTOMER ▲	SALES PERSON ▲	DATE ▲	AMOUNT DUE ▲	ACTIONS
INV-001	Placeholder Customer A	Somchai Jaidee	January 18, 2026	฿321.00	Edit Delete
INV-044	Placeholder Customer B	Nattaporn Srisuk	January 17, 2026	฿2,516.91	Edit Delete
INV-041	Mekong Trading Co., Ltd.	Wanchai Thammasat	January 17, 2026	฿1,801.35	Edit Delete
INV-007	Chao Phraya Trading Co., Ltd.	Pornpan Rattana	January 15, 2026	฿3,381.20	Edit Delete
INV-047	Mekong Trading Co., Ltd.	Chaiwat Meechai	January 11, 2026	฿912.18	Edit Delete
INV-023	Ayutthaya Trading Co., Ltd.	Wanchai Thammasat	January 05, 2026	฿351.09	Edit Delete
INV-008	Krungthep Trading Co., Ltd.	Apinya Wongsiri	January 05, 2026	฿1,775.13	Edit Delete
INV-036	Thonburi Trading Co., Ltd.	Wanchai Thammasat	January 03, 2026	฿998.04	Edit Delete
INV-011	Thonburi Trading Co., Ltd.	Chaiwat Meechai	January 03, 2026	฿3,611.65	Edit Delete
INV-002	Siam Trading Co., Ltd.	Thanachart Boonsri	January 02, 2026	฿2,169.43	Edit Delete

<< < 1 2 3 4 5 > >>

จากภาพเบื้องต้น ได้ทำการเลือก Sales Person ของแต่ละใบแจ้งหนี้ เป็นตัวอย่างประมาณ 10 รายการ

2. Show a screen capture of your revised invoice form after a new invoice with a **sales person** is created (saved).

Edit Invoice INV-001 ← Back

Invoice Details

Invoice No *
INV-001

Customer Code *
C100 LoV x

Customer Name
Placeholder Customer A

Customer Address
1 Main St, -, Thailand

Sales Person Code
SP001 LoV x

Sales Person Name
Somchai Jaidee

Invoice Date *
17/01/2026 📅

VAT Rate
0.07 7%

Summary

Subtotal **฿300.00**

VAT (7%) **฿21.00**

Total ฿321.00

Save Changes

จากภาพเบื้องต้น ได้ทำการเลือก Sales Person ของใบแจ้งหนี้ที่มีอยู่แล้ว ซึ่งในตัวอย่างคือใบแจ้งหนี้เลขที่ INV-001 แล้วเลือก Sales Person เป็น SP001

3. Show a screen capture of a printed invoice that has a **sales person**.

Invoice INV-001

← Back

Edit

Print PDF

InvoiceDoc v2

Customer
Placeholder Customer A
1 Main St
-
Thailand

INVOICE
Date: January 17, 2026
Invoice No: INV-001
Sales Person: SP001 - Somchai Jaidee

PRODUCT	UNIT	QTY	UNIT PRICE	EXTENDED
P001 - Product A	PCS	5.00	\$20.00	\$100.00
P002 - Product B	PCS	10.00	\$20.00	\$200.00

Thank you for your business. Please pay within 30 days.

Subtotal: \$300.00

VAT: \$21.00

Total Due: \$321.00

พิมพ์

รวม: 1 หน้า

เครื่องมือพิมพ์

บันทึกเป็น PDF

▼

เข้าโครง

☒ หน้า

☐ คู่มือ

หน้า

☒ ทั้งหมด

☐ ช่วงเวลา: 1-5, 8, 11-13

การตั้งค่าเพิ่มเติม

พิมพ์โดยอัตโนมัติ (Ctrl+Shift+P)

บันทึก

ยกเลิก

18/3/69 10:56

InvoiceDoc v2

InvoiceDoc v2

INVOICE

Customer
Placeholder Customer A
1 Main St
-
Thailand

Date: January 17, 2026
Invoice No: INV-001
Sales Person: SP001 - Somchai Jaidee

PRODUCT	UNIT	QTY	UNIT PRICE	EXTENDED
P001 - Product A	PCS	5.00	\$20.00	\$100.00
P002 - Product B	PCS	10.00	\$20.00	\$200.00

Subtotal: \$300.00

VAT: \$21.00

Total Due: \$321.00

4. Show a screen capture of when the [List of Value] button to select a **sales person** is pressed. This will show the **sales person** list view.

Select Sales Person

Q Search code or name...

10 / page

CODE ▲	NAME ▲	START DATE ▲	ACTION
SP001	Somchai Jaidee	2020-02-29	Select
SP002	Nattaporn Srisuk	2019-07-14	Select
SP003	Apinya Wongsiri	2021-01-09	Select
SP004	Chaiwat Meechai	2018-05-19	Select
SP005	Pornpan Rattana	2022-08-31	Select
SP006	Wanchai Thammasat	2017-11-29	Select
SP007	Sukanya Prempre	2023-02-13	Select
SP008	Piyawat Khumdee	2020-08-07	Select
SP009	Malee Somboon	2016-04-21	Select
SP010	Thanachart Boonsri	2024-05-31	Select

10 sales persons · Page 1 of 1

«

«

1

»

»

Cancel

จากภาพเบื้องต้น หลังจากได้เพิ่ม Sales Person ของระบบใบแจ้งหนี้เรียบร้อยแล้ว เมื่อเข้าไปแก้ไขรายละเอียด Sales Person ของใบแจ้งหนี้ (ทำตามเหมือนข้อที่ 2) เมื่อกดปุ่ม LoV ก็จะขึ้นให้ Select Sales Person ตามภาพที่ปรากฏ ซึ่งจะมีตัวอย่าง Sales Person ทั้งหมด 10 รายการ

5. Show the source code for all the APIs you modified. Do not include those you did not modify.

1. `server/src/routes/salesPersons.routes.js` (เพิ่ม Route ใหม่)

```
import { Router } from "express";
import { handleList } from "../controllers/salesPersons.controller.js";

const router = Router();
router.get("/", handleList);

export default router;
```

2. `server/src/controllers/salesPersons.controller.js` (เพิ่ม Controller ใหม่)

```
import { listSalesPersons } from "../services/salesPersons.service.js";

export async function handleList(req, res) {
  try {
    const { search = "", page = 1, limit = 10 } = req.query;
    const result = await listSalesPersons({ search, page, limit });
    res.json({
      success: true,
      data: result.data,
      meta: {
        total: result.total,
        page: result.page,
        limit: result.limit,
        totalPages: result.totalPages,
      },
    });
  } catch (err) {
    res.status(500).json({ success: false, error: { message: err.message } });
  }
}
```


3. server/src/services/salesPersons.service.js (เพิ่ม Service ใหม่)

```
import { pool } from "../db/pool.js";

export async function listSalesPersons({ search = "", page = 1, limit = 10 } = {}) {
  const offset = (Number(page) - 1) * Number(limit);
  const searchParam = `%${search}%`;

  const countResult = await pool.query(
    `SELECT COUNT(*) as total
     FROM sales_person
     WHERE code ILIKE $1 OR name ILIKE $1`,
    [searchParam],
  );

  const { rows } = await pool.query(
    `SELECT code, name, start_work_date
     FROM sales_person
     WHERE code ILIKE $1 OR name ILIKE $1
     ORDER BY code ASC
     LIMIT $2 OFFSET $3`,
    [searchParam, Number(limit), offset],
  );

  const total = Number(countResult.rows[0].total);
  return {
    data: rows,
    total,
    page: Number(page),
    limit: Number(limit),
    totalPages: Math.ceil(total / Number(limit)),
  };
}
```


4. server/src/services/invoices.service.js (แก้ไข Query ให้ Join กับ Sales Person)

```
// ... (imports)

export async function listInvoices({ search = "", page = 1, limit = 10, sortBy = "invoice_date", sortDir = "desc" } = {}) {
  // ... (setup variables)

  // Modified Query: LEFT JOIN sales_person
  const { rows } = await pool.query(
    `
    SELECT i.invoice_no, i.invoice_date, i.amount_due,
           c.name as customer_name,
           sp.name as sales_person_name -- Added column
    FROM invoice i
    JOIN customer c ON c.id = i.customer_id
    LEFT JOIN sales_person sp ON sp.id = i.sales_person_id -- Join table
    WHERE i.invoice_no ILIKE $1 OR c.name ILIKE $1 OR sp.name ILIKE $1
    ORDER BY ${sortBy} ${sortDir} NULLS LAST, i.id DESC
    LIMIT $2 OFFSET $3
    `
  );

  [searchParam, Number(limit), offset],
);

// ... (return result)
}

export async function getInvoice(idOrInvoiceNo) {
  // ... (resolve id)

  // Modified Query: Select sales person details
  const header = await pool.query(
    `
    select i.invoice_no, i.invoice_date, i.total_amount, i.vat, i.amount_due,
           c.code as customer_code, c.name as customer_name,
           c.address_line1, c.address_line2,
           co.name as country_name,
           sp.code as sales_person_code, -- Added
           sp.name as sales_person_name -- Added
    from invoice i
    `
  );
}
```



```

    join customer c on c.id = i.customer_id
    left join country co on co.id = c.country_id
    left join sales_person sp on sp.id = i.sales_person_id -- Join table
    where i.id = $1
  `,
  [id],
);

// ... (rest of function)
}

```

5. [client/src/api/salesPersons.api.js](#) (เพิ่ม Frontend API Util)

```

import { http } from "../http.js";

function unwrap(res) {
  if (res && res.success === false && res.error) throw new
Error(res.error.message);
  return res;
}

export async function listSalesPersons(params = {}) {
  const query = new URLSearchParams(params).toString();
  const res = unwrap(await http(`/api/sales-persons${query} ? `?${query}` :
""`));
  return { data: res.data, ...(res.meta || {}) };
}

```


6. client/src/components/SalesPersonPickerModal.jsx (เพิ่ม Component เลือก Sales Person)

```
import React from "react";
import { listSalesPersons } from "../api/salesPersons.api.js";
import ListPickerModal from "../ListPickerModal.jsx";

const COLUMNS = [
  { key: "code", label: "Code" },
  { key: "name", label: "Name" },
  { key: "start_work_date", label: "Start Date", render: (v) => (v ?
String(v).slice(0, 10) : "-") },
];

export default function SalesPersonPickerModal({ isOpen, onClose, onSelect,
initialSearch = "" }) {
  const fetchData = React.useCallback((params) => listSalesPersons(params), []);

  const handleSelect = React.useCallback(
    (row) => {
      onSelect(row.code, row.name);
    },
    [onSelect],
  );

  return (
    <ListPickerModal
      isOpen={isOpen}
      onClose={onClose}
      onSelect={handleSelect}
      initialSearch={initialSearch}
      title="Select Sales Person"
      searchPlaceholder="Search code or name..."
      fetchData={fetchData}
      columns={COLUMNS}
      itemName="sales person"
      emptySearch="No sales persons found."
      emptyDefault="No sales persons yet."
      getSelectLabel={(row) => `${row.code} - ${row.name}`}
    />
  );
}
```



```
);  
}
```

7. client/src/components/InvoiceForm.jsx (แก้ไข Form ให้มีปุ่มเลือก Sales Person)

```
// ... (imports)  
import SalesPersonPickerModal from "../SalesPersonPickerModal.jsx"; // Import  
Modal  
  
export default function InvoiceForm({ onSubmit, submitting, initialData }) {  
  // ... (other states)  
  const [salesPersonCode, setSalesPersonCode] = React.useState("");  
  const [salesPersonName, setSalesPersonName] = React.useState("");  
  const [salesPersonModalOpen, setSalesPersonModalOpen] = React.useState(false);  
  
  // ... (useEffect for initialData)  
  React.useEffect(() => {  
    if (initialData) {  
      // ...  
      setSalesPersonCode(initialData.sales_person_code || "");  
      setSalesPersonName(initialData.sales_person_name || "");  
      // ...  
    }  
  }, [initialData]);  
  
  // ... (render)  
  return (  
    <>  
      { /* ... */ }  
      <SalesPersonPickerModal  
        isOpen={salesPersonModalOpen}  
        onClose={() => setSalesPersonModalOpen(false)}  
        initialSearch={salesPersonCode}  
        onSelect={(code, name) => {  
          setSalesPersonCode(String(code || ""));  
          setSalesPersonName(String(name || ""));  
          setSalesPersonModalOpen(false);  
        }}  
      />  
    </>  
  );  
}
```



```

<form onSubmit={handleSubmit} className="invoice-form">
  {/* ... */}
  <div className="form-group">
    <label className="form-label">Sales Person Code</label>
    <div style={{ display: "flex", gap: 8 }}>
      <input
        className="form-control"
        value={salesPersonCode}
        onChange={(e) => {
          setSalesPersonCode(e.target.value);
          setSalesPersonName("");
        }}
        placeholder="e.g. SP001"
        style={{ flex: 1 }}
      />
      <button
        type="button"
        className="btn btn-primary"
        onClick={() => setSalesPersonModalOpen(true)}
      >
        LoV
      </button>
    {/* ... Clear button code ... */}
  </div>
</div>

  <div className="form-group">
    <label className="form-label">Sales Person Name</label>
    <input className="form-control" disabled value={salesPersonName}
readOnly placeholder="-" />
  </div>
  {/* ... */}
</form>
</>
);
}

```


8. client/src/pages/invoices/InvoiceList.jsx (แก้ไข List View ให้แสดงชื่อ)

```
// ...
const columns = [
  { key: "invoice_no", label: "Invoice No" },
  { key: "customer_name", label: "Customer" },
  { key: "sales_person_name", label: "Sales Person", render: (v) => v ||
  "-" }, // Added Column
  { key: "invoice_date", label: "Date", render: v => formatDate(v) },
  { key: "amount_due", label: "Amount Due", align: "right", render: v =>
  <span className="font-bold">{formatBaht(v)}</span> }
];
// ...
```

