การเผยแพร่ข้อสอบ

☐ อนุญาต ☒ ไม่อนุญาต

เลขที่นั่งสอบ _____

วันที่สอบ

26 ตุลาคม 2569

เวลาสอบ

09.00 - 12.00 (3 ชั่วโมง)

กลุ่มนักศึกษา

☒ ปกติ

☐ International

ชุดข้อสอบ (Optional) : 1

วิชา

CPE333

Operating System

ชื่อ-นามสกุล : _____ **รหัสนักศึกษา :** _____

ภาควิชา/สาขาวิชา : _____ **กลุ่ม :** _____

คำชี้แจง

1. ข้อสอบมี 3 ส่วน 12 หน้า (รวมหน้าปก) คะแนนรวม 50 คะแนน
   ส่วนที่ 1 ข้อสอบปรนัย 41 ข้อ คะแนนเต็ม 20 คะแนน
   ส่วนที่ 2 ข้อสอบเติมคำ 10 ข้อ คะแนนเต็ม 10 คะแนน
   ส่วนที่ 3 ข้อสอบอัตนัย 3 ข้อ คะแนนเต็ม 20 คะแนน
2. ให้ทำข้อสอบส่วนที่ 1 และ 2 ลงในตัวข้อสอบ ส่วนที่ 3 ทำลงในสมุดคำตอบ
3. เขียนชื่อและรหัสประจำตัวลงในตัวข้อสอบทุกแผ่น

เงื่อนไขการสอบ

1. **ให้นักศึกษาปฏิบัติแนวปฏิบัติการสอบอย่างเคร่งครัด**
2. อนุญาตให้ใช้เครื่องคำนวณ รุ่นและยี่ห้อที่มหาวิทยาลัยกำหนดได้
3. **ไม่อนุญาต**ให้นำตำราและเอกสารใด ๆ เข้าห้องสอบ
4. **ห้าม**ประพฤติปฏิบัติอันเป็นเหตุแห่งการทุจริตทุกรูปแบบในระหว่างการสอบโดยเด็ดขาด

หมายเหตุ (Optional)

* ข้อสอบได้ผ่านการพิจารณาจากคณะกรรมการประจำภาควิชาวิศวกรรมคอมพิวเตอร์แล้ว *

หัวหน้าภาควิชา	**อาจารย์ผู้สอน / ผู้ประสานงานรายวิชา**
.....	.....
	เบอร์โทรศัพท์ : .....

Name _____ Student ID _____

Part I: Multiple Choice (20 points)

Circle the one correct answer in each question.

1. What is a trap in OS?

   (a) A trap is a system call that provides OS level service
   (b) A trap is a service that user can capture output from a process
   (c) A trap is a system call that captures users in OS
   (d) A trap is a way to capture bugs
   (e) There is no trap in OS

2. What would happen if there is no user level and privileged level separation?

   (a) Process cannot be kicked of processor
   (b) OS cannot access disks or external devices
   (c) Process may be able to access other process data
   (d) OS can prevent process from directly access devices
   (e) Process cannot create child process

3. What is not the component of a process?

   (a) Program
   (b) Data state
   (c) Process status
   (d) Control state
   (e) All of the choices are process components

4. What is the issue to consider to protect one application from others?

   (a) Performance
   (b) Isolation
   (c) Reliability
   (d) Mobility
   (e) All of the issues is for protection

5. What is the low-level hardware that is needed in non-preemptive system to switch process?

   (a) MMU
   (b) Timer interrupt
   (c) Cache
   (d) TLB
   (e) None of them

6. Which part of the process is in kernel space?

   (a) Text segment
   (b) Data segment
   (c) Stack segment
   (d) Process descriptor
   (e) All of them are not in kernel

7. Which part of memory of a process grows in an opposite direction of other?

   (a) Text
   (b) Heap
   (c) Stack
   (d) Program
   (e) They are all growing in the same direction

8. When would a process in ready state be moved to a blocked state?

   (a) When it read a file
   (b) When it read from memory
   (c) When timer interrupt occurs
   (d) Cannot happen
   (e) Both when read from file and memory

9. When would a process enter a ready state?

   (a) Timer interrupt occurs
   (b) I/O transfer is completed
   (c) A process is created
   (d) All of the events
   (e) None of the events

10. What does it mean when process is a zombie?

    (a) Process is running on processor and cannot be kicked off
    (b) Process is waiting for I/O indefinitely
    (c) Process is ready but has never be select to run
    (d) Process is terminated but cannot be removed from the system
    (e) There is no such thing as zombie in OS

11. What is the data structure that keeps process information?

    (a) PCB
    (b) TLB
    (c) Stack
    (d) MMU
    (e) Queue

12. Which situation could lead to zombies in the system?

    (a) Parent exists before child returns value
    (b) Parent creates more than one child
    (c) Child also creates a child process
    (d) Parent waits for child
    (e) Child executes other program

13. In the lab, when a parent waits for the child before printing, what will always happen?

    (a) Child will always print after parent
    (b) A zombie will always happen
    (c) Child will always start from beginning of main function
    (d) A segmentation fault will always occur
    (e) Parent will always print after child

14. The following C program :

```
main()
  {
  fork();
  fork();
printf("hello");
  }
```

    How may time the word “hello” will be printed

    (a) Only once
    (b) Twice
    (c) Three times
    (d) Four times
    (e) Eight times

15. Which event can cause a process to release from a CPU?

    (a) Timer interrupt
    (b) Calling I/O transfer
    (c) Calling wait
    (d) Calling yield
    (e) All of the events

16. What is not true about MLFQ?

    (a) It has a number of distinct queues of different priority levels.
    (b) Process enters with lowest level of priority
    (c) A job that is ready to run is on a single queue
    (d) RR is used among jobs in the same queue
    (e) All statements are true

17. Which of the storage class is the fastest?

    (a) Auto
    (b) Register
    (c) Extern
    (d) Static
    (e) They are executed at the same speed by CPU

18. Which statement is true?

    (a) Single partition allocation is more efficient that multiple partition allocation in terms of memory usage
    (b) Flexible-size partition does not suffer external fragmentation
    (c) Fixed-size partition suffers from internal fragmentation
    (d) To solve internal fragmentation, OS needs to do memory coalescing and compaction
    (e) None of them is true

19. What does process selection algorithm do?

    (a) Select program to load into memory
    (b) Select process to run
    (c) Select process to remove from memory
    (d) Select memory to assign to a process
    (e) Select process to put to memory

20. What does page replacement algorithm do?

    (a) Select a page to load into memory
    (b) Select a page to run
    (c) Select a page to remove from memory
    (d) Select memory to assign to a page
    (e) Select a page to replace a process

21. What is not used in address translation?

    (a) MMU
    (b) Page table
    (c) TLB
    (d) Segment table
    (e) All of them are used in address translation

22. What is the disadvantage of segmentation with the contiguous memory allocation?

    (a) Harder to translate from VA to PA
    (b) Cannot protect memory from other process
    (c) Suffer from external fragmentation
    (d) Use too much memory to keep map of the address translation
    (e) There is no disadvantage

23. What does demand paging mean?

    (a) Page will be loaded when it is accesses only
    (b) Page is always in memory for on demand access
    (c) Page is pre-loaded on user demand
    (d) Page is pre-loaded by probability of the on demand usage
    (e) There is no such thing as on demand paging in OS

24. What does not happen when a page fault occurs?

    (a) Save process context
    (b) Free a frame if there is no free frame
    (c) Locate and read page from disk
    (d) Update page table
    (e) All events happen

25. What is the data stored in the segment table?

    (a) Base
    (b) Bound
    (c) Direction
    (d) Valid
    (e) All choices are a part of segment table

26. What is the effect of a larger page size?

    (a) More problem with external fragmentation
    (b) Smaller TLB reaches
    (c) Smaller page table
    (d) More process can be created
    (e) There is no effect from the size of page

27. Which scheduler is the fairest?

    (a) FIFO
    (b) STCF
    (c) RR
    (d) MLPQ
    (e) All of the schedulers have the same fairness

28. Which scheduler does not need timer interrupt?

    (a) FIFO
    (b) STCF
    (c) RR
    (d) MLPQ
    (e) All of the schedulers have the same fairness

29. Where does virtual memory safe the image of memory?

    (a) On virtual storage
    (b) On a virtual cloud
    (c) On virtual private network
    (d) On kernel of the OS
    (e) On secondary storage

30. What is the response time?

    (a) Time that process starts running until finish
    (b) Time that process enters system until finish
    (c) Time that process enters system until running
    (d) Time that process runs until requests for I/O
    (e) Time that process runs at each cycle

31. What is the turnaround time?

    (a) Time that process starts running until finish
    (b) Time that process enters system until finish
    (c) Time that process enters system until running
    (d) Time that process runs until requests for I/O
    (e) Time that process runs at each cycle

32. What is the problem of flexible partition size?

    (a) Limit degree of multitasking
    (b) Internal fragmentation
    (c) Address translation
    (d) Need compacting
    (e) There is no problem

33. What is the problem with paging when address space is larger?

    (a) Need more memory to store page table
    (b) Internal fragmentation
    (c) External fragmentation
    (d) TLB reach is smaller
    (e) There is no problem causes by larger address space

34. Why multi-level page table could save some memory?

    (a) Table size is reduced
    (b) Address space is reduced
    (c) Page size is increased
    (d) All of the second level pages are empty
    (e) There is no need to store all the empty second level pages.

35. Which state could a process be when it is newly created in OS?

    (a) ready
    (b) running
    (c) blocked
    (d) terminated
    (e) empty

36. When a process is using a processor, which state could it be?

    (a) ready
    (b) running
    (c) blocked
    (d) terminated
    (e) empty

37. What is a disadvantage of shortest job first (SJF) scheduling?

    (a) Suffer convoy effect
    (b) Highest average waiting time
    (c) Highest agerage response time
    (d) Highest average turn around time
    (e) Stravation

38. What is the advantage of round robin (RR) process scheduling?

    (a) Lowest average turn around time
    (b) Lowest average waiting time
    (c) stravation could occur
    (d) Lowest average response time
    (e) highest throughput

39. What is true about paging memory scheme

    (a) Page and page frame can be different in size
    (b) The smaller the page size is, the smaller the page table is
    (c) Larger page transfer as fast as smaller page
    (d) Page is in logical memory, page frame is in physical memory
    (e) Demand paging is when a program can demand preloading of a page

40. Which memory replacement policy is not really achieved?

    (a) Optimal
    (b) FIFO
    (c) LRU
    (d) LFU
    (e) All of the answers can be implemented

41. When does a page fault occur

    (a) When a process access a page that is not valid in page tale
    (b) When a process access a page that is not in logical memory
    (c) When a process access a page that is updated in memory
    (d) When a process access a page not updated in memory
    (e) All of the answers cause page fault to occur

Name _____ Student ID _____

Part II: Short Answer (10 points)

Answer all questions briefly in the spaces provided. (1 point each.)

1. Write the full names of MLFQ and STCF.

2. What is the difference between a process and a program?

3. Expand MMU and state its address-translation function.

4. Give two examples of CPU state saved during a context switch.

5. Give two types of information stored in a PCB, other than CPU register values.

6. What is an exited child process called before its living parent reaps its exit status?

7. Give one example each of an I/O-intensive task and a CPU-intensive task.

8. What is thrashing in a virtual-memory system?

9. With base = 16 KiB and bound = 4 KiB, is virtual byte address 4200 valid? Why?

10. Expand TLB and explain why a TLB miss need not cause a page fault.

Name _____ Student ID _____

Part III: Written Questions (20 points)

Answer all three questions in the answer booklet. Show your work.

1. **(8 points)** Consider the following set of processes (jobs), where the run time of the process is given in milliseconds (ms):

Process	Run Time	Priority
P_1	10	3
P_2	1	1
P_3	2	3
P_4	1	4
P_5	5	2

   The processes are assumed to arrive in the order P_1, P_2, P_3, P_4, P_5, all at time 0.

   (a) Draw three diagrams illustrating the execution of these processes using FIFO, SJF, and RR scheduling with time slice = 1 ms.

   (b) What is the Turnaround time of each process for each of the schedulers in part (a)?

   (c) What is the Response time of each process for each of the schedulers in part (a)?

   (d) Which of the schedulers results in (i) the minimum average Turnaround time, (ii) the minimum average Response time (taking the average over all processes)?

2. **(4 points)** Explain how a commercial bank handles customer during rush hours with the concept of the Multi-level Feedback Queue (MLFQ), in your opinion. Describe the algorithms and policies used and provide suggestions on how to improve the process with the goal of optimizing the average turnaround time of customers.

3. **(8 points)** Draw three tables show the 3 Frames in physical memory using FIFO, LRU and OPT for page replacement policy (separate table for both policies) and find the Effective Access Time (EAT) of each policies when references strings (list of needed pages) as below:

   7, 0, 1, 3, 0, 3, 2, 4, 2, 7, 0, 3, 2, 1, 2, 0, 1, 4, 0, 1 (20 needed pages)

   Assume that the memory access time is 10 ns and the disk access time is 10 ms.

Name _____ Student ID _____

Name _____ Student ID _____