

1. What is a trap in OS?

A trap is a system call that provides OS level service

ဆို system call ကို service OS

A trap is a service that user can capture output from a process

၂ နှစ်ကနေ အသေးမှ ကြီးမားသိသိ

A trap is a system call that captures users in OS

A trap is a way to capture bugs

There is no trap in OS

2. What would happen if there is no user level and privileged level separation?

Process cannot be kicked off processor

OS cannot access disks or external devices

Process may be able to access other process data

Process ဘာလဲ Process နဲ့လဲ

OS can prevent process from directly access devices

Process cannot create child process

3. Which of the following statements is true?

Processes seem to occupy a CPU provided by modern OS

an instruction in a program directly on disk

A process is a program loaded into memory

All of the statements are true

None of the statements is true

4. What is not the component of a process?

Program

Data state

Process status

Control state

All of the choices are process components

*Program data state process status control state*

5. What is the issue to consider to protect one application from others?

Performance

Isolation

Reliability

Mobility

All of the issues is for protection

6. What is the low-level hardware that is needed in non-preemptive system to switch process?

MMU

Timer interrupt

Cache

TLB

None of them

7. Which part of the process is in kernel space?

Text segment

Data segment

Stack segment

Process descriptor

All of them are not in kernel

8. Which part of memory of a process grows in an opposite direction of other?

Text

Heap

Stack

Program

They are all growing in the same direction

9. When would a process in ready state be moved to a blocked state?

When it read a file

ตอนอ่านไฟล์

When it read from memory

When timer interrupt occurs

Cannot happen

Both when read from file and memory

10. 1. When would a process enter a ready state?

Timer interrupt occurs

I/O transfer is completed

A process is created

ถ้า Time Interrupt I/O + transaction เสร็จ  
process อยากรัน

All of the events

None of the events

11. What does a process in blocked state wait for?

I/O transfer to complete

A timer interrupt to occur

A signal from a child process

OS to remove the process from system

OS to create the process and move to ready

12. What does it mean when process is a zombie?

Process is running on processor and cannot be kicked off

Process is waiting for I/O indefinitely

Process is ready but has never be select to run

Process အတည်အကျ ပြုလုပ်ထားသော အခြေအနေ

Process is terminated but cannot be removed from the system

There is no such thing as zombie in OS

13. What is the data structure that keeps process information?

PCB

TLB

Stack

MMU

Queue

14. In the lab, when a parent waits for the child before printing, what will always happen?

Child will always print after parent

A zombie will always happen

Child will always start from beginning of main function

A segmentation fault will always occur

Parent will always print after child

15. Which of the following scheduling algorithms execute the jobs in the arrival order? ตามลำดับ

FIFO ✓

SJF

RR ✓

Both FIFO and RR

Both FIFO and SJF

16. Which event can cause a process to release from a CPU?

Timer interrupt

Calling I/O transfer

Calling wait

Calling yield

All of the events

→ I/O transfer  
รอ I/O wait, yield, time interrupt

17. What is not true about MLFQ? Priority

It has a number of distinct queues of different priority levels.

Process enters with lowest level of priority

A job that is ready to run is on a single queue

RR is used among jobs in the same queue

All statements are true

18. What is not true about memory?

*physical memory is larger than virtual*

In multitasking systems, we need physical memory that is larger than virtual memory

Physical Address is provided by the H/W

Logical Address (Virtual Address) is provided by the OS

In multitasking systems, we need process isolation

None of the statements is not true

19. Which of the storage class is the fastest?

Auto

Register

Extern

Static

They are executed at the same speed by CPU

20. Which statement is true?

Single partition allocation is more efficient than multiple partition allocation in terms of memory usage

Flexible-size partition does not suffer external fragmentation

Fixed-size partition suffers from internal fragmentation

To solve internal fragmentation, OS needs to do memory coalescing and compaction

None of them is true

21. What does process selection algorithm do?

Select program to load into memory

Select process to run *เลือก Process ที่ต้องการรัน*

Select process to remove from memory

Select memory to assign to a process

Select process to put to memory

22. What does page replacement algorithm do?

Select a page to load into memory

Select a page to run

Select a page to remove from memory *เลือก Page ที่ต้องลบออกจาก Memory*

Select memory to assign to a page

Select a page to replace a process

23. What is not used in address translation?

MMU

Page table

TLB

Segment table

All of them are used in address translation

24. What is the disadvantage of segmentation with the contiguous memory allocation?

Harder to translate from VA to PA

Cannot protect memory from other process

Suffer from external fragmentation

Use too much memory to keep map of the address translation *ใช้หน่วยความจำมากเกินไป*

There is no disadvantage

25. Which statement is true about virtual memory in windows and Linux?

Both system uses the same demand paging

In Linux, user can request a page using realloc()

Windows system only transfer one page at a page fault

Linux can use swap partition and swap file

Windows only uses swap partition

26. What does demand paging mean?

Page will be loaded when it is accesses only *Page จะถูกโหลด เมื่อมีการเข้าถึง*

Page is always in memory for on demand access

Page is pre-loaded on user demand

Page is pre-loaded by probability of the on demand usage

There is no such thing as on demand paging in OS

27. What does not happen when a page fault occurs?

Save process context

Free a frame if there is no free frame

Locate and read page from disk

Update page table

All events happen

28. 1. Which statement is not true?

Windows 10 is using segmentation

Linux is using cluster demand paging

In segmentation we only need one pair of base and bound

In paging, page and frame can be different in size

All of them are false

29. What is the data stored in the segment table?

Base

Bound

Direction

Valid

base, Bound, Direction, Valid

All choices are a part of segment table

30. What is the effect of a larger page size?

More problem with external fragmentation

Smaller TLB reaches

Smaller page table

Table page 15111111

More process can be created

There is no effect from the size of page

31. Which situation could lead to zombies in the system?

Parent exists before child returns value

Parent creates more than one child

Child also creates a child process

Parent waits for child

Child executes other program

32. Which process scheduling has the highest throughput?

FIFO

STCF

RR

MLPQ

a) All of the schedulers have the same throughput

33. Which scheduler is the fairest?

FIFO

STCF

RR

MLPQ

All of the schedulers have the same fairness

34. Which scheduler does not need timer interrupt?

FIFO

STCF

RR

MLPQ

All of the schedulers have the same fairness

35. Where does virtual memory save the image of memory?

On virtual storage

On a virtual cloud

On virtual private network

On kernel of the OS

On secondary storage

36. What is the response time?

Time that process starts running until finish

Time that process enters system until finish

Time that process enters system until running

Time that process runs until requests for I/O

Time that process runs at each cycle

37. What is the turnaround time?

Time that process starts running until finish

Time that process enters system until finish

Time that process enters system until running

Time that process runs until requests for I/O

Time that process runs at each cycle

38. What is the problem of flexible partition size?

Limit degree of multitasking

Internal fragmentation

Address translation

Need compacting

ต้องปรับจัดหน้าในหน่วย

There is no problem

39. What is the problem with paging when address space is larger?

Need more memory to store page table

ต้องการ Memory มากขึ้นในการเก็บ page Table

Internal fragmentation

External fragmentation

TLB reach is smaller

There is no problem causes by larger address space

40. Why multi-level page table could save some memory?

Table size is reduced

Address space is reduced

Page size is increased

All of the second level pages are empty

There is no need to store all the empty second level pages

ไม่ต้องเก็บ  
v's second level

41. Which state could a process be when it is newly created in OS?

ready

running

blocked

terminated

empty

42. When a process is using a processor, which state could it be?

ready

running

blocked

terminated

empty

43. What is a process in a blocked state waiting for?

User input

Input data from disk

Keyboard input

Context switching

Could be waiting for any of the given answers

44. What is a disadvantage of shortest job first (SJF) scheduling?

Suffer convoy effect

Highest average waiting time

Highest average response time

Highest average turn around time

Starvation

45. What is a disadvantage of shortest job first (SJF) scheduling?

Suffer convoy effect

Highest average waiting time

Highest average response time

Highest average turn around time

Starvation

46. What is the advantage of round robin (RR) process scheduling?

Lowest average turn around time

Lowest average waiting time

starvation could occur

Lowest average response time

highest throughput

47. What is not true about segmentation memory scheme?

Divide program into several logical segments

Use multiple bases and bounds

suffer from internal fragmentation

Need to load entire program into memory

All the given answers are true

48. What is true about paging memory scheme

Page and page frame can be different in size

The smaller the page size is, the smaller the page table is

Larger page transfer as fast as smaller page

Page is in logical memory, page frame is in physical memory

Demand paging is when a program can demand preloading of a page

Page is in logical Mem, frame is in physical

49. Which memory replacement policy is not really achieved?

Optimal

FIFO

LRU

LFU

All of the answers can be implemented

50. When does a page fault occur

process is to page in page table entry

When a process access a page that is not valid in page table

When a process access a page that is not in logical memory

When a process access a page that is updated in memory

When a process access a page not updated in memory

All of the answers cause page fault to occur

51. When do you want to use round robin (RR) process scheduling?

In the same level of MLFQ

Users want system to be responsive

Avoid starvation

Round robin are not suitable for all the answers

Round robin can be used in all the situation in the answers

Back

url

390036

5795774

Answer

Reset

Hide

1. Operating System does not virtualize which of the following resources?

CPU

Disk

All of the resources

None of the resources

Memory

2. Which of the following statements is true?

Computer seems to have infinite number of CPUs provided by modern OS

Computer can execute an instruction in a program directly on disk

A process is a program loaded into memory

All of the statements are true

None of the statements is true

3. Which computer system does not need to run concurrently?

Computer that runs one process

Computer that has one single core CPU

Computer that has one harddisk

All of the systems do not run concurrently

None of the systems

4. What is the device that a computer needs to provide persistency?

Disk

CPU

MEMORY

All of the devices are needed

None of the devices is needed

5. What is the issue to consider to protect one application from others?

Isolation

Performance

Reliability

Mobility

All of the issues is for protection

6. What is the low level hardware that is needed in non-preemptive system to switch process?

Timer interrupt

MMU

Cache

TLB

None of the

7. What does context-switching do?

Only save and restore

Select next process to run

Save context from CPU to a process

Restore context from a process to CPU

All of the actions

8. What is not the components of a process?

None of the component

Program

Control state

Data state

Process status

9. Which part of the process is not in kernel space?

Process descriptor

Text segment

Data segment

Stack segment

All of them are in kernel

10. Which information is not stored in user space?

Register's content

Global variable

Local variable

Parameter

Instruction

11. Which API is used to create a process in lab?

Fork

Exec

Wait

Create

Start

12. Which situation could lead to zombies in system?

Parent exists before child

Parent creates more than one child

Child also creates a child process

Parent waits for child

Child executes other program

13. What is the state that a process is using a CPU?

Running

Ready

Blocked

Both Ready and Running

None of the process state indicate CPU usage

14. When would a process in ready state be moved to a blocked state?

Cannot happen

When it read a file

When it read from keyboard

When timer interrupt occurs

Both when read from file and keyboard

15. When would a process enter a ready state

All of the events move process to ready state

Timer interrupt occurs

I/O transfer is completed

A process is created

None of the events makes a process ready

16. What does a process in blocked state wait for?

I/O transfer to complete

A timer interrupt to occur

A signal from a child process

OS to remove the process from system

OS to create the process and move to ready

17. What is the data structure that keeps process information?

PCB

TLB

Stack

MMU

Queue

18. What could happen when parent does not wait for child?

Child could start from the beginning of main function

Child could end before parent

Parent could end before child

A zombie could occur

All the event could happen

19. In lab, when a parent waits for child before printing, what will always happen?

Parent will always print after child

Child will always print after parent

A zombie will always happen

Child will always start from beginning of mail function

A segmentation fault will always occur

20. What is the return value from fork function in child process?

Pid of child

Pid of parent

Process status of parent

Process stated of child

0

21. Which event can cause a process to release from a CPU?

All of the events

Timer interrupt

Calling I/O transfer

Calling wait

Calling yield

22. What is not true about scheduling?

FIFO has best turnaround time

SJF has the best throughput

RR has the best respond time

FIFO suffers convoy effect

SJF suffers starvation

23. Which of the following scheduling algorithms execute the jobs in the arrival order?

Both FIFO and RR

FIFO

SJF

RR

FIFO and SJF

24. Which of the following scheduling algorithms execute the jobs that has shortest remaining time first?

STCF

FIFO

SJF

RR

MLFQ

25. What is not true about MLFQ?

Process enters with lowest level of priority

Process enters with lowest level of priority

a job that is ready to run is on a single queue

RR is used among jobs in the same queue

All statements are true

26. What is not true about memory?

In multitasking systems, we need physical memory that is larger than virtual memory

Physical Address is provided by the H/W

Logical Address (Virtual Address) is provided by the OS

In multitasking systems, we need process isolation

27. Which of the storage class is the fastest?

Register

Auto

Extern

Static

They are executed at the same speed by CPU

28. Which statement is true?

Fixed-size partition suffers from internal fragmentation

Single partition allocation is more efficient than multiple partition allocation in terms of memory usage

Flexible-size partition does not suffer external fragmentation

To solve internal fragmentation, OS needs to do memory coalescing and compaction

29. Which statement is not true?

All of them are false

Windows 10 is using segmentation

Linux is using cluster demand paging

In segmentation we only need one pair of base and bound

In paging, page and frame can be different in size

30. What is not used in address translation?

All of them are used in address translation

MMU

Page table

TLB

Segment table

31. Which statement is true about virtual memory in windows and Linux?

Both system uses demand paging

In Linux, user can request a page using realloc()

Windows system only transfer one page at a page fault

Linux can use swap partition and swap file

Windows only uses swap partition

32. What does not happen when page fault occurs?

All events happen

Save process context

Free a frame if there is no free frame

Locate and read page from disk

Update page table

31. Which statement is true about virtual memory in windows and Linux?

localhost:5173/quiz

9/10

9/3/24, 8:56 PM

Backroom

Both system uses demand paging

In Linux, user can request a page using realloc()

Windows system only transfer one page at a page fault

Linux can use swap partition and swap file

Windows only uses swap partition

25. Which statement is true about virtual memory in windows and Linux?

Both system uses the same demand paging

In Linux, user can request a page using realloc()

Windows system only transfer one page at a page fault

Linux can use swap partition and swap file

Windows only uses swap partition

They are executed at the same speed by CPU

28. Which statement is true?

Fixed-size partition suffers from internal fragmentation

Single partition allocation is more efficient than multiple partition allocation in terms of memory usage

Flexible-size partition does not suffer external fragmentation

To solve internal fragmentation, OS needs to do memory coalescing and compaction

20. Which statement is true?

Single partition allocation is more efficient than multiple partition allocation in terms of memory usage

Flexible-size partition does not suffer external fragmentation

Fixed-size partition suffers from internal fragmentation

To solve internal fragmentation, OS needs to do memory coalescing and compaction

None of them is true

23. Which of the following scheduling algorithms execute the jobs in the arrival order?

Both FIFO and RR

FIFO

SJF

RR

FIFO and SJF

15. Which of the following scheduling algorithms execute the jobs in the arrival order?

FIFO

SJF

RR

Both FIFO and RR

Both FIFO and SJF

14. When would a process in ready state be moved to a blocked state?

localhost:5173/quiz

4/10

9/3/24, 8:56 PM

Backroom

Cannot happen

When it read a file

When it read from keyboard

When timer interrupt occurs

Both when read from file and keyboard

9. When would a process in ready state be moved to a blocked state?

When it read a file

When it read from memory

When timer interrupt occurs

Cannot happen

Both when read from file and memory

14. When would a process in ready state be moved to a blocked state?

localhost:5173/quiz

4/10

9/3/24, 8:56 PM

Backroom

Cannot happen

When it read a file

When it read from keyboard

When timer interrupt occurs

Both when read from file and keyboard

9. When would a process in ready state be moved to a blocked state?

When it read a file

When it read from memory

When timer interrupt occurs

Cannot happen

Both when read from file and memory