	<b>□Logo</b>	,
5039 3BR	STUDENT REPORT  STAILS  SHRP STORY SHRP SHRP SHRP SHRP SHRP SHRP SHRP SHRP	~°°
5	STOPPINI KEISOKT	3050
c.		BR
DE		365
)	STUDENT REPORT  STUDENT REPORT  STAILS  SHRPACES AND ARRANGES AND ARRA	5039
3		
223 F	Roll Number	73°C
	3BR23CS039	30
ĒΧ	PERIMENT AND SELECTION OF THE PROPERTY OF THE	, ,
EX Titl	e 1325 34R <sup>1</sup> 255030 34R <sup>1</sup> 255030 34R <sup>1</sup> 255030 34R <sup>1</sup> 255030 34R <sup>1</sup>	(503
_	ELECTIONS ACCOUNTS AND ACCOUNTS	BELBE
2)3°C.	PERIMENT  PERIME	, <
38R13C	BR23CS039  PERIMENT  LECTIONS  ARABICSON ARTHURSON ARTHU	,5039 3B
	You are the head of the election committee in your village. Each Political party is associated with a unique number and the	50
22305035	votes are represented as an integer array A. where each element contains the party number voted for by the villagers. For a party to win, they must have a majority of votes. our task is to find and return an integer value denoting the winning party's	
52,3	number. Return -1 if there is no party with a majority.	388236
^<	Note: If only one vote is there he is the winner.	3)
:5039 38í	Input Format :	\mathcal{n}{\gamma}
.50	input1: An integer value representing the number the number of voters	23050
2	input2: An integer array A representing the votes of the voters.	
38R23C	output Format:	,5030 38°
0)	Return an integer value denoting the winning party's number.Return -1 there is no party with a majority	5030
03	Example 1:	
23°C5035	Input:	2230
) "	6	3,80
36	112223	
:5039 38°	Output:	CES SE
	2	33
3BR23C	Explanation:	~
3	As 2 got the most number of votes i.e 3.	18 Miles
	Example 2:	.350,
	Input:	~
	6	The Contract of the Contract o
	121122	No.
	Output:	- 03g
	-1	F. C. S. C.
	Explanation:	50

Source Code:

2022 COSE

3 Capter

839 S

```
1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 1965 - 19
```

```
n=int(input())
arr=list(map(int,input().split()))
d={ }
if n==1:
    print(arr[0])
else:
    for i in arr:
        if i not in d:
            d[i]=1
        else:
            d[i]+=1
    x=sorted(d.items(),key=lambda x:x[1], reverse =True)
    if x[0][1]==x[1][1]:
        print(-1)
    else:
        print(x[0][0])
```

**RESULT** 

aBR

CS039 3

323050

38R

039

KESULI

6 / 6 Test Cases Passed | 100 %

3BR1

~03°

3050

BRIV

30

S

ar?

30 3BY