

## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.1: Water Quality of ground water in Andhra Pradesh - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
26	WELL AT VIJAYWADA	ANDHRA PRADESH	22	26	7.51	8.03	960	1418			2.7	4.6			400	400
1513	BORE WELL. - KRISHNA MURTHY, D.NO. 48-16-43 AUTONAGAR VIJAYAWADA, KRISNA DIST	ANDHRA PRADESH	23	26	7.7	8	1214	1260			0	1.9			400	400
1514	BORE WELL - VIJAY KUMAR AUTONAGAR VIJAYAWADA, KRISHNA DIST	ANDHRA PRADESH	23	23	7.4	8	1010	1427			0.2	1.1			400	400
1516	BORE WELL OF NAVLOK GARDENS NELLORE	ANDHRA PRADESH			8.5	8.6	557	670			0.5	0.6			400	400
1517	BORE WELL. - TUNGBHADRA RIVER NEAR KURNOOL	ANDHRA PRADESH	23	29	7.6	7.9	4060	4220	0.7	1	2.1	2.6			18	18
1518	BORE WELL. - NANDYAL, KURNOOL DIST	ANDHRA PRADESH	22	28	7.7	7.9	4310	4310	0.8	1	2.3	3.2			16	16
1519	BORE WELL - NAGIRI, CHITTOOR DIST	ANDHRA PRADESH	28	31	7.7	8.2	1122	1406	0.5	1	1.8	1.9			16	16
1520	BORE WELL. - SWARNAMUKHI RIVER, SRIKALAHASTI, CHITTOOR DIST	ANDHRA PRADESH	28	30	7.8	8.3	659	744	0.7	1.2	1.1	1.1			16	16
1521	BORE WELL. - NEAR RAMA TEMPLE , WARD NO.2 , MINDI , VISAKHAPATNAM	ANDHRA PRADESH	26	26	7.3	7.5	2535	2813	2.2	2.6	5.2	5.3	11	11	460	460
1522	OPEN WELL. PEDDANUYI - VIZIANAGARAM	ANDHRA PRADESH	24	27	7.2	7.4	478	485	1.2	1.5	0.7	1	7	9	150	150
1523	BORE WELL - NEAR M/S ANDHRA SUGARS LTD. , KOVVUR , W.G.DIST	ANDHRA PRADESH	26	26	5.9	7.8	324	395	1	1.2	1.2	1.3	9	11	14	21
1524	OPEN WELL. -NEAR PARTAP NAGAR BRIIDGE - KAKINADA , E.G.DIST	ANDHRA PRADESH	28	28	7.3	7.5	1105	1303	1.2	1.4	0.8	1.1	7	7	20	28
3087	BORE WELL NEAR VILLAGE SECRETARIAT, PATHAPADU (V), KRISHNA	ANDHRA PRADESH	25	25	7.8	8.2	1110	2180	0.5	0.5	0.2	7.7			400	400
3089	HAND PUMP AT TANAM VILL., VISHAKHAPATNAM	ANDHRA PRADESH	28	28	7.6	7.9	1537	1917	1	1.4	7.9	8	7	7	150	160
3090	HAND PUMP AT PITTAVANIPALEM, VISHAKHAPATNAM	ANDHRA PRADESH	26	26	7.2	7.6	1689	1796	1.4	1.6	9.9	11.6	7	7	15	21
3091	BORE WELL AT KAPULUPPADA DUMPSITE, VISHAKHAPATNAM	ANDHRA PRADESH	25	28	7.3	7.6	2536	2893	1.3	1.5	8	8	3	4	380	460
3092	BORE WELL AT ARINAMA AKKIVALASA, SRIKAKULAM	ANDHRA PRADESH	27	27	7.6	7.7	653	738	1.2	1.5	4.1	5.7	14	15	64	75
3093	B/W AT ALLADAPALEM VILLAGE, PYDIBHIMAVARAM, DISTT SRIKAKULAM	ANDHRA PRADESH	26	27	7.4	7.6	1375	1528	1	1.8	3.3	3.5	4	5	20	28

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.2: Water Quality of ground water in Assam - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1533	DIGBOI, TINSUKIA DISTT	ASSAM	21	21	6.6	6.6	200	200	2.8	2.8	0.1	0.1			2100	2100
1534	KARBI ANGLONG DISTT	ASSAM	24	26	6.2	6.9	561	827	1.3	2.7	0.3	0.3				
1535	SIBSAGAR	ASSAM	23	24	6.5	6.5	224	267	0.9	2.4	0.1	0.3				
1536	SIBSAGAR	ASSAM	23	25	6	6.8	127	245	1.8	2.7	0.1	0.4				
1537	(JORHAT	ASSAM	24	26	6.4	6.6	159	181	2.1	2.2	0.1	6				
1538	SILCHAR	ASSAM	26	27	5.6	6.2	57	91	0.5	0.9	0.4	0.7			73	73
1539	BARPETA	ASSAM	29	29	6.3	7.6	246	264	1.2	3.4	3.1	3.2			910	2000
1540	BONAIGAON	ASSAM	29	30	6.3	6.4	228	624	0.2	1.9	6.9	7.4			73	73
1541	GUWAHATI	ASSAM	24	29	6.3	7.2	212	271	1.4	5.2	0.2	0.2			300	360
1542	GUWAHATI	ASSAM	23	25	6.5	6.7	548	627	0.8	6.6	4.5	10.3				
2243	GROUND WATER FROM LEDO, MARGHERITA	ASSAM	20	24	6.3	7.6	222	224	1.4	2.5	0.1	0.1				
2244	GROUND WATER FROM NAZIRA	ASSAM	24	25	6.7	7.4	193	202	1.3	2.4	0.1	0.2			36	36
2245	GROUND WATER FROM NUMALIGARH (NEAR NRL TE LABOR COLONY)	ASSAM	23	29	6	6.1	81	124	0.6	0.8	1	1.1				
2246	GROUND WATER FROM SEMENCHAPARI	ASSAM	22	23	6.9	7.2	108	194	0.6	2.3	0.1	0.3				
2247	GROUND WATER FROM SILAPATHAR	ASSAM	23	23	7	7.6	212	236	0.5	2.8	0.2	0.2				
2248	GROUND WATER FROM LAKHIMPUR TOWN	ASSAM	23	27	5.9	6.5	149	234	1.2	1.2	0.3	0.3			72	72
2249	GROUND WATER FROM TEZPUR (MISSION CHARIALI)	ASSAM	23	26	6.5	6.8	110	143	2.1	2.2	0.3	0.4			36	36
2250	GROUND WATER FROM NAGAON (PANIGAON)	ASSAM	29	29	6.2	6.5	250	283	1.2	1.9	0.2	0.2			360	600
2251	GROUND WATER FROM JAGIROAD NEAR HPC EFFLUENT DISCHARGE POINT	ASSAM	30	32	5.6	6	767	997	2.4	3	9.2	11.1			900	900
2252	GROUND WATER NEAR MSW DUMPING SITE AT GARCHUK-GUWAHATI	ASSAM	22	26	6.7	6.8	215	375	0.6	1.3	0.1	0.1			600	2400
2253	GROUND WATER FROM NALBARI	ASSAM	25	26	6.8	7	206	410	1.8	2.1	0.1	1.1				
2254	GROUND WATER FROM BARPETA ROAD(RLY STATION)	ASSAM	29	30	6.8	7.1	552	719	1.2	2.8	0.8	0.9			700	1100
2255	GROUND WATER NEAR BPRL, DHALIGAON	ASSAM	28	30	6.2	6.9	157	252	1	1.8	4.9	5.2			73	73
2256	GROUND WATER FROM KOKRAJHAR DISTRICT (HS SCHOOL )	ASSAM	29	29	6	6.1	101	196	0.7	1.3	0.1	0.2			36	36
2257	GROUND WATER FROM DHUBRI DISTRICT (COLLEGE NAGAR )	ASSAM	29	30	7.1	7.4	437	443	0.7	1.1	0.1	0.1			2900	2900
2258	GROUND WATER FROM GOALPARA DIST. (GOALPARA COLLEGE )	ASSAM	28	29	6.6	6.8	250	256	0.5	1.6	2.3	2.5				
2260	GROUND WATER FROM HAMREN	ASSAM	25	25	6	6.5	147	182	0.8	2	0.1	0.7				
2261	GROUND WATER FROM HAFLONG	ASSAM	23	23	7.8	7.8	131	131	1.5	1.5	0.1	0.1			91	91
2262	GROUND WATER FROM KARIMGANJ (COLLEGE)	ASSAM	25	27	6.1	6.2	85	87	0.9	1.2	0.1	0.1				

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
2263	GROUND WATER FROM HIALAKANDI (NEAR ASTC BUS STAND )	ASSAM	25	26	6.7	6.9	135	139	1.6	2.2	1.7	1.7			110	110
2264	GROUND WATER IN PANCHGRAM MARKET NEAR CACHAR PAPER MILL	ASSAM	25	26	6.1	6.1	146	174	0.8	2.5	0.6	0.8				

www.cpcbenvis.nic.in

For more information visit: [www.cpcbenvis.nic.in](http://www.cpcbenvis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.3: Water Quality of ground water in Bihar - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1826	BORE WELL WATER AT BHUT NATH ROAD WATER TANK SEC-3, KANKARBAGH,PATNA	BIHAR	29	29	7	7	655	655			0	0				
1827	TAP WATER COMING FROM OVER HEAD TANK PMCH CAMPUS, PATNA	BIHAR	27	28	7.1	7.7	552	616			0	0	4	7	10	14
1828	BORE WELL WATER IN CAMPUS OF PATNA WATER BOARD HEAD OFFICE, NEAR HIGH COURT, PATNA	BIHAR	27	28	7.1	7.4	592	657			0	0				
1829	BORE WELL WATER FROM IGIMS CAMPUS, PATNA	BIHAR	29	32	6.9	7.5	556	634			0	0	2	2	4	4
1830	BORE WELL WATER (PHED PUMP HOUSE) SADAR HOSPITAL CAMPUS, MUZAFFARPUR	BIHAR	26	36	7.2	7.5	649	709			0	0				
1831	BORE WELL WATER MMC PUMP HOUSE BRAHMPURA NAKA, MUZAFFARPUR	BIHAR	26	35	7.7	7.9	619	754			0	0				
1832	TAP WATER IN CAMPUS OF KALI ASTHAN, BEGUSARAI	BIHAR	26	28	7.4	7.4	873	1960			0	0	5	5	8	8
1833	TAP WATER IN CAMPUS OF S.P OOFICE, POKHARIA, BEGUSARAI	BIHAR	26	28	7.4	7.5	1053	1060			0	0	7	7	14	14
1834	HAND PUMP WATER NEAR GOVT. HOSPITAL, PURNEA	BIHAR	24	28	7.2	7.3	320	1210			0	0	7	7	14	14
1835	HAND PUMP WATER NEAR COURT LOWER COURT, PURNEA	BIHAR	24	28	7.3	7.4	1140	1140			0	0				
1836	HAND PUMP WATER NEAR BUS STAND TILKS MANJHI CHOWK, BEGUSARAI	BIHAR	25	25	7.4	7.4	812	1180			0	0	9	9	14	14
1837	BEGUSARAI	BIHAR	26	28	7.3	7.4	526	1200			0	0	4	6	6	14
1838	TAP WATER NEAR VEER KUWAR SINGH CHOWK, MUNGER	BIHAR	25	25	7.4	7.5	693	1140			0	0	7	7	14	14
1839	HAND PUMP WATER IN CAMPUS OF KASTURBA WATER WORKS, MUNGER	BIHAR	25	26	7.3	7.4	742	2090			0	0	7	7	9	9
1840	TAP WATER PHED PUMP HOUSE MAIN ROAD, MOTIHARI	BIHAR	25	33	7.5	7.7	659	696			0	0				
1841	TAP WELL WATER FROM T. MODAL INTER SCHOOL, G.B ROAD, GAYA	BIHAR	25	32	7.1	7.5	494	1660			0	0	2	5	4	7
1842	TAP WATER SAMPLE AT RAMKUND, GAYA	BIHAR	25	31	7.5	8.6	481	586			0	0				
1843	PHED WATER SUPPLY NEAR BUS STAND, RAJGIR	BIHAR	26	26	7.5	7.7	462	966			0	0				

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1844	BORE WELL WATER NEAR COMMISSIONARY OFFICE, CHAPRA	BIHAR	28	28	7.1	7.3	550	720			0	0	9	9	20	20
2576	HAND PUMP WATER AT CIVIL COURT, AURANGABAD	BIHAR	25	28	7.2	7.6	618	2340			0	0	7	7	14	14
2577	HAND PUMP WATER AT COURT CAMPOUND, ARARIA	BIHAR	26	28	7.2	7.4	360	890			0	0	4	7	6	14
2578	HAND PUMP WATER AT SARDAR PATEL BUS STAND, BHOJPUR	BIHAR	26	29	7.2	7.4	310	592			0	0	5	5	9	9
2579	TUBE WELL WATER AT COLLECTRIATE CAMPUS, BUXAR	BIHAR	26	27	7.3	7.3	732	740			0	0	7	7	14	14
2580	HAND PUMP WATER FROM NAGAR PARISHAD, BHABHUA	BIHAR	28	28	7.2	7.2	159	159			0	0				
2581	HAND PUMP WATER AT KILA GATE NEAR RAMBAGH MITHILA UNIVERSITY, DARBHANGA	BIHAR	23	27	7.3	7.4	628	890			0	0	4	4	9	9
2582	HAND PUMP WATER AT DARBHANGA BUS STAND, DARBHANGA	BIHAR	24	27	7.2	8	634	725			0	0	4	7	6	14
2583	HAND PUMP WATER AT BUS STAND, GOPALGANJ	BIHAR	23	25	7	7.4	670	1994			0	0	4	4	8	8
2584	HAND PUMP WATER AT THAWAY MANDIR CAMPUS, GOPALGANJ	BIHAR	24	28	7.1	7.3	750	1580			0	0				
2585	TAP WATER NEAR PANI TANKI AT JAHANABAD COURT, JAHANABAD	BIHAR	25	28	7.4	7.5	690	1120			0	0	5	5	18	18
2586	HAND PUMP WATER AT BUS STAND, KATIHAR	BIHAR	27	32	7	7.2	374	726			0	0	5	5	7	7
2587	HAND PUMP WATER NEAR SADAR HOSPITAL, KHAGARIA	BIHAR	22	24	7.4	7.4	779	915			0	0	4	4	6	6
2588	HAND PUMP WATER AT D.M OFFICE, KISHANGANJ	BIHAR	24	34	7.2	7.4	380	1040			0	0	5	5	7	7
2589	HAND PUMP WATER NEAR D.M OFFICE, MADHEPURA	BIHAR	25	33	7.4	7.4	657	657			0	0	4	4	6	8
2590	HAND PUMP WATER AT COLLECTRIATE OFFICE, MADHUBANI	BIHAR	22	27	7.5	7.6	450	747			0	0				
2591	TAP WATER INSIDE THE CAMPUS OF TOURIST CAFETERIA, NALANDA	BIHAR	25	25	7.5	7.6	859	1200			0	0	4	7	6	17

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
2592	HAND PUMP WATER AT CIVIL COURT, NALANDA	BIHAR	25	25	7.4	7.6	820	820			0	0	4	5	6	7
2594	SAHARSA HAND PUMP WATER NEAR SADAR HOSPITAL	BIHAR	25	26	7.4	7.4	500	500			0	0	7	7	14	14
2595	SAMASTIPUR HAND PUMP WATER AT COLLECTRIATE CAMPUS	BIHAR	24	30	7.2	7.4	466	926			0	0	3	3	7	7
2596	SITAMARHI- HAND PUMP WATER AT SRI JANKI MANDIR	BIHAR	25	35	7.7	8.2	721	835			0	0	4	4	6	7
2597	SIWAN BOREWELL WATER AT COLLECTRIATE CAMPUS	BIHAR	28	28	7.4	7.5	739	1610			0	0				
2598	ROHTAS BORE WELL WATER FROM WATER TANK NEAR DHARMA SHALA SASARAM	BIHAR	26	28	7.4	7.9	329	890			0	0				
2599	ROHTAS HAND PUMP WATER AT BUST STAND SASARAM	BIHAR	26	28	7.4	7.6	694	830			0	0	7	7	9	9
2600	VAISHALI TAP WATER AT RAILWAY STATION CAMPUS HAZIPUR	BIHAR	24	35	7.4	7.6	925	1134			0	0				
3138	ARA (BHOJPUR) BORE WELL WATER AT STATION RAOD NEAR RLY STATION	BIHAR	26	28	7.2	7.5	861	905			0	0	4	4	6	6
3139	ARARIA HAND PUMP WATER AT BUS STAND	BIHAR	26	28	7.2	7.4	370	1020			0	0	4	5	6	11
3140	BETTIAH HAND PUMP WATER AT RAILWAY STATION	BIHAR	22	30	7.2	7.7	376	1883			0	0	5	5	8	8
3141	BODHGAYA HAND PUMP WATER NEAR LONG LORD BUDHA TEMPLE	BIHAR	26	28	7.6	7.6	400	516			0	0	4	5	6	14
3142	BIKRAMGANJ HAND PUMP WATER AT BUS STAND CHOWK	BIHAR	26	26	7.3	7.3	518	518			0	0				
3143	BAGAHA HAND PUMP WATER AT BAGAHA BAZAR	BIHAR	36	36	7.3	7.3	698	698			0	0	4	4	8	8
3144	BARH HAND PUMP WATER NEAR A.N.S. COLLEGE BARH	BIHAR	25	26	7.4	7.5	831	996			0	0	5	5	9	9
3145	DEHRI ON SONE HAND PUMP WATER NERA MUFFASIL THANA MORE	BIHAR	25	27	6.9	7.8	620	971			0	0	7	7	9	9
3146	DUMRAON BORE WELL WATER AT PANI TANKI, BUXAR DUMRAON ROAD	BIHAR	26	27	7.3	7.6	606	2090			0	0				
3147	JAYNAGAR HAND PUMP WATER AT RAILWAY STATION	BIHAR	22	27	7.3	7.6	461	728			0	0				

For more information visit: [www.cpcbenvvis.nic.in](http://www.cpcbenvvis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
3148	JAMALPUR HAND PUMP WATER AT POLICE STATION JAMALPUR	BIHAR	25	25	7.4	7.5	686	1040			0	0	4	7	6	9
3149	KUDRA HAND PUMP WATER AT RAILWAY STATION	BIHAR	25	27	7.1	7.7	556	1220			0	0	7	7	17	17
3150	MANER HAND PUMP WATER AT MAIN ROAD NEAR KALI MANDIR	BIHAR	25	30	7.3	7.7	343	555			0	0	5	5	8	8
3151	MOHANIA HAND PUMP WATER AT MOHANIA GUEST HOUSE	BIHAR	28	28	7.3	7.3	1130	1130			0	0				
3152	NARKATIAGANJ HAND PUMP WATER AT BUS STAND	BIHAR	26	28	7.4	8.1	688	876			0	0	7	7	14	14
3153	PIRO HAND PUMP WATER AT CHURCH HIGH SCHOOL PIRO	BIHAR	26	26	7.2	7.2	849	849			0	0				
3154	GAYA TAP WATER SAMPLE AT RAMKUND	BIHAR	25	29	6.9	7.6	555	1420			0	0	4	7	6	11
3155	SUPAUL HAND PUMP WATER AT BUS STAND	BIHAR	25	37	7.5	7.5	970	970			0	0				
3156	SAMASTIPUR HAND PUMP WATER AT BUS STAND	BIHAR	24	30	7.3	7.3	450	917			0	0	4	7	6	14
3157	SULTANGANJ HAND PUMP WATER AT SULTANGANJ CHAWK	BIHAR	25	28	7.4	7.5	328	843			0	0	4	4	5	5
3158	SHERGHATI BORE WELL WATER AT BUS STAND	BIHAR	25	28	7.2	7.6	705	2070			0	0	7	7	11	11
3159	SHAHPUR HAND PUMP WATER AT PHAHPUR HIGH SCHOOL	BIHAR	27	27	7.1	7.3	518	976			0	0	7	7	9	9
3160	RAXAUL HAND PUMP WATER AT BUS STAND	BIHAR	25	33	7.3	7.5	779	882			0	0	4	7	6	9
3161	KATIHAR HAND PUMP WATER AT BUS STAND	BIHAR	27	32	7.2	7.2	325	820			0	0	6	6	9	9

For more information visit: [www.cpcbenvvis.nic.in](http://www.cpcbenvvis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.4: Water Quality of ground water in Chandigarh - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
2039	SECTOR 15, CHANDIGARH	CHANDIGARH	27	28	7.2	7.4	710	900	5	5	3	3.3	6	6	8	8
2040	SECTOR 22, CHANDIGARH	CHANDIGARH	27	28	7	7.1	710	820	5	5	3	3.3	2	348	4	710
2043	PALSORA VILLAGE, CHANDIGARH	CHANDIGARH	26	28	7	7.2	875	910	6	6	1.9	3.6	2	5	6	8
2044	DHANAS VILLAGE, CHANDIGARH	CHANDIGARH	23	29	6.9	7.2	695	720	9	9	2.7	3.4	9	9	11	11
2045	DADU MAJRA, CHANDIGARH	CHANDIGARH	26	27	7.3	7.3	553	600	4	4	3.6	4	4	4	6	6

For more information visit: [www.cpcbenvvis.nic.in](http://www.cpcbenvvis.nic.in)



# WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.5: Water Quality of ground water in Chhattisgarh- 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1620	AT RAIPUR REGION	CHHATTISGARH	24	28	7.7	7.9	530	688	0.3	0.4	0.3	2.4			2	4
1621	AT RAIPUR REGION	CHHATTISGARH	24	29	7.7	7.9	506	578	0.4	0.7	1	2.3			4	4
1622	AT BILASPUR REGION	CHHATTISGARH	29.5	34	7.5	7.5	352	360			0.6	0.7			8	8
1623	AT BILASPUR REGION	CHHATTISGARH	28	34	7.5	8	360	416			0.5	0.6			8	8
3171	HAND PUMP WATER 17/10 NEPALI MOHLLA, SHANKAR NAGAR, HEAVY INDUSTRIAL AREA, BHILAI	CHHATTISGARH	27	27	7.5	7.5			0.5	1.2	0.2	0.4			9	9
3172	BOREWELL/ HANDPUMP IN ROGBAHRI VILLAGE, KORBA	CHHATTISGARH	26.2	26.5	7.1	7.2			0.4	0.6	0	0.2				
3173	BOREWELL/ HANDPUMP IN PARSABHATA, BALCO, KORBA	CHHATTISGARH	26.2	26.6	7.2	7.2			0.4	0.6	0	0				
3174	BOREWELL/ HANDPUMP IN DHANRAS, NTPC, KORBA	CHHATTISGARH	26.3	26.6	7.1	7.1			0.6	0.8	0	0				

For more information visit: [www.cpcbenviis.nic.in](http://www.cpcbenviis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.6: Water Quality of ground water in Dadra Nagar Haveli - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
2453	VILLAGE KHANVEL, DADRA	DADRA & NAGAR HAVELI	29	29.2	7.2	7.4	442	678			0.8	1.6	70	240	278	920
2454	VILLAGE ATHAL, DADRA	DADRA & NAGAR HAVELI	29	29.8	7	7.6	496	778			0.7	2	12	1600	280	1600
2455	VILLAGE MASAT, DADRA	DADRA & NAGAR HAVELI	28	29.8	6.7	7.5	1483	2196	12	12	0.3	1	0	540	28	920
2456	VILLAGE PIPERIA, DADRA	DADRA & NAGAR HAVELI	29	29.4	6.9	7.6	1365	1504	10	16	2.1	7.1	10	23	33	280
2457	VILLAGE GALONDA, DADRA	DADRA & NAGAR HAVELI	28	29	7.4	7.5	1010	1080			1	1.6	20	46	136	540
2458	VILLAGE, DADRA	DADRA & NAGAR HAVELI	28	30.2	7.2	7.6	1880	2220	20	20	0.6	2.7	6	900	10	542

For more information visit: [www.cpcbenvvis.nic.in](http://www.cpcbenvvis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.7: Water Quality of ground water in Daman & Diu - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1440	WELL AT SOMNATH INDUSTRIAL ESTATE, DAMAN	DAMAN & DIU	26	29	7.4	8	830	1276	8	9	0	2.5	2	221	10	920
2448	VILLAGE BHIMPORE, DAMAN	DAMAN & DIU	28	29.2	6.4	7.6	610	660	4.9	9.5	1.8	6.9	542	1600	1600	1600
2449	VILLAGE RINGANWADA, DAMAN	DAMAN & DIU	29	29.2	6.8	8	1460	1666	4.9	9.5	0.4	2.6	8	350	13	1600
2450	VILLAGE DUNETHA, DAMAN	DAMAN & DIU	29	29.8	6.8	7.2	692	920	4.9	9.5	2.2	2.9	70	1600	920	1600
2451	VILLAGE DABHEL, DAMAN	DAMAN & DIU	28	29	6.7	7.3	570	1138			1.4	3.3	26	1600	540	1600
2452	VILLAGE KACHIGAM, DAMAN	DAMAN & DIU	28	29	6.8	7.6	832	1250			0.8	6.8	2	1600	6	1600

For more information visit: [www.cpcbenvvis.nic.in](http://www.cpcbenvvis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.8: Water Quality of ground water in Goa - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
2277	WELL AT VERNA INDI.ESTATE.(M/S CIPLA LIMITED)	GOA	31.5	32	6.7	7.5	285	285	0.9	1.1	3.1	3.7				
2278	WELL AT SANCOALE INDL.ESTATE	GOA	27	29	6.7	6.9	64	64	1.1	1.7	1.1	1.1			13	13
2279	WELL AT ZUARI INDUSTRIES LTD, ZUARI NAGAR	GOA									0	0				
2280	WELL AT KUDAI INDL. ESTATE(M/S CADILA HEALTHCARE LIMITED)	GOA	29	31	6.1	6.6	34	34	0.6	0.6	0.1	0.4				
2281	WELL AT CORLIM INDL. ESTATE	GOA	29.9	31	6.5	7	23	23	0.3	0.5	0.4	0.5	13	13	170	170
2282	WELL AT PILERNE INDUSTRIAL ESTATE(M/S UNICHEM )	GOA	28	32.8	6.9	7.1	81	266	1.2	2.7	0.1	1	7.8	23	33	79
3193	BORE WELL AT CUNCOLIM INDUSTRIAL ESTATE	GOA	29	31	6.7	6.7	351	351	0.5	0.8	0	0	7.8	130	23	350
3194	BORE WELL AT BETHORA INDUSTRIAL ESTATE	GOA	28.5	29.7	5.3	7.5	109	109	0.2	0.5	1.9	3.2				
3195	BORE WELL AT MADKAIM INDUSTRIAL ESTATE	GOA	29	32	5.5	6.9	74	74	1.2	1.7	1	1.3	2	13	7.8	49

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.9: Water Quality of ground water in Gujarat - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
3	WELL AT AHMEDABAD, GUJARAT	GUJARAT	28	30	7.47	7.7	1402	1402	1.5	2.4	2	3.86				
6	WELL AT BARODA, GUJARAT	GUJARAT	27	30	7.5	8.3	392	1886	0.61	2.21	0.3	0.97			2	2
1226	WELL AT NAROL, AHMEDABAD, GUJARAT	GUJARAT	32	33	7.8	7.9	503	1225	0.8	1.8	0.8	3.9				
1948	BHAVNAGAR	GUJARAT	29	29	7.4	7.6	1290	1307	1.4	1.6	0.2	0.6			2	4
1949	AMRELI	GUJARAT	29	30	8	8	1020	1347	1.2	1.6	0	0.2			4	4
1950	JUNAGADH	GUJARAT	23	23	7.6	8.2	1530	1640	1	1.1	0.9	1.2				
1951	RAJKOT	GUJARAT	25	27	7.7	8.2	1070	1100	0.8	1.4	0.9	1.3				
1952	SURENDRANAGAR	GUJARAT	25	27	7.8	8.2	87.4	4540	1.5	1.5	1.2	1.2				
1953	JAMNAGAR	GUJARAT	28	28	7.3	7.4	1010	1010	0.4	0.4	0.4	0.4				
1954	BHUJ	GUJARAT	26	28	7.1	8.1	4318	4866	2.8	5.6	1.1	5.3	2	3.7	4	4.5
1955	PALANPUR	GUJARAT	25	30	7.7	8.4	1067	1564	1.7	2	4	4.1				
1956	MEHASANA	GUJARAT	29	29	7	7.1	2290	2477	1.5	3.2	2.9	5.8				
1957	SIDDHPUR (DIST.PATAN)	GUJARAT	25	28	7.3	8.6	1357	1463	1.2	1.7	3.3	4.7				
1958	HIMATNAGAR	GUJARAT	27	28	7.8	8.2	799	1010	0.7	1.7	3.8	5.3				
1959	NADIAD	GUJARAT	30	30	7.9	8.1	1746	2980	0.2	0.8	1.6	2.4			2	2
1960	DAHOD	GUJARAT	29	32	7.8	8	604	1437	0.1	0.1	0.8	2			2	2
1961	GODHARA	GUJARAT	29	32	7.1	7.1	1382	1415	0.2	3.6	1.2	3.3			2	2
1962	VADODARA (INDUSTRIAL-NANDESARI)	GUJARAT	26	30	7.3	7.6	3650	6450	3	4.9	0.4	0.9			2	2
1965	MORA-HAJIRA (INDUSTRIAL), HAJIRA	GUJARAT	26	30	8.5	8.5	1895	2456	0.9	1	0	0	8	109	21	109
1966	GABHENI VILLAGE, SURAT (INDUSTRIAL)	GUJARAT	27	30	7.7	8.3	960	1190	1	1.4	0	0	8	348	13	348
1967	ATUL,VILLAGE G.W, (VALSAD)	GUJARAT	25	27	7.6	8.6	480	512	1.8	2.1	0	0.1				
1968	VAPI INDUSTRIAL AREA IN D/S, VAPI	GUJARAT	27	27	7.5	7.5	916	916	1.6	1.6	0	0				

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1969	SARIGAM VILLAGE (D/S OF INDUSTRIALAREA), VAPI	GUJARAT	28	28	8.1	8.5	824	990	0.6	1.4	0.2	0.4				
1970	BOREWELL D/S TSDF SITE, GIDC INDUSTRIAL AREA, VAPI	GUJARAT	25	26	7.5	8.2	974	1302	1.8	2	0	0.1				
2083	BORE WELL OF CHHATRAL GIDC.	GUJARAT	27	31	7	8.3	1950	2686	1.4	2.9	1.6	6.8				
2084	BORE WELL OF PALSANA VILLAGE.	GUJARAT	29	31	7.5	7.5	1850	2095	1.6	1.6	4.9	5.6				
2084	BORE WELL OF PALSANA VILLAGE.	GUJARAT	27	27	8	8	1265	1265	1	1	0	0				
2085	BORE WELL OF SANTEJ VILLAGE.	GUJARAT	29	30	7.4	7.7	1519	1550	1.4	1.4	2.2	4.9				
2086	BORE WELL AT MSW DISPOSAL SITE OF SURAT MUNICIPAL	GUJARAT	30	30	7.5	7.5	35940	35940	1.2	1.2	0	0	4	4	4	4
2087	B/W- HAZARDOUS W. DISPOSAL SITE (GUJ. ENVIRO P.& I	GUJARAT	27	30	7.7	8.3	2445	3289	0.9	0.9	0	0	7	7	7	7
2088	BORE WELL OF SACHIN GIDC.	GUJARAT	27	30	7.7	7.9	4.4	10015	1	1	0	0	0	8	11	16
2089	B/W NEAR INDL. AREA BORASARA & NAVAPURA, DIST. SUR	GUJARAT	28	29	7.5	8.4	2835	3240	1	1.2	0	0			4	4
2090	WELL AT OLPAD.	GUJARAT	28	29	6.8	8.4	2835	6208	0.9	1.2	0	0	17	17	130	130
2091	FROM BORE WELL OF NAVSARI GIDC INDUSTRIES ASSOCIAT	GUJARAT	25	27	7.5	7.8	2190	2888	0.9	0.9	0	0	5	5	5	5
2093	BORE WELL OF BARDOLI AT REST HOUSE.	GUJARAT	26	28	7.4	8	1358	1920	0.9	1	0	0			2	2
2094	WELL AT ANKLESHWAR INDUSTRIAL AREA (BORE WELL OF M	GUJARAT	28	28	7.8	7.8	4830	4830	0.8	0.8	0.1	0.1				
2095	BORE WELL AT STP MADHAPAR, DIST. RAJKOT.	GUJARAT	25	28	7.4	7.7	2050	3080	0.9	1.2	1	1.2				
2096	BORE WELL, SNR. VINAYAK JAL SUDDHIKARAN SAHAKARI M	GUJARAT	29	29	7.3	7.3	4144	4699	1.3	1.7	2	2.2				
2097	BORE WELL OF SOMESHWAR RICE MILL, NR. BAVLA ECO PR	GUJARAT	29	29	7.8	7.8	3583	3635	1.2	1.4	0.8	1.2				
2098	BORE WELL OF PIRANA TERMINAL PUMPING STATION, PIRA	GUJARAT	28	30	7.5	8.2	2987	3076	1.2	2.1	2.6	4				
3207	BOREWELL OF GIDC,JHAGADIA	GUJARAT	30	30	7.8	7.8	1230	1230	0.8	0.8	0.5	0.5				

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
3208	JILLA PANCHAYAT SCHOOL, NEAR GRAM PANCHAYAT KATA F	GUJARAT	25	25	6.5	6.5	9020	9020	2.4	2.4	0.1	0.1				
3209	BOREWELL OF GAYATRI PRAGNA SCHOOL, BHADARWAD ROAD,	GUJARAT	28	28	8.1	8.3	864	1770	0.8	2.4	0.1	0.2				
3210	BOREWELL AT PIRAMAL GLASS, VILLAGE TARSADI AT KOS	GUJARAT	26	30	7.3	8.3	3883	3883	1	1.1	0	0	2	2	5	5
3211	BOREWELL AT PRIMARY HEALTH CENTER, KADODARA, SURAT	GUJARAT	27	28	7.9	8.3	1582	1656	0.9	1	0	0.1	33	33	4	33
3212	BOREWELL NEAR CENTER OF EXCELLENCE BUILDING, GIDC,	GUJARAT	32	33	7.4	7.5	1999	2216	1	1.5	3.2	6				
3213	BOREWELL, CETP-NARODA, GIDC, NARODA-AHMEDABAD	GUJARAT	32	33	7.5	7.6	1605	1850	1.5	1.7	3.7	5.2				
3214	BOREWELL NEAR GIDC ODHAV INDUSTRIAL ASSOCIATION BU	GUJARAT	32	33	7.5	7.7	1380	1748	1.6	1.7	3.6	6.9				
3215	BOREWELL NEAR MUNICIPAL SOLID WASTE SITE- GYASPUR,	GUJARAT	28	29	7.4	7.9	3220	3628	1.4	3.6	2.6	7.4				
3216	BOREWELL NEAR TSDF SITE OF GREEN ENVIRONMNET SERVI	GUJARAT	32	33	7.2	7.6	2180	2760	1	1.6	2.9	7.3				
3217	BOREWELL NEAR TSDF SITE OF NARODA ENVIRO PROJECT.L	GUJARAT	32	33	7.6	7.7	1540	2760	1	1.6	5.5	7.3				
3218	WELL OF MODASA, NAGAR PALIKA, VARIGRUH, MODASA	GUJARAT	27	30	7.5	8.3	870	999	1.4	5	4.4	4.6				
3219	WELL OF IDAR, NAGAR PALIKA, SAKARIA, IDAR	GUJARAT	27	28	7.3	8.3	1220	1460	0.7	1.1	3.5	7.7				
3220	BOREWELL OF GIDC-NADIAD AT GIDC OFFICE, GIDC NADIA	GUJARAT	28	30	8.2	8.3	2630	2770	0	2.1	0.8	2.7				
3221	BOREWELL OF TOWN RAJPIPLA, DIST.NARMADA	GUJARAT	30	30	7.6	7.6	740	740	0.9	0.9	0.5	0.5				
3222	BOREWELL OF GIDC, PANOLI	GUJARAT	30	30	7.6	7.6	3470	3470	0.8	0.8	0.6	0.6				
3223	BOREWELL KADI INDUSTRIAL AREA	GUJARAT	30	31	8	8.1	1342	1485	1.4	1.6	4.7	4.8				
3224	DEESA BOREWELL	GUJARAT	25	30	7.7	8.5	739	1022	1.3	2	3.7	4				
3225	VISNAGAR BOREWELL	GUJARAT	30	31	7.7	8.3	960	1600	1.1	4.4	3.5	7.3				

For more information visit: [www.cpcbenviis.nic.in](http://www.cpcbenviis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
3226	PATAN BOREWELL	GUJARAT	25	30	8.1	8.6	1625	1783	1.6	3	3.5	5				
3227	VIJAPUR (RANASAN) BOREWELL	GUJARAT	30	30	7.2	7.6	1645	1750	1.4	1.9	2.2	4.9				
3228	GIDC, HALOL, PANCHMAHAL	GUJARAT	30	32	7.2	7.7	1599	2580	0.7	1.5	1.1	2.6			2	2
3229	GIDC, DAHOD, DAHOD	GUJARAT	29	32	7.2	7.6	990	1459	0	3.1	1.4	1.9			2	2
3230	BOREWELL OF GIDC, JUNAGADH	GUJARAT	20	24	7.2	8.2	4470	4500	1.2	1.6	1.1	1.1				
3231	BOREWELL NEAR TSDF SITE OF SAURASHTRA ENVIRO PROJE	GUJARAT	27	27	8	8.2	1072	1158	2.2	4.9	0	1.2	12	12	38	39
3232	BOREWELL OF GIDC, ANTALIA WATER SUPPLY, BILLIMORA,	GUJARAT	26	28	7.8	8.1	1941	2206	0.9	1.2	0	0	8	141	8	345
3233	BOREWELL OF KALIAWADI GRID ROAD, NAVSARI	GUJARAT	25	27	8.1	8.2	2604	2667	1	1	0	0	8	8	13	13
3234	BOREWELL NERA TSDF OF NANDESARI ENVIRO CONTROL LIM	GUJARAT	30	30	7.1	7.4	7940	10013	5.6	6.1	4.9	13.1			2	2
3235	BOREWELL OF GIDC KALOL, B/H GIDC OFFICE, GIDC, KAL	GUJARAT	29	30	7.3	7.6	2406	3316	1.4	3	2.5	5.3				
3236	BOREWELL OF M/S ALFA ECA (I) LTD., UNIT-1, SR.NO.	GUJARAT	28	30	7.7	8.4	1792	1880	1.5	1.5	1.9	4				
3237	BOREWELL OF L & T LTD., PLOT NO. 144/146, SARKHEJ-	GUJARAT	28	28	7.3	7.3	6390	6586	1.4	1.5	2	2.4				
3238	BOREWELL OF GIDC KANSARI	GUJARAT	30	30	7.8	7.9	4390	4970	0.5	2.1	1.7	3			2	2
3239	BOREWELL OF GIDC, SOJITRA	GUJARAT	30	31	7.7	7.9	3160	3160	1	2.2	1.5	2.4			2	2
3240	BOREWELL OF AJI GIDC, RAJKOT	GUJARAT	27	28	7.3	8	789	1490	1.2	1.3	0.9	1.2			2	2
3241	BOREWELL NEAR MUNICIPAL SOLID WASTE SITE, NAKARWAD	GUJARAT	26	28	7.6	7.9	1117	7730	1.3	2	1.1	1.2				
3242	BOREWELL NEAR TSDF OF GUJARAT MARITIME BOARD, ALAN	GUJARAT	29	30	7.1	7.2	1320	1354	1.3	2.2	0.2	0.3				
3243	BOREWELL OF GIDC, VARTEJ, BHAVNAGAR	GUJARAT	29	30	7.6	7.6	2120	2240	1.2	2	0	0				
3244	BOREWELL NEAR TSDF OF BHARUCH ENVIRO INFRASTRUCTUR	GUJARAT	29	29	7.9	7.9	3180	3180			1.2	1.2				

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)



## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
3245	BOREWELL AT DHANGADHRA NEAR DHANGADHRA CHEMICALS	GUJARAT	25	30	7.3	7.5	4690	5500	0.8	1.8	0	1.2				
3246	BOREWELL OF GIDC OFFICE, SHANKAR TEKRI, UDHYOGNAGA	GUJARAT	28	28	7.6	7.7	1420	2458	0.4	0.4	0.4	0.4				
3247	BOREWELL OF SHRI MAHAVIR METAL CRAFT PVT. LTD., PL	GUJARAT	28	29	7.5	7.9	1855	3628	0.4	0.4	0.4	0.5				

www.cpcbenvis.nic.in

For more information visit: [www.cpcbenvis.nic.in](http://www.cpcbenvis.nic.in)

# WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.10: Water Quality of ground water in Himachal Pradesh - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1555	AT KALA AMB, H.P	HIMACHAL PRADESH	22	22	7.4	7.6	743	840	0.1	0.1	0.3	0.5			3.7	3.7
1556	AT PAONTA SAHIB, H.P	HIMACHAL PRADESH	21	21	7.1	7.7	780	910	0.1	0.1	0.3	0.6				
1558	AT BADDI, H.P	HIMACHAL PRADESH	17.6	19.5	8	8.6	826	1236	0.1	0.1	0	16.9				
1560	AT NALAGARH, H.P	HIMACHAL PRADESH	16	18.9	8	8.6	469	1963	0.1	0.1	0	4.4			3.7	3.7
1559	AT BAROTIWALA, H.P	HIMACHAL PRADESH	21.2	21.2	7.9	7.9	748	748	0.6	0.6	0	0			5.5	5.5
1561	AT DAMTAL, H.P	HIMACHAL PRADESH	17	17	7.2	7.7	478	716	0.1	0.2	0	0				
1562	AT UNA, H.P	HIMACHAL PRADESH	14	14	7.5	7.8	725	1067	0.1	0.4	0.1	0.2			2	2
1872	SHIMLA D/S OF MSW DUMPING SIOT	HIMACHAL PRADESH	9	20	6.8	8.4	409	686	2.6	18	0	12.3	3.6	40	22	220
1873	DHARAMSHALA KANGRA D/S OF MSW DUMPING SIOT	HIMACHAL PRADESH	18	18	6.3	7.8	249	312	0.2	0.4	0.1	0.2				
1874	SOLAN-D/S OF MSW DUMPING SIOT-	HIMACHAL PRADESH			7.4	8.7	103	679	0.1	1.2	0	4.6			12	26
1877	BADDI INDUSTRIAL AREA	HIMACHAL PRADESH	18	20.2	7.5	8	803	829	0.1	0.6	0	13.8				
1878	BAROTIWALA INDUSTRIAL AREA	HIMACHAL PRADESH	18.5	19.8	7.4	8.1	681	1862	0.1	0.2	0	15.6				
1879	NALAGARH INDUSTRIAL AREA	HIMACHAL PRADESH	21	21	7.8	7.8	761	761	0.2	0.2	0	0				
1880	KALA AMB INDUSTRIAL AREA	HIMACHAL PRADESH	22	22	7.5	7.7	710	944	0.1	0.1	0.5	0.6	2	2	4	4
1881	PAONTA SAHIB INDUSTRIAL AREA	HIMACHAL PRADESH	23	23	7.7	7.8	460	975	0.1	0.1	0.6	0.7	2	2	4	4
1882	MEHATPUR INDUSTRIAL AREA	HIMACHAL PRADESH	14	14	7.2	7.7	475	938	0.2	0.5	0	0.1			3.6	3.6
1883	UNA INDUSTRIAL AREA	HIMACHAL PRADESH	14	18	7.5	7.5	919	932	0.2	0.2	0	0.2			3.7	3.7
2628	HAND PUMP AT SHAMSHI	HIMACHAL PRADESH	11.5	19	6.9	7.5	372	785			0.3	4.6				
2630	HAND PUMP AT HAMIRPUR TOWN	HIMACHAL PRADESH			7.4	7.8	821	1072	0.2	0.3	0.2	0.2				
2631	HAND PUMP AT NADAUN TOWN	HIMACHAL PRADESH			7	7.2	856	1080	0.2	0.3	0.1	0.1				
2632	HAND PUMP AT BILASPUR TOWN	HIMACHAL PRADESH	17	22	7.4	7.8	925	1027			0.1	0.5				
2633	HAND PUMP AT RECONGP	HIMACHAL PRADESH			6.8	6.8	1032	1032			0.1	0.1				
2634	HAND PUMP AT SHIMLA	HIMACHAL PRADESH	6	7	7.9	8.1	236	347	0.1	0.1	0	0				
2636	HAND PUMP AT KANGRA TEMPLE/ TOWN	HIMACHAL PRADESH	18	18	7.4	7.4	754	754	0.8	0.8	0.2	0.2				
2637	HAND PUMP AT JWALAJI TEMPLE	HIMACHAL PRADESH	19	20	7.8	7.8	1285	1435	0.1	0.2	0	0.1				
2638	HAND PUMP AT CHINTPURNI TEMPLE/ TOWN	HIMACHAL PRADESH	16	20	7.7	8	626	1290	0.1	0.2	0	0.1				
2639	HAND PUMP AT CHAMUNDA DEVI TEMPLE/ TOWN	HIMACHAL PRADESH	20	20	7.2	7.7	141	183	0.1	0.2	0.1	0.3			3.7	3.7

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
2640	HAND PUMP AT SANSARPUR TERRACE IA	HIMACHAL PRADESH	17	19	7.5	7.9	376	425	0.1	0.1	0.1	0.1				
2641	HAND PUMP AT CHAMBA TOWN	HIMACHAL PRADESH	16	18	7.4	7.4	708	924	0.1	0.3	0	0.2			3.6	3.6
2642	HAND PUMP AT DALHOUSIE TOWN	HIMACHAL PRADESH	15	16	7.1	8.3	192	453	0.1	0.2	0	0.1				
2645	HAND PUMP AT NAHAN	HIMACHAL PRADESH	25	25	7.9	8	720	1194	0.1	0.2	0.7	0.7	2	2	4	4
2646	HAND PUMP AT KALA AMB	HIMACHAL PRADESH	26	26	7.4	8	922	1320	0.1	0.6	0.6	0.8	3.6	3.6	6	6
2647	HAND PUMP AT TAHLIWAL IA	HIMACHAL PRADESH	14	20	7.5	7.5	775	910	0.1	0.1	0	0.1			3.7	3.7
2648	HAND PUMP AT KEYLONG	HIMACHAL PRADESH	18	18	7.9	7.9	447	447			0.1	0.1				

For more information visit: [www.cpcbenvvis.nic.in](http://www.cpcbenvvis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.11: Water Quality of ground water in Jammu and Kashmir - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
2759	DUG WELL AT GAGHWAL (KATHUA DISTT.)	JAMMU & KASHMIR	16	16	7	7	450	450			0.4	0.4				
2760	MALADHAR TALAB (POND)HATLI (KATHUA)	JAMMU & KASHMIR	16	16	6.7	6.7	306	306			0.6	0.6				
2761	TUBE WELL KATHUA SICOP INDUSTRIAL AREA KATHUA	JAMMU & KASHMIR	17	17	7.2	7.2	88	88			0.8	0.8				
2762	GHARANA WETLAND,R.S.PURA	JAMMU & KASHMIR	19	19	8.1	8.1	1542	1542	50	50	2.2	2.2				
3288	GROUND WATER AT IQBAL PARK	JAMMU & KASHMIR	16	16	7.4	7.4	680	680	1.5	1.5	0	0				
3290	GROUND WATER AT ZANAKOT (I)	JAMMU & KASHMIR	15	15	7.4	7.4	1032	1032	1.3	1.3	0	0				
3291	GROUND WATER AT ZANAKOT (II)	JAMMU & KASHMIR	15.4	15.4	7.4	7.4	1001	1001	1.2	1.2	0	0				
3292	GROUND WATER AT SADAKADAL	JAMMU & KASHMIR	16	16	7.5	7.5	505	505	1	1	0	0				

For more information visit: [www.cpcbenvvis.nic.in](http://www.cpcbenvvis.nic.in)

# WATER QUALITY DATA 2016 | CPCB ENVIS

Table - 22.12: Water Quality of ground water in Kerala - 2016

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
19	WELL AT ELOOR	KERALA	26.8	27.8	6	6.6	139	163	0.7	0.9	0.9	2.3	11	240	14	460
22	WELL AT CHUNGAPALLY	KERALA	27	27	6.7	7.5	118	122	1	1	0	0.5	28	34	52	60
35	WELL AT PUNALUR	KERALA	24	25	4.3	6.6	205	224	0.4	0.8	0.5	0.9	0	30	0	100
1581	PAPPANAMKODE,THIRUVANANTHAPURAM	KERALA	32	33	6.6	6.7	210	350	1.1	1.2	0	0	55	60	110	120
1582	NEDUMANGAD,THIRUVANANTHAPURAM	KERALA	32	33	6.5	6.8	140	150	1	1	0	0	22	30	70	80
1583	KUNDARA,KOLLAM DISTT.	KERALA	24	25	6	6.1	110	126	0.6	0.8	0.8	1.4	10	140	40	340
1584	CHERTHALA,ALLEPPY	KERALA	28.5	29	7.7	7.8	180	206	0.4	1.1	0.1	0.2	0	0	150	160
1585	VYTTILA,ERNAKULAM DISTT.	KERALA	28.2	30.1	6.9	7.7	334	629	0.7	1	1.1	4.6	4	21	6	32
1586	EDAYAR ERNAKULAM DISTT.	KERALA	27	28.4	5.6	5.9	125	154	0.6	0.9	0.8	0.8	0	20	10	38
1587	KALAMASSERY ERNAKULAM DISTT.	KERALA	27	28.4	6.3	6.6	229	343	0.8	0.9	6.8	7	0	21	26	30
1588	PUNKUNNAM TRISSUR DISTT.	KERALA	28	29	8.3	8.4	350	379	1	1	2.4	2.9	0	0	0	240
1589	MALAPURAM	KERALA	30	30.5	6.1	6.5	224	288	1.4	1.6	0	5.5	20	88	32	120
1590	MAVOOR, KOZHIKKODE DISTT.	KERALA	27	28	6.9	7.8	78	95	0	1	2.5	3.2	6	18	8	26
1591	KANNUR (MUNICIPALITY) KANNUR DISTTM	KERALA	28	29	4.7	4.9	104	111	0.5	0.9	4.5	7.9	180	1200	480	1400
1592	PAYYANNUR, KANNUR DISTT.	KERALA	28	29	6	6.3	242	250	0.5	0.8	0.9	2.5	30	212	1000	250
2308	FATHIMAPURAM (CHANGANASSERY)	KERALA	27	28	6.1	6.5	183	220	0.3	0.5	4.8	6	500	1600	1100	2800
2309	KAROOR (PALA)	KERALA	27	27	6.1	6.5	83	101	0.8	1	3.5	4.5	200	350	300	850
2310	VAIKOM	KERALA	27.5	28	6.6	7.6	192	265	0.5	0.8	0.1	0.5	0	0	0	0
2311	VADAVATHOOR (KOTTAYAM)	KERALA	27	27	5.3	5.8	124	136	0.2	0.7	5.9	7.3	0	100	100	350
2313	SARVODAPURAM, ALAPPUZHA	KERALA	28	29	7.6	8	262	540	0.9	1.2	0.1	0.2	0	0	110	120
2314	KUREEPUZHA (KOLLAM)	KERALA	24	25	7.3	7.3	146	158	1.2	1.2	1	1.6	140	280	360	680
2315	K.M.M.L. (KOLLAM)	KERALA	24	28	8	8.1	342	400	1.2	1.6	1.1	1.2	160	180	400	500
2316	CHELLORA TRENCHING GROUND (KANNUR)	KERALA	27	27	5.1	5.5	41	88	0.7	1.3	1	1.4	4	440	112	950
2317	PUNNALPETTIPALAM (TELLICHERRY MUNICIPALITY)	KERALA	27	28	5.8	6.6	350	431	0.7	0.9	5.4	13	48	288	350	480
2320	MANJERI	KERALA	30.5	30.5	5.7	6.5	174	174	1	2	0	3.9	40	56	68	88
2321	LALOOR (THRISSUR)	KERALA	29	30	6.7	7.9	360	422	0.3	1	2.8	4.8	40	180	260	310
2322	OLLUR (THRISSUR)	KERALA	29	29	5.3	6.3	270	373	0.5	1	2.2	3	0	20	0	220
2323	BRAHMAPURAM M.S.W. DUMPARK (ERNAKULAM)	KERALA	27.6	28.4	6	6.4	270	272	0.5	0.6	0.4	3.6	12	90	20	160
2324	HAZARDOUS WASTE DUMP (AMBALAMUGHAL)	KERALA	29.2	30.3	5.6	8.1	118	2229	1	1.8	0.6	5.4	26	520	40	1080
2327	KARUKAMANI	KERALA	28	28	8.4	8.4	735	735	0.8	0.8	0.8	0.8	280	280	440	440
3463	WELL AT VELLIPARAMBA, KOZHEKODE	KERALA	27	28	6.9	7.6	59	101	0	1	0	1.3	14	38	58	84
3472	WELL OF TEMPLE PARASSINIKADAVU, KANNUR	KERALA	30	30	6.8	7.5	800	1305	1.9	2.2	0.6	5.8	112	600	260	880
3474	WELL AT PAYANOOR, KANNUR	KERALA	27	29	6.7	6.8	175	198	1	1.9	0.5	0.6	208	472	480	1300
3475	WELL AT KARIMBAM, KANNUR	KERALA	26	30	4.6	5	67	80	1.2	1.9	0.9	1	36	200	100	220

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.13: Water Quality of ground water in Lakshadweep - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1402	WELL NEAR PWD ADJACENT TO CHAKIKILUM IN KAVARATTI,	LAKSHADWEEP	29.8	29.8	7.1	7.1	1150	1150			0	0				
1593	WELL NEAR J.B SCHOOL	LAKSHADWEEP	30.1	31.5	7.2	7.2	982	1462			0	0				
1594	WELL NEAR OTTAVATHIL PALLI	LAKSHADWEEP	29.9	31.2	7	7.2	1435	2523			0	0				
1595	WELL NEAR CHEKKILLAM HOUSE	LAKSHADWEEP	29.8	31.7	7.1	7.4	771	850			0	0				
1596	WELL C/O KADAT PALLI	LAKSHADWEEP	29.8	31.6	7.1	7.1	853	1350			0	0	4000	4000	12000	12000
1597	WELL NEAR BADER PALLI	LAKSHADWEEP	30.2	31.8	7.2	7.2	619	910			0	0				
1598	WELL C/O PUTHIYA PALLI.	LAKSHADWEEP	29.9	31.5	7.1	7.1	687	745			0	0				
1599	WELL C/O PURATHA PALLI	LAKSHADWEEP	29.8	31.3	7.1	7.2	856	891			0	0				
1600	WELL C/O ANDAM PALLI	LAKSHADWEEP	29.7	31.5	7.1	7.2	890	900			0	0			3000	3000
1601	WELL C/O CIRCUIT HOUSEL	LAKSHADWEEP	30	31.8	7.1	7.2	1399	2552			0	0				
1602	WELL C/O GOVT. PRESS	LAKSHADWEEP	29.7	31.6	7.1	7.4	1422	1592			0	0				
1603	WELL C/O OLD POLICE BARRACKS	LAKSHADWEEP	29.8	31.4	7.2	7.2	3570	4127			0	0	2000	2000	3000	3000
1604	WELL C/O MPSAF QUARTER	LAKSHADWEEP	30.1	31.3	7.1	7.2	4999	5200			0	0				
1605	WELL NEAR HALIPAD	LAKSHADWEEP	30.2	31.3	7.2	7.4	1250	1324			0	0	1000	1000	4000	4000
1606	PUBLIC WELL OPPOSITE S.B.SCHOOL	LAKSHADWEEP	29.6	31.5	7.1	7.3	740	822			0	0				

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.14: Water Quality of ground water in Madhya Pradesh - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
52	WELL, SHRI RAO PRAJAPATI WELL	MADHYA PRADESH	23	28	8	8.5	126	312	1.25	2.6	0.1	0.37	120	630	630	1700
1616	OPEN WELL/TUBE WELL INDUSTRIAL AREA, GOVINDPURA	MADHYA PRADESH			8.1	8.1	348	348	1.2	1.2	0	0			130	130
1617	OPEN WELL/TUBE WELL INDUSTRIAL AREA MANDIDEEP, DIS	MADHYA PRADESH			7.6	7.6	346	346	0.8	0.8	0	0			34	34
1618	GROUND WATER SAMPLING AT TWO POINTS IN INDUSTRIAL	MADHYA PRADESH	21	29	7.3	7.4	680	1125	1.2	1.4	0	1.2				
1619	GROUND WATER SAMPLING AT TWO POINTS IN INDUSTRIAL	MADHYA PRADESH	26	30	7.5	7.6	880	930	1	1	2	2.1				
1897	TUBE WELL AT JAINABAD, NEAR TAPTI RIVER BRIDGE, PUMPING STN. BURHANPUR	MADHYA PRADESH	25	28	7.7	8.6	814	850.1	0.8	0.8	0	3.3			2.2	5.1
2143	KATHODA, JABALPUR	MADHYA PRADESH	20	20	7.4	7.8	338	566			0	0.2				
2144	MADAI GRAM, JABALPUR	MADHYA PRADESH	26	26	7.3	7.7	324	562			0	0.2				
2145	MEHATWAS, NAGDA	MADHYA PRADESH	25	25	7.3	8.2	2274	3660	1.2	1.8	3	8.3				
2146	BHAGATPURI VILLAGE, NAGDA	MADHYA PRADESH	25	25	7.2	8.1	800	1390	1	1.8	2.1	3.1				
2148	DOSIGAON, RATLAM	MADHYA PRADESH	31	31	7.9	7.9	2700	2700	1.8	1.8	3	3				
2149	CULVERT ON A.B. ROAD, MAKSI	MADHYA PRADESH	31	31	7.4	8.5	1160	2600	1	2	2.8	8.3				
2150	TRENCHING GROUND, NEAR GARDEN, DEV GURADIYA ROAD, INDORE	MADHYA PRADESH	24	28	7.1	8	120	1634	0.8	1.2	0	5.1			3.6	6.9
2151	TRENCHING GROUND IN THE PREMISES OF M/S RISHABH MASALA UDYOG, INDORE	MADHYA PRADESH	24	28	7.1	7.7	1875	3462	1.4	2	8.4	14.1			5.1	16.1
2152	TRENCHING GROUND IN THE PREMISES OF M/S LAKHANI FOOT WEAR, INDORE	MADHYA PRADESH	24	28	7.2	7.4	1180	3812	1.2	1.8	6.9	11.1			3.6	6.9
2153	IBRAHIMGANJ NEAR BUS STAND, BHOPAL	MADHYA PRADESH			8.4	8.4	296	296	1.3	1.3	0	0			130	130
3332	TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA, DEWAS	MADHYA PRADESH			7.3	7.6	1640	3280	1	3	5.7	6.2				
3333	HAND PUMP WATER AT BANSKHEDI, BHOPAL	MADHYA PRADESH			7.9	7.9	274	274	1.4	1.4	0	0			110	110
3334	TUBE WELL NEAR BUS STAND AT BETUL	MADHYA PRADESH			7.9	7.9	433	433	1.1	1.1	0	0			90	90
3335	TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA RECHHAI, J	MADHYA PRADESH	22	22	7.2	7.3	452	512	1	1	0.3	0.4				
3336	TUBE WELL/ HAND PUMP AT INDUSTRIAL AREA, CHHINDWAR	MADHYA PRADESH	18	22	7.4	7.6	464	712	1.2	1.2	0	2.2	0	0	39	39

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
3337	TUBE WELL/ HAND PUMP AT INDL AREA SEONI NEAR BARAPATTHAR	MADHYA PRADESH	23	23	7.2	7.8	536	614			0	0.3				
3338	HAND PUMP NEAR PANCHAYAT BHAWAN, VILLAGE TINAWALI	MADHYA PRADESH	23	28	7.1	7.1	546	556	1	1.1	1.1	1.2				
3339	TUBE WELL/ HAND PUMP NEAR MANGLIA INDUSTRIAL AREA , INDORE	MADHYA PRADESH	27	28	6.9	7.9	1265	1465	1.1	1.2	3.5	3.9			140	150
3340	TUBE WELL AT NEAR TRENCHING GROUND, INDORE	MADHYA PRADESH	29	29	7.4	7.4	1646	1646	1.1	1.1	2.5	2.5			3.6	3.6
3341	TUBE WELL AT SECTOR-III, PITHAMPUR INDUSTRIAL AREA	MADHYA PRADESH	26	27	7.8	7.9	1117	2194	0.9	0.9	4.1	5.1			5.1	7
3342	BOREWELL WATER AT VILLAGE TARPUR, SECTOR-II, PITHAMPUR, IDUSTRIAL AREA	MADHYA PRADESH	26	27	7.3	7.7	320	2946	0.7	1.9	1.1	2			3.6	6.8
3343	TUBE WELL NEAR INDUSTRIAL AREA UDYOG VIHAR , CHURAT, REWA	MADHYA PRADESH	30	30	7.1	7.1	712	712	1.2	1.2	4.1	4.1	2	2	7	7
3344	TUBEWELL AT INDL AREA, SHAHDOL	MADHYA PRADESH	21.2	28.6	7	8	751.4	825.2	0.3	0.8	1.8	3.4			2	4

Table - 22.15: Water Quality of ground water in Maharashtra - 2016

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)



## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1985	MIRA-BHAYANDER	MAHARASHTRA	28	33	7.2	7.7	164.4	587	3.8	5	0.5	0.7	12	22	40	49
1986	DAHANU	MAHARASHTRA	24	24	7.6	8.2	282	1175	2.6	6	0.4	2.7	4	49	11	170
1987	VASAI	MAHARASHTRA	28	28	7.1	7.1	2045	2045	3	3	2.6	2.6	13	13	23	23
1988	PALGHAR	MAHARASHTRA	24	24	7.5	8.1	321.4	1171	2.8	4	0.3	2.9	4	17	13	49
1989	MSW SITE, TALOJA, RAIGAD	MAHARASHTRA	24	28	7.1	7.3	173.6	397.7	4.6	5.8	1.1	1.3	120	170	350	540
1992	MSW SITE, PIMPRI-CHINCHWAD, PUNE	MAHARASHTRA	28	32	7.3	7.5	1045	1288	3.2	4.2	0.3	0.6	7	7	20	20
1995	KHAPERKHEDA, NAGPUR	MAHARASHTRA	27	27	6.8	7.2	773	810	3.2	5	3.4	6.2	79	110	130	280
1996	KORADI, NAGPUR	MAHARASHTRA	27	27	6.8	7.2	755	946	4	4	3.2	10.1	79	350	170	1600
1997	RAIPUR, NAGPUR	MAHARASHTRA	33.5	33.5	6.7	6.7	191	191	8	8	0.1	0.1				
1998	BHAHMNI, KALMESHWAR, NAGPUR	MAHARASHTRA	27	27	6.5	7.2	521	581	3.8	7	0.1	2.9	170	170	350	350
1999	SANGERA GONDIA	MAHARASHTRA			6.7	6.7	590	590	2	2	4.8	4.8	22	22	47	47
2001	SUKALI, AMRAVATI	MAHARASHTRA	26	26	7.6	7.7	1173	1700	2	5.2	0	9.8	22	23	54	79
2002	AKOT, AKOLA	MAHARASHTRA	32	32	8	8	841	841	3.1	3.1	3.9	3.9	23	23	110	110
2004	PARVATI INDL. ESTATE, YADRAV, SHIROL	MAHARASHTRA	25	25	7.3	7.3	1298	1402	2.4	3	0.8	2.9				
2005	KHANJIRENAGAR, ICHALKARANJI	MAHARASHTRA	25	25	7.2	7.2	1200	1550	2.2	3.2	0.7	3				
2006	MIDC, SHINOLI, CHENDGAD	MAHARASHTRA	25	25	7.3	7.4	1045	1568	2.6	2.8	0.7	6				
2007	SAVALI, SANGLI	MAHARASHTRA	16	25	6.8	7.3	1216	1840	2.2	3.2	0.7	3.6				
2008	RASULWADI-SAMBARWADI, SANGLI	MAHARASHTRA	18	25	6.9	7.4	1315	1862	2.6	4.8	0.8	1.2				
2200	BORE WELL AT KATPUR, NEAR Z.P SCHOOL.	MAHARASHTRA	22	23	7.8	7.9	1025	2474	3	6	0.1	0.8	2	4	130	170
2202	DUG WELL AT GHANE KUNT, NEAR AWASTHI, OWNED BY SHRI RAJENDRA AMRE	MAHARASHTRA	25	25	6.9	7.7	84	199	2	2.4	0.2	0.5				
2203	HAND PUMP IN THE PREMISES OF ZILLA PARISHAD PRIMARY SCHOOL	MAHARASHTRA	33	33	6.7	6.7	206	206	3.5	3.5	0	0				
2819	DUG WELL OWNED BY SHRI DESHMUKH, MALEGAON, BARAMATI, PUNE	MAHARASHTRA	26	28	8	8.1	1309	3260	3.2	5.2	0.2	0.6	4	4	17	17
2820	DUG WELL OWNED BY SHRI SHIVAJI BABAN DAREKAR, SANASWADI, SHIRUR, PUNE	MAHARASHTRA	25	38	8.1	8.3	390	1062	3.2	4.2	0.3	0.4	5	5	17	17
2821	BORE WELL AT BALE RAILWAY STATION PREMISES OWNED BY SHRI	MAHARASHTRA	28	30	7	7.9	813.1	3560	2.8	3.2	0.2	0.3	4	4	11	11

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

# WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
	DIGAMBAR JOSHI, DAHEGAON, NORTH SOLAPUR															
2822	BORE WELL NEAR CHINCHOLI, MOHOL, SOLAPUR	MAHARASHTRA	28	30	7.4	7.5	1240	4510	2.6	3.4	0.2	0.6	7	7	20	20
2823	BORE WELL AT SHETE VASTI NEAR OLD TULJAPUR ROA, TULJPUR NAKA, SOLAPUR	MAHARASHTRA	30	32	7.5	7.8	1033	1442	3.6	4	0.2	0.8	4	4	11	11
2825	BORE WELL AT WAHEGAON NEAR ZILLA PARISHET SCHOOL, PAITHAN, AURANGABAD	MAHARASHTRA	22	23	8	8	1850	1966	4	4	0	0.8	2	2	130	130
	DUG WELL NEAR RAILWAY STATION, COTTON MARKET, WARDHA	MAHARASHTRA	33	33	6.5	6.5	453	453	4	4	0.1	0.1	79	79	280	280
2829	BORE WELL AT MIDC SHIROLI NEAR M/S PRATIBHA ENTERPRISES, HATKANANGALE, KOLHAPUR	MAHARASHTRA	25	25	7.1	7.1	604	1410	2.6	2.8	0.8	4				
2830	BORE WELL AT MIDC GOKUL-SHIRGAON, KARVIR, KOLHAPUR	MAHARASHTRA	25	25	7.1	7.5	803	1234	2.2	2.8	0.8	6				
2831	DUG WELL AT SAKHARALI NEAR MIDC ISLAMPUR NEAR KRISHNA MILK INDUSTRY, WALWA, SANGLI	MAHARASHTRA	23	23	7.5	7.5	1548	1548	3.8	3.8	2.5	2.5				
2832	DUG WELL NO-1 AT BRAHMANWADI ANJANWEL OWNED BY SHRI VAIDYA, GUHAGAR, RATNAGIRI	MAHARASHTRA	22	25	7.3	7.6	68	384	2.2	3	0.3	0.6				
2833	DUG WELL NO-1 AT GROUP GRAM PANCHAYAT AT ARKETWADI NEAR MASJID, KHED, RATNAGIRI	MAHARASHTRA	25	25	7.1	7.4	146	182	2.4	2.8	0.2	0.6				
2834	DUG WELL NO-2 AT ARKETWADI, KHED, RATNAGIRI	MAHARASHTRA	25	25	6.8	7.2	195	5720	2.2	2.4	0.2	0.5				
2835	DUG WELL NO-2 OWNED BY GROUP GRAM	MAHARASHTRA	22	23	7.1	7.5	63	191	2.2	3	0.2	0.7				

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
	PANCHAYAT BRAHMANWADI, ANJANWEL, GUHAGAR, RATNAGIRI															

www.cpcbenvis.nic.in

For more information visit: [www.cpcbenvis.nic.in](http://www.cpcbenvis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.16: Water Quality of ground water in Meghalaya - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1634	POLICE BAZAR, SHILLONG	MEGHALAYA	19	22	6.2	6.4	252	280	1.5	2	10	11.1	9	19	20	44
1635	MAWLAI, SHILLONG	MEGHALAYA	19	21	5.4	5.7	200	263	1.8	2.6	16	17.1	20	26	34	55
1636	INDUSTRIAL ESTATE, BYRNIHAT	MEGHALAYA	20	25	6.5	6.5	204	242	1.5	1.6	1.6	3	16	20	32	40
1637	SOHRA CHERRAPUNJEE	MEGHALAYA	17	18	6.5	6.6	98	115	1	1	5.6	6	10	14	25	36
1638	SHANGPUNG	MEGHALAYA	17	20	5	5.3	135	149	1	1	8	10.4	10	11	22	24
3385	MAWTHADRISHAN WELL AT MARKASA, WEST KHASI HILLS	MEGHALAYA	16	17	6.8	6.9	45	58	1.5	2.2	0.4	0.5	11	12	24	27
3386	JAKREM HOT SPRING AT JAKREM, WEST KHASI HILLS	MEGHALAYA	28	40	9.6	9.6	310	340	1	1	0.4	0.4	2	2	8	9

For more information visit: [www.cpcbenvvis.nic.in](http://www.cpcbenvvis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.17: Water Quality of ground water in Mizoram - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
2054	RAMHLUM (NORTHERN PART)	MIZORAM	13	25	5.8	8	131	1020	1	2.1	0	0.2	0	3.6	44	120
2055	MISSION VENGTHLANG (SOUTHERN PART)	MIZORAM	10	24	6.1	8	122	662	0.4	2.3	0	0.2	7	23	210	290
3729	BAWNGKAWN HAND PUMP, NEAR HB PETROLPUMP	MIZORAM	14	23	6.2	7.7	134	528	0.6	1.5	0	0.2	0	0	7.2	7.2
3730	SELESIH HAND PUMP	MIZORAM	13	22	6.1	8.2	137	526	0.5	1.1	0.1	0.1				
3731	TUIKUAL HAND PUMP	MIZORAM	15	23	5.2	7.4	136	605	0.1	0.8	0.1	0.2				
3732	CHALTLANG HAND PUMP NEAR TEMI TYRE WORKS	MIZORAM	14	24	5.2	7.2	135	523	0.1	1.6	0.1	0.1	0	0	15	15
3733	S HLIMEN HAND PUMP	MIZORAM	14	21	6.1	7.8	28	1870	0.6	1.3	0	0.1	0	0	3.6	3.6
3739	ZOBAWK VENG HAND PUMP, LUNGLEI	MIZORAM	14	24	6.2	7.4	111	703	0.1	1.9	0	0.1				
3742	CHANMARI HAND PUMP, LAWNGTLAI	MIZORAM	3.1	24	6	7.3	156	1520	0.5	2.7	0	0.2				
3748	PROJECT NENG HAND PUMP, SERCHHIP	MIZORAM	15	22	6.7	8.2	69	677	1.2	1.8	0	0.2				
3758	BETHEL VENG HAND PUMP, CHAMPHAI	MIZORAM	21	21	6.9	7.4	261	475	1.4	1.8	0.1	0.1				

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Table - 22.18: Water Quality of ground water in Odisha - 2016

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1644	JAGATPUR INDUSTRIAL AREA, CUTTACK	ODISHA	24	42	6.8	7.3	636	649	0.3	0.4	5.4	6.2	4.5	4.5	4.5	4.5
1645	MADHUPATNA- KALYAN NAGAR AREA, CUTTACK	ODISHA	24	42	7.3	7.7	374	408	0.3	0.4	0.8	1	35	35	170	170
1646	BIDANASHI - TULASIPUR AREA, CUTTACK	ODISHA	26	35	7.9	8.2	129	183	0.4	0.5	0.3	0.9				
1647	BADAMBARI AREA, CUTTACK	ODISHA	25	42	7.7	7.8	266	624	0.2	0.3	1.4	7.4				
1648	RANIHAT- MANGALABAGH AREA, CUTTACK	ODISHA	24	41	7.1	8.1	298	546	0.1	0.5	0.9	4.1				
1649	KHANDAGIRI AREA, BHUBANESWAR	ODISHA	26	40	6.6	7.3	105	303	0.1	0.1	2.1	9.8				
1650	CAPITAL HOSPITAL AREA, BHUBANESWAR	ODISHA	26	39	7.6	7.6	182	307	0.2	0.9	2.1	4.7	170	170	920	920
1651	OLD TOWN- SAMANTARAIPUR AREA, BHUBANESWAR	ODISHA	26	39	7.7	8.5	380	641	0.5	0.8	0.7	1.8	350	350	540	540
1652	KALPNA - LAXMINAGAR AREA, BHUBANESWAR	ODISHA	26	39	6.3	7.6	243	253	0.3	0.5	5.9	8.4				
1653	MANCHESWAR INDUSTRIAL AREA, BHUBANESWAR	ODISHA	25	35	8.1	8.4	125	221	0.1	0.5	0.5	1.8				
1654	SECRETARIAT- GOVERNOR HOUSE- OLDBUS STAND AREA, B	ODISHA	26	35	6.9	8.3	286	290	0.1	0.4	2.1	3.3	1600	1600	1600	1600
1655	NEAR SEA BEACH, PURI	ODISHA	25	31	7.8	8.1	393	1187	0.4	0.5	0.9	4.1	240	240	540	540
1656	NEAR JAGANNATH TEMPLE, PURI	ODISHA	25	32	7.9	7.9	834	1157	0.1	0.9	2.3	10.7			13	13
1657	HOSPITAL - BUSSTAND- MAUSHIMA TEMPLE AREA, PURI	ODISHA	25	32	7.3	7.5	705	993	0.1	0.2	3.3	10.4				
1658	NEAR RIVER KUSHABHADRA, PURI	ODISHA	25	31	7.8	8.2	277	682	0.8	0.9	0.1	0.3				

For more information visit: [www.cpcbenvvis.nic.in](http://www.cpcbenvvis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Table - 22.19: Water Quality of ground water in Puducherry - 2016

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1397	WELL AT MUTHIALPET AREA(I)	PUDUCHERRY	30	31	7	7.8	212	370			6.1	7.5				
1398	WELL AT THENGAITHITTU AREA, (II)	PUDUCHERRY	30	32	7	7.6	1225	1250			0	0				
1453	WELL AT MUTHARAPLATYAM (PWD)	PUDUCHERRY	30	32	7.3	7.3	435	501			3	4.7				
1454	WELL AT KALAPET, POND. UNIVER. ADMN. BLOCK	PUDUCHERRY	30	32	7.3	7.4	165	175			1	1.2				
1687	NEHRU STATUE	PUDUCHERRY	26	30	7	7.4	1295	1351			0.2	2.5	4	4	17	17
1688	KATTERIKUPPAM	PUDUCHERRY	30	30	7.1	7.4	466	554			0.3	2				
1689	CHUNMBAR RIVER, PONDICHERRY	PUDUCHERRY	25	32	7.2	7.9	400	1210	3	8	0	0.1	130	130	11	350
2009	KURUMBAPET	PUDUCHERRY	31	32	7.1	7.1	439	525			5.1	5.6				
2010	METTUPALAYAM	PUDUCHERRY	30	31	7	7.5	635	690			3.9	5.1				
2011	URUVAIYAR	PUDUCHERRY	30	31	6.9	7.4	3800	4210			0	0				
2012	KARUVADIKUPPAM	PUDUCHERRY	30	31	6.6	7.4	1624	2110			0.4	2.3			13	13
2013	T.R.PATTINAM, KARAIKAL	PUDUCHERRY	27	28	7.4	7.7	1451	1546			0	2.2				
2014	VADAMATTAM, KARAIKAL	PUDUCHERRY	26.5	28	7.5	7.8	1295	1330			0.2	0.5				
2446	PALLUR	PUDUCHERRY	27	27	7.5	7.5	220	220			8.9	8.9				
2447	PANTHAKKAL	PUDUCHERRY	27	27	7.2	7.2	105	105			1.5	1.5				

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.20: Water Quality of ground water in Punjab - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1898	PETROL PUMP OPP. HERO CYCLE, LUDHIANA	PUNJAB	17	17	7.2	8.1	1155	1380			12	12.4				
1899	BHAGWAN SINGH, H.NO.907, DASMESH NAGAR, GALI NO. 6, LUDHIANA	PUNJAB			7.3	7.9	280	861			1.1	1.6				
1900	GURCHAARAN SINGH HAIBOWAL DAIRY COMPLEX, LUDHIANA	PUNJAB			7.2	7.9	419	845			2.8	2.9				
1901	DUSSHERA GROUND INDUSTRIAL ESTATE, LUDHIANA	PUNJAB	34	34	7.5	8.1	326	650			1.2	1.2				
1902	SHUKLA TEA STAL POINT, LUDHIANA	PUNJAB	16	16	6.9	7.9	1240	1310			12	11.8				
1903	PUNJAB AGRICULTUREAL UNIVERSITY, LUDHIANA	PUNJAB			7.3	8.1	320	865			1.1	1.3				
2918	DERA BASSI	PUNJAB			7.3	7.8	2390	2652			16	212				
2919	DERA BASSI	PUNJAB			7.3	8.1	1196	2660			8.5	83				
2920	HAMIRA VILLAGE	PUNJAB			7.2	7.9	888	1001			0.2	0.3				
2921	HAMIRA VILLAGE	PUNJAB			7.5	7.8	445	647			0.2	0.2				
2922	LEATHER COMPLEX, JALANDHAR	PUNJAB			7.3	7.5	1953	1997			1.9	2.2				
2923	LEATHER COMPLEX, JALANDHAR	PUNJAB			7.2	7.4	1670	1860			1.8	1.9				
2924	MANDI GOBINDGARH	PUNJAB	24	24	7.4	7.5	839	929			5.6	5.8				
2925	MANDI GOBINDGARH	PUNJAB	24	24	7	7.6	2170	2615			2.9	3				
2926	NANGAL	PUNJAB			6.8	7.9	940	1275			13	12.6				
2927	NANGAL	PUNJAB			6.9	7.7	960	1344			13	13.6				
2928	ROPAR	PUNJAB			7.1	7.5	581	589			5.2	5.5				
2929	ROPAR	PUNJAB			7.4	7.6	576	699			5.5	5.6				
2930	TOANSA	PUNJAB			7.2	7.5	1010	1124			9.6	12.6				
2931	TOANSA	PUNJAB			7.5	8.1	343	597			1.1	1.2				
2916	NEAR LANDFILL SITE, AMRITSAR	PUNJAB/CPCB			7.3	8	852	915			5.5	5.6				
2917	NEAR HARMANDIR SAHEB, AMRITSAR	PUNJAB/CPCB			7.5	7.9	1139	1204			9.6	11.4				

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)



## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.21: Water Quality of ground water in Rajasthan - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1415	WELL OF LOOMJI, CHAUDHARY, NEAR NAYAGAON, PALI, (U/S 1 KM. FROM PALI TOWN)	RAJASTHAN	24	25	8.1	8.5	3700	10300	9.2	13.1	3.7	7.5	3	3	3	4
1416	WELL OF BHOPAL SINGH, 24 KM. FROM PALI TOWN	RAJASTHAN	23	26	8.6	8.7	5300	24000	11.2	17.3	7	15.5	3	3	3	4
1706	RIICO PUMP HOUSE NEAR MONTO MOTORS, MIA, ALWAR	RAJASTHAN	27	28	7.7	7.9	1070	1130	1.3	1.8	1	1.7	3	3	3	3
1707	BORE WELL IN MODI ALKALIS & CHEMICALS, MIA, ALWAR	RAJASTHAN	29	30	7.8	8	1250	1460	1.3	1.8	1.7	1.8	3	3	3	3
1708	WELL KOTHI IN VILLAGE BAGAR RAJPUT, ALWAR	RAJASTHAN	28	29	7.4	7.8	1290	1410	1.8	2	1.3	1.6	3	3	3	4
1709	WELL AT VILLAGE SANTHLA VERY NEAR BHIWADI INDUSTRIAL AREA, BHIWADI	RAJASTHAN	27	28	7.4	7.8	2300	2400	1.3	2.1	2.2	2.3	3	3	3	3
1710	WELL AT VILLAGE ALUPUR, VERY NEAR BHIWADI INDUSTRIAL AREA, BHIWADI	RAJASTHAN	27	28	7.5	7.7	1400	1550	1.4	2	2.4	2.5	3	3	3	3
1711	WELL AT VILLAGE HARCHANDPUR, VERY NEAR, BHIWADI TO BHIWADI INDUSTRIAL AREA, BHIWADI	RAJASTHAN	27	27	7.2	8.2	1160	5300	1.8	2.1	3.2	4.2	3	3	3	3
1712	WELL AT VILLAGE BHIWADI , VERY NEAR, BHIWADI TO BHIWADI INDUSTRIAL AREA, BHIWADI	RAJASTHAN	27	28	7.4	7.8	1770	2400	2.1	2.3	2.1	2.1	3	3	3	3
1713	WELL AT VILLAGE GATTAL, NEAR, BHIWADI TO BHIWADI INDUSTRIAL AREA, BHIWADI	RAJASTHAN	27	28	7.2	7.8	1350	1670	1.3	1.9	1.7	2.1	3	3	3	3
1715	HAND PUMP NEAR SECONDARY SCHOOL ABOUT 300MT. FROM KANSUA NALLAH KOTA	RAJASTHAN	27	28	7.8	8.3	1270	1320	1.7	1.8	1	1.2	3	3	3	3
1720	CHAUDHARY KA WELL VILLAGE PANIALA, KOTAPUTALI NEAR ASSOCIATED ALCOHOL BREVERIES LTD JAIPUR	RAJASTHAN	27	28	7.8	8.2	1530	2500	1.1	2	2.3	3.1	3	3	3	3

For more information visit: [www.cpcbenviis.nic.in](http://www.cpcbenviis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1721	PHED WELL NEAR RAILWAY LINE JHOTAWARA, JAIPUR	RAJASTHAN	27	29	7.6	7.9	650	2000	1.1	1.1	1.1	1.6	4	4	4	4
1723	HAND PUMP OF VIDHANI VILLAGE GONER ROAD JAIPUR	RAJASTHAN	25	29	7.5	8	4000	4400	1.2	2.3	11	12.4	3	3	3	3
1724	WELL OF GOOJARON KI TALAI, MOHANA ROAD SANGANER JAIPUR	RAJASTHAN	27	29	8.1	8.2	350	1900	1	1.3	2.3	3.1	3	3	3	3
1725	PUBLIC HAND PUMP BEFORE SANGANER PULIA	RAJASTHAN	28	30	6.9	7.8	1800	2300	1.4	1.9	3	6	3	3	3	3
2015	PABUPURA ROAD NEAR CIVIL AIR PORT, JODHPUR (MANGILAL RATHOR)	RAJASTHAN	27	36.2	7.1	7.4	3600	5200	1.8	1.9	3.7	4.6	3	3	4	4
2016	VILLAGE VINAYAKIA, JODHPUR (HIRALAL KUMHAR)	RAJASTHAN	26.4	40.2	7	7.3	2000	2700	1.7	2.2	3.2	3.4	3	3	7	11
2017	VILLAGE VINAYAKIA, JODHPUR (BADRI KUMHAR)	RAJASTHAN	27.6	38.4	7.3	7.5	2500	2900	1.2	1.8	4.2	5.5	3	3	4	4
2018	VILLAGE VINAYAKIA, JODHPUR (HUKUM SINGH RATHORE)	RAJASTHAN	27	40.7	7.4	8.1	6400	8000	2.1	2.3	15	16	3	3	4	4
2019	NEAR UIT BRIDGE, UDAIPUR	RAJASTHAN	24	28	7.4	7.7	760	1280	1.1	2	1.8	2.1	3	3	3	3
2020	NEW FATEHPURA, 200 FT.FROM PANCHWATI NALLAH, UDAIPUR	RAJASTHAN	24	28	7.1	7.5	1590	1670	1.9	2.3	0.8	2.8	3	3	3	3
2021	NEAR ARVIND GENERAL STORE, ALOO FACTORY, KACCHI BASTI, SARDARPURA, UDAIPUR	RAJASTHAN	24	28	7.2	7.7	1260	1340	1.5	1.9	0.5	1.6	3	3	3	3
2022	NEAR RANA PRATAP NAGAR, RAILWAY STATION, UDAIPUR	RAJASTHAN	24	28	7.1	7.1	1780	1900	1.4	1.6	2.6	2.7	3	3	3	3
2023	HOTEL ORIENT PLACE, SUBHAS NAGAR, UDAIPUR	RAJASTHAN	24	26	7.1	7.2	1190	1400	1.2	1.2	2.8	3	3	3	4	4
2024	IN SIDE SHIV TEMPLE NEAR AIR FORCE STATION AMER ROAD, JAIPUR	RAJASTHAN	28	28	7.1	8.3	630	2000	1	1.3	2	2.2	3	3	4	4
2025	NEAR SHREE KALYANESHWAR MAHADEV TEMPLE, JAI SINGH PURA KHURD, JAIPUR.	RAJASTHAN	27	27	7.2	8.1	830	2200	0.7	1.6	5.6	6.1	3	3	3	3
2026	NEAR FOJI NAGAR, KACCHI BASTI, AMBABARI, JAIPUR.	RAJASTHAN	27	28	7.9	8.2	390	740	0.8	2.1	8.4	8.8	3	3	3	3

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
2027	NEAR ABN CENTRAL ACADEMY, SUSILPURA, SODALA, JAIPUR.	RAJASTHAN	28	28	7.8	7.8	1630	1630	0.7	0.7	3.2	3.2				
2028	NEAR SAMSHAN VISHWAKARMA NAGAR, MAHARANIFARM, JAIPUR	RAJASTHAN	26	30	7.9	8.1	1220	1390	1.1	2	5.6	6.1	3	3	3	3
2029	NEAR GANDHI BHWAN, AJMER	RAJASTHAN	26	28	7.5	8.3	1240	1340	1.8	1.9	1.3	1.5	3	3	3	3
2030	OPPOSITE PRIVATE BUS STAND, AJMER	RAJASTHAN	26	28	7.4	8.4	1800	3600	1.2	1.7	2.8	3.1	3	3	3	3
2031	NEAR 9 NO. PETROL PUMP, NEAR ADARSH NAGAR GATE, AJMER	RAJASTHAN	25	28	7.6	8.4	1360	1440	1.9	2.5	0.9	1.7	3	3	4	4
2032	NEAR KHANPURA TALAB, AJMER	RAJASTHAN	26	28	8.1	8.4	350	380	1.8	2.4	1.3	1.5	3	3	3	3
2957	WELL/ HAND PUMPS IN THE RIICO INDUSTRIAL AREA, BANSWARA	RAJASTHAN	26	26	7.5	7.5	630	630	1.3	1.3	1.8	1.8				
2960	WELL INFRONT OF SINGHANA POLICE STATION, SINGHANA, JHUNJHUNU	RAJASTHAN	26	30	7.4	8.3	3800	3900	2.2	2.3	3.1	3.2	3	3	4	4
2961	WELL OF SH MNAGAL CHAND MEENA, MANPUR MACHERI, JAIPUR	RAJASTHAN	26	27	8.2	9	720	3800	1	1.3	2.3	4.2	3	3	3	3
2962	WELL OF SH MOOL CHAND RAIGER, MANPUR MACHERI, JAIPUR	RAJASTHAN	26	26	7.3	7.9	780	2400	1.3	1.8	3.4	4.2	3	3	3	4
2963	WELL OF RIICO AT LEATHER COMPLEX, MANPUR MACHERI, JAIPUR	RAJASTHAN	27	27	7.6	7.8	1100	1600	1.2	1.6	1.8	2.2	3	3	3	3
2964	WELL AT INDIA PUBLIC SCHOOL, MANPUR MACHERI, JAIPUR	RAJASTHAN	27	28	7.6	8.2	640	2100	1	1.6	0.4	1.1	3	3	3	3
2965	SHRI GIRDHARI SINGH CHOUDHARY NEAR BANDI RIVER BRIDGE, PALI BYE PASS ROAD, PALI	RAJASTHAN	24	25	7.8	8.6	6900	10100	4	7.6	2.9	4.9	3	3	3	4
2966	SHRI GIRDHARI SINGH RAJPUROHIT NEAR VILLAGE PUNAYATA, JODHPUR-SUMERPUR BYE PASS ROAD, PALI	RAJASTHAN	23	23	8	8.6	5600	7000	3.9	6.4	3.1	4	3	3	3	4

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
2967	SH. POL SINGH PUROHIT, VILLAGE PUNAYATA, PALI	RAJASTHAN	23	24	7.7	8.3	3400	8700	2.5	12.3	2.4	3.7	3	3	3	4
2968	SH. BHANA RAM KALAL, DHARU NAGAR, NEAR MAIN MANDIA ROAD, OPP. VILLAGE MANDIA, PALI	RAJASTHAN	22	25	8.1	8.4	3100	7300	3	8.5	3.2	4.7	3	3	3	9
2969	M/S SPECIALTY SILICA LTD., MIA ALWAR AGRO FOOD PARK, ALWAR	RAJASTHAN	27	28	7.3	7.4	900	920	1.4	1.6	1.4	2.2	3	3	3	3
2970	RIICO TUBE WELL, RIA, BEHROR	RAJASTHAN	27	29	7.1	7.7	1720	1740	1.2	1.5	2	2.2	3	3	3	3
2971	RIICO TUBE WELL, RIA, NEEMRANA	RAJASTHAN	28	29	7.5	7.8	2200	2200	1.1	1.5	1.5	3	3	3	3	3
2972	RIICO TUBE WELL, RIA, SOTANALA	RAJASTHAN	28	30	7.5	7.7	2700	2700	2	2.2	3.1	3.2	3	3	3	3
2973	RIICO TUBE WELL, RIA, SHAHJAHANPUR	RAJASTHAN	27	28	7.5	7.7	3200	5000	1.4	1.9	4.2	5	3	3	3	3
2974	VILLAGE AGYARA, TEHSIL- RAMGARH, ALWAR	RAJASTHAN	27	29	8.2	8.3	1500	2000	1.3	2.3	1.8	2.1	3	3	3	3
2975	VILLAGE BAGER MEO, TEHSIL- RAMGARH, ALWAR	RAJASTHAN	28	29	7.4	7.5	3100	3900	1.4	2.3	2.8	3	3	3	3	3
2976	SUJAN GANGA, BHARATPUR	RAJASTHAN	16	31	8.2	8.7	7800	9100	22.1	26.4	3.7	10.3	75	150	210	2400
2977	WELL OF RAM CHANDRA DEWRA, VILLAGE- SANGARIA, JODHPUR, RAJASTHAN	RAJASTHAN	27.3	29.6	7.6	8	20000	21000	2.8	3	9.8	16	3	3	4	4
2982	WELL OF BIRMA RAM PATEL, SALAWAS, JODHPUR	RAJASTHAN	27.8	32.6	7.4	7.8	700	9000	2.3	2.9	1.5	10.3	3	3	4	4
2985	WELL OF GIRDHARI RAM MEGHWAL, VILLAGE- NANDWAN, JODHPUR	RAJASTHAN	28.1	32.3	6.9	7.3	12000	13100	2.8	3.2	12	12.3	3	3	4	4
2986	TUBE WELL OF GIRDHARI LAL, BHITUJA	RAJASTHAN	27	30	7.5	8	15400	16600	1.8	2.2	8	10	3	3	3	3
2987	CWR OF PHED, BHITUJA	RAJASTHAN	26	30	7.5	7.9	8100	11500	3.6	3.8	9.2	10	3	3	3	3
2988	WELL OF PEMA RAM MALI, BHITUJA	RAJASTHAN	28	30	8	8.1	5800	8000	1.9	2	9.2	11	3	3	3	3
2989	WELL OF BABULAL UKKAD JI MALI, SAKARNA BERA, BALOTRA, , JODHPUR	RAJASTHAN	29	30	8	8.3	15400	23000	1.9	2.3	8	9.1	3	3	4	4
2990	WELL OF BHIKSINGH S/O AMAR SINGH PUROHIT,	RAJASTHAN	28	30	8.1	8.3	13200	14800	1.2	2.3	3.6	5.7	3	3	4	4

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
	SAKARNA BERA, BALOTRA, JODHPUR															
2991	WELL OF BHAG JI LAXMAN RAM MALI, SAKARNA BERA, BALOTRA, JODHPUR	RAJASTHAN	29	29	7.8	7.8	11600	11600	2.3	2.3	5.1	5.1	3	3	4	4
2991	WELL OF BHAG JI LAXMAN RAM MALI, SAKARNA BERA, BALOTRA, JODHPUR	RAJASTHAN	30	30	7.7	7.7	12000	12000	1.1	1.1	1.9	1.9			4	4
2993	WELL OF CHOUTHAM RAM PUSA PAM, LEFT SIDE OF BRIDGE LUNI, BALOTRA	RAJASTHAN	28	30	7.9	8.4	1800	11100	1.4	3.8	1.9	8	3	3	4	4
2999	BORE WELL SH. PREM CHAND, VILLAGE PHALSHA MODE RIA CHOPNADI	RAJASTHAN	27	28	6.8	7.8	900	1230	1.8	2.4	1.4	1.5	3	3	3	3
3000	BORE WELL SH. UMESH KUMAR S/O SH. HORIDWARI RAM 3A-16 UIT, BHUTIJA	RAJASTHAN	26	28	7.4	7.6	1900	2100	1.6	2.5	1.8	2.1	3	3	3	3
3001	BORE WELL SH. BHRAM JEET SERVICE STATION, BHIWADI	RAJASTHAN	26	26	6.9	7.8	1900	2000	1.6	2.2	1.7	2.1	3	3	3	3
3002	BORE WELL M/S R.C. PALACE HOTEL, BHIWADI	RAJASTHAN	27	28	7.6	7.9	1080	1100	1.7	2.2	1.5	1.6	3	3	3	3
3003	BORE WELL OFFICE OF RAJ. HOUSING BOARD, BHIWADI	RAJASTHAN	26	27	7.3	8.4	1030	1900	2	2.2	1.4	1.7	3	3	3	3
3004	BORE WELL OF M/S MODERN PUBLIC SCHOOL, BHIWADI	RAJASTHAN	28	28	7.8	7.9	1900	2200	2.2	2.3	1.8	1.8	3	3	3	3
3006	HAND PUMP NEAR NEVTA TIRAHA, NEVTA DAM, SANGANER, JAIPUR	RAJASTHAN	27	29	7.8	8.1	2400	4200	0.8	1.4	2.1	2.1	3	3	3	3

For more information visit: [www.cpcbenviis.nic.in](http://www.cpcbenviis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Table - 22.22: Water Quality of ground water in Tamil Nadu - 2016

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	Max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
32	WELL AT MUSIRI	TAMIL NADU	31	31	7.25	7.25	1869	1869	3	3	4.5	4.5				
1449	COLLECTOR WELL AT THIRUPUVANAM FOR MADURAI WAT. SUPPLY SCHEME	TAMIL NADU	38	38	6.8	6.8	1390	1390	3.7	3.7	0	0	2	2	4	4

www.cpcbenvvis.nic.in

For more information visit: [www.cpcbenvvis.nic.in](http://www.cpcbenvvis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

**Table - 22.23: Water Quality of ground water in Telangana - 2016**

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
15	WELL AT KUYUURA	TELANGANA	29	29	8.1	8.5	228	916	0	0	0	0				
16	WELL AT TADAVAI	TELANGANA	24	25	7.3	7.9	280	363	3	6	0	0				
27	WELL AT PEDDAVOORA	TELANGANA	26	32	7.5	8.5	1153	2776	2	2	0.2	38.2	2	2	18	18
1515	B/W. - NAGARAM(V), PALVONCHA, KHAMMAM DIST.	TELANGANA	19	26	7.9	7.9	1643	2219	2	2	0	0.5	4	4	15	15
1525	B/W - IDA , NEAR CHAITANYA CHLORIDES , PASHAMAYLAM , MEDAK DIST.	TELANGANA	27	27	8	8	2360	2360			0	36.8				
1791	B/W. - EAST OF SAICHERUVU , PAIDIPALLY (V), WARANGAL DIST	TELANGANA	30	30	7.6	8	828	990	2.8	17	0	0				
1792	B/W -NEAR CKM COLLEGE , ENUMAMULA (V) , WARANGAL DIST.	TELANGANA	29	34	8.1	9	1020	2346	2	10	0	0				
1793	O/W - BHOOMIAIAH NEAR ASHPONDS OF NTPC , KUNDANPALLY (V) , RAMAGUNDAM , KARIMNAGAR	TELANGANA	26	26	8	8.2	1456	1547	3	20	0	0				
1794	B/W - MANAKONDUR (V) , KARIMNAGAR DIST.	TELANGANA	29	29	7.8	7.9	890	922	2	8	0	0				
1795	B/W. - PANCHAYAT OFFICE , , BOLLARAM (V) MEDAK DIST.	TELANGANA	32	32	8.3	8.3	1710	1710			0	28.4				
1810	B/W - SRI RAMNAGAR COLONY, SAKKAR NAGAR, BODHAN, NIZAMABAD DIST.	TELANGANA	26	28	7.9	8	2050	2219	3	3	0.5	39.8	4	4	15	15
1811	B/W. - PRIMARY SCHOOL - RUDRAVELLI (V) , BIBINAGAR (M), NALGONDA DIST.	TELANGANA	22	24	8	8.6	2035	2079	2	2	0.5	35.7	6	6	40	40
3088	B/W AT J.NARASIMHA RAO'S HOUSE, 14NOS. AREA, RAMAVARAM, NEAR MWS DUMPSITE, KOTHAGUDEM, KHAMMAM	TELANGANA	18	20	7.8	8	1556	1634	5	12	0	0				
3094	B/W AT AKBARNAGAR, RAMAGUNDAM, KARIMNAGAR	TELANGANA	26	26	8	8.2	894	903	1	14	0	0				

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Table - 22.24: Water Quality of ground water in Tripura - 2016

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1405	WELL AT UDAIPUR (TUBEWELL), TRIPURA	TRIPURA	26	28	7	8.2	116	185	0	0	0.6	1	0	0	0	0
1406	WELL AROUND UDAIPUR (TUBEWELL), TRIPURA	TRIPURA	26	28	6.7	7.8	208	352	0	0	0	0.1	0	0	0	0
1730	KUNJBAN, AGARTALA, TRIPURA	TRIPURA	26	28	6.1	6.9	161	271	0	0	0	0.5	0	0	0	0
1731	LANKAMURA, TRIPURA	TRIPURA	26	28.5	6.2	7.1	93	117	0	0	0	0	0	0	0	0
1732	A.D.NAGAR, AGARTALA, TRIPURA	TRIPURA	26	28	6.4	7	92	139	0	0	0	0	0	0	0	0
1733	SHIBNAGAR, AGARTALA, TRIPURA	TRIPURA	26	28.5	6.2	7	131	174	0	0	0	0	0	0	0	0
1734	GANDHIGRAM, AGARTALA, TRIPURA	TRIPURA	26	28.5	6.8	7.5	132	199	0	0	0	0	0	0	0	0
3423	TUBE WELL AT HAPANIA, WEST TRIPURA	TRIPURA	26	28	5.2	5.9	91	113	0	0	0	0	0	0	0	0
3424	TUBE WELL AT NAGICHERRA, WEST TRIPURA	TRIPURA	26	27.5	5	5.8	81	113	0	0	0	0	0	0	0	0
3425	TUBE WELL AT BODHJUNG NAGAR, WEST TRIPURA	TRIPURA	26	27.5	5.1	6.1	96	148	0	0	0	0	0	0	0	0
3426	TUBE WELL AT B.C.MANU, SOUTH TRIPURA	TRIPURA	26	27	5.2	6.9	61	84	0	0	0	0	0	0	0	0
3427	TUBE WELL AT SHANTIR BAZAR, SOUTH TRIPURA	TRIPURA	26	28	6.1	6.8	82	114	0	0.1	0	0.1	0	0	0	0
3428	TUBE WELL AT BAGAFA, SOUTH TRIPURA	TRIPURA	26	27	5.4	6.4	62	88	0	0	0	0	0	0	0	0
3429	TUBE WELL AT 82 MILE, DHALAI	TRIPURA	26	27.5	5.4	6.2	141	253	0	0	0	0	0	0	0	0
3430	TUBE WELL AT JAWAHANAGAR, DHALAI	TRIPURA	26	27	5.7	6.9	69	88	0	0	0	0	0	0	0	0
3431	TUBE WELL AT KULAI, DHALAI	TRIPURA	26	27.5	5.2	6	82	98	0	0	0	0	0	0	0	0
3432	TUBE WELL AT CHURAIKARI (INTERSTATE BOUNDARY), NORTH TRIPURA	TRIPURA	26	27	6.1	6.8	92	114	0	0	0	0	0	0	0	0
3433	TUBE WELL AT KAMESWAR, INDUSTRIAL ESTATE AREA, NORTH TRIPURA	TRIPURA	26	27.5	6.9	7.8	172	299	0	0	0	0	0	220	0	0
3434	TUBE WELL AT KUMARGHAT, INDUSTRIAL ESTATE AREA, NORTH TRIPURA	TRIPURA	26	27	5.2	5.9	188	269	0	0	0	0	0	0	0	0

For more information visit: [www.cpcbenviis.nic.in](http://www.cpcbenviis.nic.in)



## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
3435	TUBE WELL AT GOUR NAGAR, NORTH TRIPURA	TRIPURA	26	27.5	7.5	8	244	359	0	0	0	0	0	0	0	0
3436	TUBE WELL AT KAILASHAHAR, NORTH TRIPURA	TRIPURA	26	27	6.1	6.8	231	359	0	0	0	0	0	0	0	0

Table - 22.25: Water Quality of ground water in Uttar Pradesh - 2016

For more information visit: [www.cpcbenvvis.nic.in](http://www.cpcbenvvis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1736	GROUND WATER QUALITY STATION SARDARNAGAR	UTTAR PRADESH	19	29	6.9	6.9	992	1032	3.9	4.8	3.1	4.5	70	110	150	330
1737	GROUND WATER QUALITY STATION CAPTANGANJ	UTTAR PRADESH	22	29	7	7	736	778	3.3	3.3	2.5	2.9	60	80	110	220
1738	SITE 1, INDUSTRIAL AREA NEAR M/S WOODWARM CHEMICAL LTD., UNNAO	UTTAR PRADESH			7.6	7.6	783	783			1.2	1.2				
1739	SITE 2, INDUSTRIAL AREA NEAR M/S AMIN SONS, UNNAO	UTTAR PRADESH			6.8	6.8	1943	1943			1.3	1.3				
1740	AT ROADWAYS BUS STATION, UNNAO	UTTAR PRADESH			7.4	7.4	2070	2070			0.9	0.9				
1741	MAGAWARA INDUSTRIAL AREA NEAR M/S JAMJAM TANNERS, UNNAO	UTTAR PRADESH			7.7	7.7	766	766			0.8	0.8				
1742	CHINHAT INDUSTRIAL AREA IN LUCKNOW NEAR M/S INDIA PESTICIDES LUCKNOW	UTTAR PRADESH	30	30	7.7	7.7	673	673			0.2	0.2				
1743	AISHBAGH INDUSTRIAL AREA AT LUCKNOW NEAR M/S EVEREADY INDUSTRIES LTD. LUCKNOW	UTTAR PRADESH	30	30	7.6	7.6	1758	1758			5.7	5.7				
1744	JAJMAU INDUSTRIAL AREA NO. 6 KANPUR	UTTAR PRADESH	20	20	7.3	7.3	2554	2554			3.6	3.6				
1745	PANKI INDUSTRIAL AREA NEAR INDUSTRY OF AMMONIA FERTIZER KANPUR	UTTAR PRADESH	20	20	7.1	7.1	1428	1428			5.2	5.2				
1746	NAGAR PALIKA TUBE WELL, SULTANPUR	UTTAR PRADESH	20	22	7.6	7.7	811	811			0.1	0.2				
1747	INDIA MARKA HAND PUMP IN SAROWNI BLOCK AT RAIBAREILLY	UTTAR PRADESH	18	22	7.8	7.8	852	859			0.2	0.2				
1749	TUBE WELL AT MEERUT CITY	UTTAR PRADESH	20	20	7.3	7.3	680	680			3.8	3.8				
1750	TUBE WELL AT BAGPAT CITY	UTTAR PRADESH	20	20	7.2	7.2	610	610			2.8	2.8				
1754	HAPUR ROAD INDUSTRIAL AREA GHAZIABAD	UTTAR PRADESH	21	21	7	7	769	769			0.5	0.5				
1755	PILKHUA INDUSTRIAL AREA GHAZIABAD	UTTAR PRADESH	21	21	7.4	7.4	1318	1318			0.5	0.5				
1756	GOPIGANJ INDUSTRIAL AREA BHADOHI, VARANASI	UTTAR PRADESH	27	27	7.5	7.5	452	452			3.8	3.8				
1757	MIRZAPUR INDUSTRIAL AREA	UTTAR PRADESH	24.1	24.3	7.3	7.3	814	970	0.2	0.2	1.2	1.7				

For more information visit: [www.cpcbenvvis.nic.in](http://www.cpcbenvvis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1758	GROUND AROUND STP DINAPUR, VARANASI	UTTAR PRADESH	26.5	26.5	7.5	7.5	508	508			3.6	3.6				
1759	IFFCO, PHOOLPUR, ALLAHABAD	UTTAR PRADESH	24.3	24.6	7.3	7.7	743	785	0.2	0.3	1.3	1.4				
1760	M/S KANORIA CHEMICAL SONBHADRA	UTTAR PRADESH	24.4	24.6	7.1	7.2	1190	1284	0.3	0.5	1.5	1.6				
1761	TUBE WELL IN SINGRAULI INDUSTRIAL AREA	UTTAR PRADESH	24.2	24.3	7.2	7.2	1192	1238	0.2	0.4	1.6	1.7				
2467	CHANDPUR INDUSTRIAL AREA, LAHARTARA, VARANASI	UTTAR PRADESH	26.5	26.5	7.5	7.5	520	520			3.2	3.2				
2468	BHADOHI INDUSTRIAL AREA, DEVELOPMENT AUTHORITY, SANT RAVIDAS NAGAR	UTTAR PRADESH	27.5	27.5	7.5	7.5	485	485			3.5	3.5				
2469	AT INDUSTRIAL AREA. NAINI, ALLAHABAD	UTTAR PRADESH	24.3	24.5	7.2	7.4	1256	1264	0.3	0.4	1.5	1.5				
2470	AT INDUSTRIAL AREA, FATEHPUR	UTTAR PRADESH	24.4	24.6	7.2	7.3	1475	1604	0.4	0.5	1.6	1.7				
2471	GORAKHPUR INDUSTRIAL DEVELOPMENT AUTHORITY AREA (GIDA), GORAKHPUR	UTTAR PRADESH	20	28	7.9	8	492	512	2.4	2.8	0.4	0.4	40	60	80	168
2472	VILLAGE DAURALA, MEERUT	UTTAR PRADESH	19	19	7.2	7.2	710	710			1.3	1.3				
2473	KHEKRA, BAGHPAT	UTTAR PRADESH	20	20	7.6	7.6	690	690			3.4	3.4				
2474	UNCHAHAAR (NEAR THERMAL POWER PLANT)	UTTAR PRADESH	18	20	7.8	7.8	756	761			0.2	0.2				
2475	INDUSTRIAL AREA, SULTANPUR ROAD	UTTAR PRADESH	19	22	8.1	8.1	753	781			0.2	0.3				
2478	DEVA ROAD, INDUSTRIAL AREA, CHAINHAT, LKO NEAR UPTRON POLICE CHOWKI, LUCKNOW	UTTAR PRADESH	30.5	30.5	7.6	7.6	630.5	630.5			0.2	0.2				
2479	NEAR M/S KUMAR INTER NATIONAL LAKDI FAZALPUR, DELHI ROAD, MORADABAD	UTTAR PRADESH	24.5	24.5	7.2	7.2	240	240	1	1	0	0	0	0	35	35
2481	NEAR PEER BEGRAJ INDUSTRIAL AREA, MUZAFFARNAGAR	UTTAR PRADESH	20	20	7.2	7.2	610	610			1.5	1.5				

Table - 22.26: Water Quality of ground water in Uttarakhand - 2016

For more information visit: [www.cpcbenvvis.nic.in](http://www.cpcbenvvis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1748	HANDPUMP IN VILLAGE DAMAUDA AT KASHIPUR NEAR M/S INDIA GLYCOLES LTD.	UTTARAKHAND	24	27	7.6	7.7	340	360	1.4	1.6	0	0				
3440	GROUND WATER AT SITAR GANJ INDUSTRIAL AREA- 1	UTTARAKHAND	24	31	7	7.1	430	450	1	1.2	0	0				
3441	GROUND WATER AT SITAR GANJ INDUSTRIAL AREA- 2	UTTARAKHAND	24	30	6.2	6.8	460	480	1.4	1.6	0	0				
3442	GROUND WATER AT PANTNAGAR INDUSTRIAL AREA- 1	UTTARAKHAND	24	30	7.2	7.4	250	270	1.2	1.4	0	0				
3443	GROUND WATER AT PANTNAGAR INDUSTRIAL AREA- 2	UTTARAKHAND	24	31	7.1	7.3	260	280	1	1	0	0				
3444	GROUND WATER AT SHANTIPURI KICHHA- 1	UTTARAKHAND	24	31	7.1	7.3	270	290	1.2	1.4	0	0				
3445	GROUND WATER AT SHANTIPURI KICHHA- 2	UTTARAKHAND	24	31	7.3	7.4	270	280	1	1.2	0	0				
3446	GROUND WATER AT KASHIPUR MORADABAD ROAD- 1	UTTARAKHAND	24	32	7.2	7.4	390	430	1.4	1.6	0	0				
3447	GROUND WATER AT KASHIPUR MORADABAD ROAD- 2	UTTARAKHAND	24	28	7.6	7.7	310	320	1.4	1.6	0	0				
3448	GROUND WATER AT KASHIPUR BAJPUR ROAD- 1	UTTARAKHAND	24	29	7.3	7.4	330	360	1.2	1.6	0	0				
3449	GROUND WATER AT KASHIPUR BAJPUR ROAD- 2	UTTARAKHAND	24	27	7.4	7.6	260	280	1	1.4	0	0				
3450	GROUND WATER AT SIDCUL INDUSTRIAL AREA- 1, HARIDWAR	UTTARAKHAND	18	18	6.9	7.1	434	434			0	0				
3451	GROUND WATER AT SIDCUL INDUSTRIAL AREA- 2, HARIDWAR	UTTARAKHAND	20	20	7.4	7.4	960	960			0	0				
3452	GROUND WATER AT BHAGWAN INDUSTRIAL AREA- 1	UTTARAKHAND	19	19	7	7.5	1930	1930			0	0				
3453	GROUND WATER AT BHAGWAN INDUSTRIAL AREA- 2	UTTARAKHAND	18	18	7.2	7.3	1104	1104			0	0				

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
3454	GROUND WATER AT ROORKEE INDUSTRIAL AREA-1	UTTARAKHAND	18	18	7.3	7.5	902	902			0	0				
3455	GROUND WATER AT ROORKEE INDUSTRIAL AREA-2	UTTARAKHAND	20	20	7.1	7.5	581	581			0	0				
3456	GROUND WATER AT SELAQUI INDUSTRIAL AREA- 1, DEHRADUN	UTTARAKHAND	15	18	7.2	7.6	169	169			0	0				
3457	GROUND WATER AT SELAQUI INDUSTRIAL AREA- 2, DEHRADUN	UTTARAKHAND	15	18	7.2	7.3	182	182			0	0				

Table - 22.27: Water Quality of ground water in West Bengal - 2016

For more information visit: [www.cpcbenvvis.nic.in](http://www.cpcbenvvis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1766	MINE PIT WATER ASSANSOL	WEST BENGAL	29	30	8	8.6	739	847	0.4	0.9	0.4	1.1				
1767	DURGAPUR TOWN, NEAR IISCO, BURDWAN	WEST BENGAL	29	29	7.5	7.5	989	1023	0.6	0.8	0.7	1.3				
1768	DURGAPUR TOWN, BURDWAN	WEST BENGAL	26	28	7	7.3	754	790	0.5	1.5	1.4	2.2				
1769	INSIDE HINDUSTAN LIVER FACTORY, HALDIA	WEST BENGAL	32	34	7.6	7.8	1816	1898	0.8	0.9	0	0				
1770	NEAR IOC REFINERY HALDIA	WEST BENGAL	32	35	7.2	7.7	2450	2880	0.7	2.9	0.3	0.4	7	7	11	11
1771	KALYANI INDUSTRIAL AREA, NADIA	WEST BENGAL	28	29	7.4	7.8	996	1084	0.7	1.1	0.9	1.2	0	0	0	0
1772	BARSAT MUNICIPALITY NORTH 24-P	WEST BENGAL	28	29	7	7.2	735	1224	0.1	1.4	0.2	0.5	0	0	0	0
1773	TANGRA, CALCUTTA	WEST BENGAL	30	32	7.2	7.6	1930	1945	0.9	1.5	0.2	0.2	4	130	9	240
1774	TOPSIA CALCUTTA	WEST BENGAL	28	30	7	7.4	1785	1792	0.5	2.1	0.1	0.1				
1775	DHAPA CALCUTTA	WEST BENGAL	29	30	7	7.2	1780	1874	1.7	1.8	0.1	0.1	1	9	5	23
1776	GARIA CALCUTTA	WEST BENGAL	28	31	7.2	7.4	1324	1346	1	1.4	0.1	0.1				
1777	BEHALA CALCUTTA	WEST BENGAL	28	29	7.7	8.1	830	849	0.7	0.9	0.2	0.3				
1778	DOMJUR HOWRAH	WEST BENGAL	31	32	7.3	8.4	683	710	2.1	3.9	0.3	0.3				
1779	DANKUNI (NEAR COAL COMPLEX)	WEST BENGAL	28	28	7.1	7.4	1130	1152	0.4	0.6	0.2	0.3				
1813	RISHRA	WEST BENGAL	27	28	7.5	7.6	548	807	1.5	1.8	0.1	1.3				
1931	COSSIPORE - NORTH KOLKATA	WEST BENGAL	29	31	7.1	7.7	2045	2525	0.6	1.9	0.2	0.4				
1932	CENTRAL KOLKATA	WEST BENGAL	29	30	7.3	7.4	954	1323	0.7	1.8	0.1	0.1				
1933	NEAR GALVANISATION UNIT, HOWRAH	WEST BENGAL	30	31	7.1	7.6	1410	1469	1.6	1.8	0.1	0.2	4	280	13	500
1934	CENTRAL HOWRAH-RESIDENTIAL AREA	WEST BENGAL	28	31	7.1	7.5	2	2398	0.5	1.3	0.3	0.3				
1935	INSIDE KOLKATA LEATHER COMPLEX	WEST BENGAL	29	30	7.1	7.6	1470	1482	1.3	1.6	0.1	0.3	50	50	70	70
1936	RESIDENTIAL AREA - SONARPUR	WEST BENGAL	27	30	7.2	7.7	881	897	0.3	1	0.1	0.2				
1937	RAJARHAT - NEW TOWNSHIP	WEST BENGAL	28	30	7.9	8	255	997	1.5	2.7	0.1	0.2				

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
1938	BSIRHAT MUNICIPALITY	WEST BENGAL	28	32	6.8	8.4	1125	1786	0.1	1.4	0.2	0.6	0	0	0	0
1939	BARRAKPORE MUNICIPALITY	WEST BENGAL	29	29	7	7.5	410	735	0.1	0.9	0.6	0.9	0	0	0	0
1940	NEAR THE PHOSPHATE COMPANY- RISHRA	WEST BENGAL	26	28	7.1	7.3	554	836	0.5	0.8	0.3	0.9				
1941	NEAR FLY ASH DUMPING SITE- KUNTIGHAT, BANDEL	WEST BENGAL	27	28	7.2	7.6	393	395	1.1	1.3	0.2	0.8				
1942	NEAR EXIDE INDUSTRIES-HALDIA	WEST BENGAL	33	34	7.5	7.6	1319	1380	0.4	0.8	0.1	0.2				
1943	INSIDE TATA METALIKS, KHARAGPUR	WEST BENGAL	31	32	7.1	7.2	370	415	0.5	0.9	0	0	11	170	22	900
1944	KHARAGPUR INDUSTRIAL AREA	WEST BENGAL	32	33	6.5	7.2	102	138	0.5	1	0.6	0.8				
1945	ENGLISH BAZAR- MALDAH	WEST BENGAL	23	28	7.3	7.3	558	696	0.5	0.6	0.2	0.2	0	0	0	0
2510	GEOKHALI BUNGLOW MIDNAPUR- EAST	WEST BENGAL	28.5	33	7.5	8	1005	1038	0.2	0.5	0	0.1				
2515	SDO OFFICE, RANAGHAT	WEST BENGAL	28	30	7.5	7.6	587	596	1.4	1.6	0.1	0.6	0	0	0	0
2516	SDO OFFICE, KRISHNANAGAR	WEST BENGAL	28	29	7.2	7.7	748	754	0.7	1.1	0.3	0.7	0	0	0	0
2526	FULBARI BARRAGE	WEST BENGAL	21	28	6.3	7.7	116	260	0.6	2	0.2	0.3	50	130	130	500
2528	GROUND WATER POINT INSIDE BURDWAN UNIVERSITY	WEST BENGAL	28	29	7	7.4	371	495	0.8	2.4	0.4	0.9				
2529	GROUND WATER POINT NEAR BURDWAN STATION	WEST BENGAL	28.5	29	6.8	6.9	755	782	0.4	0.9	1.3	2.3				
2530	HOT SPRING AT BAKRESHWAR	WEST BENGAL	66	68	9.2	9.7	526	613	1.2	1.9	0.2	0.3				
2533	SURI TOWN NEAR BUS STAND	WEST BENGAL	24.5	29	7.4	7.6	490	709	0.6	1.2	0.3	1.3				
2535	VISVA BHARATI	WEST BENGAL	25	38	7.7	7.8	461	516	0.4	0.6	0.2	0.3				
2536	NALHATI RAILWAY STATION OF BIRBHUM	WEST BENGAL	24	29	7	7.8	816	915	0.8	1.2	1.3	2.2	400	400	800	800
2537	BOLPUR NEAR RAILWAY STATION	WEST BENGAL	25	29	6.9	7.7	364	579	0.6	0.8	1.3	2.4				
2538	MOREGRAM CROSSING	WEST BENGAL	24	29	7	7.3	349	354	1.3	3.3	0.9	1.3				
2540	SATI GHAT AT BANKURA TOWN	WEST BENGAL	24.5	30	7.2	7.4	1815	2008	0.7	0.8	0.7	1				
2542	DWARIKA AT BISHNUPUR TOWN	WEST BENGAL	25	29	6.5	6.7	1021	1074	0.5	1.1	0.2	2.4				

For more information visit: [www.cpcbenvnis.nic.in](http://www.cpcbenvnis.nic.in)

## WATER QUALITY DATA 2016 | CPCB ENVIS

Station code	Station Name	State Name	Temperature °C		pH		Conductivity (µmhos/cm)		B.O.D. (mg/l)		Nitrate-N + Nitrite-N (mg/l)		Faecal Coli form (MPN/100ml)		Total Coli form (MPN/100ml)	
			min	max	min	max	min	max	min	max	min	max	min	max	min	max
Water quality criteria					6.5-8.5				<3 mg/l				<2500MPN/100ml		<5000MPN/100ml	
2543	SDO OFFICE AT BISHNUPUR TOWN	WEST BENGAL	25.5	29	5.7	8	175	193	0.5	0.6	1.6	2.3				
2545	GROUND WATER POINT AT PURULIA RK MISSION	WEST BENGAL	26.5	32.5	6.9	7.1	1352	1932	0.8	0.9	1.4	2.2				
2546	ULUBERIA COLLEGE AT HOWRAH	WEST BENGAL	28	30	7.3	8	921	964	0.8	1	0.1	0.1				
2547	AMTOLA ON DIAMOND HARBOUR ROAD, 24 PARGANAS (S)	WEST BENGAL	28	28	6.9	7.6	929	2012	0.9	1.9	0.5	0.6	9	80	16	110
2548	HIDCO OFFICE, RAJARHAT	WEST BENGAL	31	32	7.8	8.1	237	369	1.2	1.6	0.1	0.1				

www.cpcbenvvis.nic.in

For more information visit: [www.cpcbenvvis.nic.in](http://www.cpcbenvvis.nic.in)