pTask Description:

1. Create a directory called ""my_folder"", navigate into it, and create a file named ""my_file.txt"" with some text. Then, create another file named ""another_file.txt"" with some text. Concatenate the content of ""another_file.txt"" to ""my_file.txt"" and display the updated content. Finally, list all files and directories in the current directory.

2. Create 20 files with .txt extensions and rename the first 5 files to .yml extension and Print the latest created top 5 files among the total no of files".

```
pallavi@MYWORLD:~$ mkdir myfolder
pallavi@MYWORLD:~$ l
P1  myfolder/
pallavi@MYWORLD:~$ ls
P1  myfolder
pallavi@MYWORLD:~$ echo "Today" >> my_file.txt
pallavi@MYWORLD:~$ ls
P1  my_file.txt  myfolder
pallavi@MYWORLD:~$ echo "is" >> another_file.txt
pallavi@MYWORLD:~$ ls
P1 another_file.txt  my_file.txt  myfolder
pallavi@MYWORLD:~$ cat another_.txt >> my_file.txt
cat: another_.txt: No such file or directory
pallavi@MYWORLD:~$ cat another_file.txt >> my_file.txt
pallavi@MYWORLD:~$ ls
P1  another_file.txt  my_file.txt  myfolder
pallavi@MYWORLD:~$ cat my_file.txt
Today
is
pallavi@MYWORLD:~$ touch file1.txt
pallavi@MYWORLD:~$ ls
P1 another_file.txt  file1.txt  my_file.txt  myfolder
pallavi@MYWORLD:~$ touch file{2..20}
pallavi@MYWORLD:~$ ls
P1          file1.txt file11 file13 file15 file17 file19 file20 file4 file6 file8 my_file.txt
another_file.txt file10   file12 file14 file16 file18 file2  file3  file5 file7 file9 myfolder
pallavi@MYWORLD:~$ mv file1.txt file1.yml
pallavi@MYWORLD:~$ ls
P1          file1.yml file11 file13 file15 file17 file19 file20 file4 file6 file8 my_file.txt
another_file.txt file10   file12 file14 file16 file18 file2  file3  file5 file7 file9 myfolder
pallavi@MYWORLD:~$ mv file2 file2.yml
pallavi@MYWORLD:~$ ls
P1          file1.yml file11 file13 file15 file17 file19   file20 file4 file6 file8 my_file.txt
another_file.txt file10   file12 file14 file16 file18 file2.yml file3  file5 file7 file9 myfolder
pallavi@MYWORLD:~$ touch file{3..20}.yml
```

```
pallavi@MYWORLD:~$ ls
P1            file10.yml  file12.yml  file14.yml  file16.yml  file18.yml  file20     file4     file6
file8     my_file.txt
another_file.txt  file11     file13     file15     file17     file19     file20.yml  file4.yml  file6.yml
file8.yml  myfolder
file1.yml        file11.yml  file13.yml  file15.yml  file17.yml  file19.yml  file3     file5     file7
file9
file10        file12     file14     file16     file18     file2.yml  file3.yml  file5.yml  file7.yml
file9.yml
pallavi@MYWORLD:~$ ls | head -n6
P1
another_file.txt
file1.yml
file10
file10.yml
file11
pallavi@MYWORLD:~$  ls | tail -n5
file8.yml
file9
file9.yml
my_file.txt
myfolder
pallavi@MYWORLD:~$
```