

Supermarket sales and performance analysis using SQL

Name : Pallavi K B

Project Name : Supermarket sales

Institute : Besant Technology

➤ Project Overview:

This project explores the analysis of a supermarket dataset to uncover trends, improve decision-making and optimize performance.

A	B	C	D	E	F	G	H	I	J	K	L	M
Ship Mode	Segment	Country	City	State	Postal Cod	Region	Category	Sub-Category	Sales	Quantity	Discount	Profit
Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Bookcases	261.96	2	0	41.9136
Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Chairs	731.94	3	0	219.582
Second Class	Corporate	United States	Los Angeles	California	90036	West	Office Supplies	Labels	14.62	2	0	6.8714
Standard Class	Consumer	United States	Fort Lauderdale	Florida	33311	South	Furniture	Tables	957.5775	5	0.45	-383.031
Standard Class	Consumer	United States	Fort Lauderdale	Florida	33311	South	Office Supplies	Storage	22.368	2	0.2	2.5164
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Furniture	Furnishings	48.86	7	0	14.1694
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Art	7.28	4	0	1.9656
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Technology	Phones	907.152	6	0.2	90.7152
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Binders	18.504	3	0.2	5.7825
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Appliances	114.9	5	0	34.47
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Furniture	Tables	1706.184	9	0.2	85.3092
Standard Class	Consumer	United States	Los Angeles	California	90032	West	Technology	Phones	911.424	4	0.2	68.3568
Standard Class	Consumer	United States	Concord	North Carolina	28027	South	Office Supplies	Paper	15.552	3	0.2	5.4432
Standard Class	Consumer	United States	Seattle	Washington	98103	West	Office Supplies	Binders	407.976	3	0.2	132.5922
Standard Class	Home Office	United States	Fort Worth	Texas	76106	Central	Office Supplies	Appliances	68.81	5	0.8	-123.858
Standard Class	Home Office	United States	Fort Worth	Texas	76106	Central	Office Supplies	Binders	2.544	3	0.8	-3.816
Standard Class	Consumer	United States	Madison	Wisconsin	53711	Central	Office Supplies	Storage	665.88	6	0	13.3176
Second Class	Consumer	United States	West Jordan	Utah	84084	West	Office Supplies	Storage	55.5	2	0	9.99
Second Class	Consumer	United States	San Francisco	California	94109	West	Office Supplies	Art	8.56	2	0	2.4824

➤ Dataset Description Slide

Column overview: Provide a brief description of the key columns to explain their significance in the dataset:

- Ship Mode: Type of delivery(e.g., Standard, Express).
- Segment: Customer type(e.g., Consumer, Corporate, Home office).
- Country: Geographic location of the sale(e.g., USA).
- City and state: Location details of the transaction.
- Postal Code: Specific postal area of the customer.
- Region: Broader geographic area(e.g., East, west).
- Category: Product category(e.g., Furniture, technology).
- Subcategory: Specific product types(e.g., chairs, phones).
- Sales: Revenue generated from the sale.
- Quantity: Number of items sold in the transaction.
- Discount: Percentage discount applied.
- Profit: Net profit from the sale after deducting costs.

SQL Queries For Supermarket Sales Data

1. Display the first 10 rows of the dataset.

A: Select * from samplesuperstore limit 10;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Fetch rows:

	Shipp	Segment	Country	City	State	orderid	Region	Category	subb	Sales	Quantity	Discount	Profit
▶	Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Bookcases	261.96	2	0	41.9136
	Second Class	Consumer	United States	Henderson	Kentucky	42420	South	Furniture	Chairs	731.94	3	0	219.582
	Second Class	Corporate	United States	Los Angeles	California	90036	West	Office Supplies	Labels	14.62	2	0	6.8714
	Standard Class	Consumer	United States	Fort Lauderdale	Florida	33311	South	Furniture	Tables	957.5775	5	0.45	-383.031
	Standard Class	Consumer	United States	Fort Lauderdale	Florida	33311	South	Office Supplies	Storage	22.368	2	0.2	2.5164
	Standard Class	Consumer	United States	Los Angeles	California	90032	West	Furniture	Furnishings	48.86	7	0	14.1694
	Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Art	7.28	4	0	1.9656
	Standard Class	Consumer	United States	Los Angeles	California	90032	West	Technology	Phones	907.152	6	0.2	90.7152
	Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Binders	18.504	3	0.2	5.7825
	Standard Class	Consumer	United States	Los Angeles	California	90032	West	Office Supplies	Appliances	114.9	5	0	34.47

2. Display The Distinct Region.

A: Select Distinct Region from samplesuperstore;

The screenshot displays a data tool interface. At the top, there is a toolbar with options like 'Result Grid', 'Filter Rows', 'Export', and 'Wrap Cell Content'. Below the toolbar, a table titled 'region' is shown with four rows: 'South', 'West', 'Central', and 'East'. The 'West' row is highlighted. Below the table, there is a tab labeled 'samplesuperstore9'. At the bottom, an 'Output' section shows a log of actions. The log has four columns: '#', 'Time', 'Action', and 'Message'. Two actions are listed, both showing '4 row(s) returned'.

#	Time	Action	Message
7	16:07:43	select distinct region from samplesuperstore LIMIT 0, 1000	4 row(s) returned
8	16:08:01	select distinct region from samplesuperstore LIMIT 0, 1000	4 row(s) returned

3.Display The Count Of Orderid.

A: Select count(ordered) from samplesuperstore;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

count(orderid)
9994

Result 11

Output

Action Output

#	Time	Action	Message
9	16:08:10	select distinct region from samplesuperstore LIMIT 0, 1000	4 row(s) returned
10	16:08:55	select count(orderid) from samplesuperstore LIMIT 0, 1000	1 row(s) returned

4. Display The Total Sales And Profit.

A. Select sum(sales), sum(profit) from samplesuperstore;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	sum(sales)	sum(profit)
▶	2297200.860299955	286397.0217000013

Result 12

Output

Action Output

	#	Time	Action	Message
✓	10	16:08:55	select count(orderid) from samplesuperstore LIMIT 0, 1000	1 row(s) returned
✓	11	16:09:09	select count(orderid) from samplesuperstore LIMIT 0, 1000	1 row(s) returned
✓	12	16:10:26	select sum(sales),sum(profit) from samplesuperstore LIMIT 0, 1000	1 row(s) returned

5. Display total sale by region in descending order.

A. Select `sum(sales),region`
from `samplesuperstore`
group by region order by region desc;

The screenshot displays a data analytics interface. At the top, there is a toolbar with options like 'Result Grid', 'Filter Rows', 'Export', and 'Wrap Cell Content'. Below this is a table with two columns: 'region' and 'sum(sales)'. The table contains four rows of data, sorted in descending order of sales. Below the table, there is a section labeled 'Result 14' with a close button. Underneath, there is an 'Output' section with a dropdown menu set to 'Action Output'. This section contains a log of actions performed, including two SQL queries. The first query is a simple SELECT statement, and the second is a GROUP BY statement, both with a LIMIT of 1000. The log shows the time taken for each action and the number of rows returned.

	region	sum(sales)
▶	West	725457.8245000006
	South	391721.9050000003
	East	678781.2399999979
	Central	501239.8908000005

Result 14 ×

Output

Action Output

#	Time	Action	Message
✓ 12	16:10:26	select sum(sales),sum(profit) from samplesuperstore LIMIT 0, 1000	1 row(s) returned
✓ 13	16:13:27	select region,sum(sales) from samplesuperstore group by region order by region desc LIMIT 0, 1000	4 row(s) returned

6. Get total profit by category.

- A. Select `sum(Profit),category` from `samplesuperstore` group by category;

The screenshot displays a data tool interface. At the top, there is a toolbar with options like 'Result Grid', 'Filter Rows', 'Export', and 'Wrap Cell Content'. Below this is a table showing the results of a query.

	category	sum(profit)
▶	Furniture	18451.2728
	Office Supplies	122490.80080000011
	Technology	145454.94809999999

Below the table, there is a section labeled 'Result 15' with a close button. Underneath is an 'Output' section with a dropdown menu set to 'Action Output'. This section contains a log of actions performed:

#	Time	Action	Message
✓ 13	16:13:27	select region,sum(sales) from samplesuperstore group by region order by region desc LIMIT 0, 1000	4 row(s) returned
✓ 14	16:17:16	select region,sum(sales) from samplesuperstore group by region order by region desc LIMIT 0, 1000	4 row(s) returned
✓ 15	16:22:57	select category,sum(profit) from samplesuperstore group by category LIMIT 0, 1000	3 row(s) returned

7. Display city starts with letter N and state starts with letter I.

A. Select City, state
from samplesuperstore
where city like('N%') and state like('I%') limit 10;

The screenshot shows a database query tool interface. At the top, there's a toolbar with 'Result Grid', 'Filter Rows', 'Export', 'Wrap Cell Content', and 'Fetch rows'. Below the toolbar is a table with two columns: 'city' and 'state'. The table contains 10 rows of data. Below the table is a tab labeled 'samplesuperstore18'. At the bottom, there's an 'Output' section with a dropdown menu set to 'Action Output'. Below this is a table with four columns: '#', 'Time', 'Action', and 'Message'. It contains two rows of log entries.

	city	state
▶	Naperville	Illinois
	New Albany	Indiana
	New Albany	Indiana
	New Albany	Indiana
	New Albany	Indiana
	Naperville	Illinois
	Naperville	Illinois
	Naperville	Illinois
	New Castle	Indiana
	New Castle	Indiana

samplesuperstore18 x

Output

Action Output

#	Time	Action	Message
✓ 16	16:25:00	select city,state from samplesuperstore where state like('I%') and city like('N%') LIMIT 0, 1000	19 row(s) returned
✓ 17	16:25:11	select city,state from samplesuperstore where state like('I%') and city like('N%') limit 10	10 row(s) returned

8. Get average profit by region.

- A. Select region, Avg(Profit) from samplesuperstore group by region;

Result Grid

	region	avg(profit)
▶	South	28.857673024691398
	West	33.849031813924505
	Central	17.09270878174773
	East	32.135807584269756

Filter Rows: Export: Wrap Cell Content:

Result 22

Output

Action Output

#	Time	Action	Message
✓ 20	16:31:21	select avg(profit) from samplesuperstore group by region LIMIT 0, 1000	4 row(s) returned
✓ 21	16:31:38	select avg(profit), region from samplesuperstore group by region LIMIT 0, 1000	4 row(s) returned

9. Display total quantity by category.

- A. Select Category, sum(quantity)
from samplesuperstore
group by region;

The screenshot displays a data tool interface. At the top, there is a 'Result Grid' section with a toolbar containing icons for 'Filter Rows', 'Export', and 'Wrap Cell Content'. Below the toolbar, a table shows the results of a query:

	category	sum(quantity)
▶	Furniture	8028
	Office Supplies	22906
	Technology	6939

Below the 'Result Grid' is an 'Output' section with a tab labeled 'Result 24'. Underneath, there is a dropdown menu set to 'Action Output'. A table below this dropdown shows the execution log:

#	Time	Action	Message
✓ 22	16:31:51	select region,avg(profit) from samplesuperstore group by region LIMIT 0, 1000	4 row(s) returned
✓ 23	16:34:35	select category,sum(quantity) from samplesuperstore group by category LIMIT 0, 1000	3 row(s) returned

10. Display the details of super market where profit less then 0.8.

A. Select *
from samplesuperstore
where profit<0.8 limit 10;

Result Grid													
Filter Rows:		Export:		Wrap Cell Content:		Fetch rows:							
Shipp	Segment	Country	City	State	orderid	Region	Category	subb	Sales	Quantity	Discount	Profit	
Standard Class	Consumer	United States	Fort Lauderdale	Florida	33311	South	Furniture	Tables	957.5775	5	0.45	-383.031	
Standard Class	Home Office	United States	Fort Worth	Texas	76106	Central	Office Supplies	Appliances	68.81	5	0.8	-123.858	
Standard Class	Home Office	United States	Fort Worth	Texas	76106	Central	Office Supplies	Binders	2.544	3	0.8	-3.816	
Second Class	Consumer	United States	Philadelphia	Pennsylvania	19140	East	Furniture	Chairs	71.372	2	0.3	-1.0196	
Standard Class	Consumer	United States	Philadelphia	Pennsylvania	19140	East	Furniture	Bookcases	3083.43	7	0.5	-1665.0522	
Standard Class	Consumer	United States	Philadelphia	Pennsylvania	19140	East	Office Supplies	Binders	9.618	2	0.7	-7.0532	
Standard Class	Consumer	United States	Philadelphia	Pennsylvania	19140	East	Office Supplies	Binders	6.858	6	0.7	-5.715	
First Class	Corporate	United States	Richardson	Texas	75080	Central	Furniture	Furnishings	190.92	5	0.6	-147.963	
Standard Class	Home Office	United States	Houston	Texas	77041	Central	Furniture	Bookcases	532.3992	3	0.32	-46.9764	
Standard Class	Home Office	United States	Houston	Texas	77041	Central	Furniture	Chairs	212.058	3	0.3	-15.147	

samplesuperstore27

Output

Action Output

#	Time	Action	Message
25	16:35:49	select* from samplesuperstore where profit<0.8 LIMIT 0, 1000	1000 row(s) returned
26	16:35:59	select* from samplesuperstore where profit<0.8 limit 10	10 row(s) returned

11. Display country, city, state, sales and quantity if salary greater then 10000/-.

A. Select country, city, sales, quantity
from samplesuperstore
where sales>10000
order by country;

Result Grid					Filter Rows:		Export:	Wrap Cell Content:
	country	city	sales	quantity				
	United States	New York City	11199.968	4				
	United States	Jacksonville	22638.48	6				
	United States	Newark	10499.97	3				
	United States	Lafayette	17499.95	5				
	United States	Seattle	13999.96	4				

samplesuperstore32 x				
Output				
Action Output				
#	Time	Action	Message	
✓ 30	16:40:06	select * from samplesuperstore where sales>10000 order by sales desc LIMIT 0, 1000	5 row(s) returned	
✓ 31	16:40:47	select country,city,sales,quantity from samplesuperstore where sales>10000 order by sales desc LIMIT 0, 1000	5 row(s) returned	

12. Get the count of west region.

A. Select count(region)
from samplesuperstore
where region='west';

The screenshot displays a SQL query execution interface. At the top, a toolbar includes a 'Result Grid' icon, a 'Filter Rows' input field, an 'Export' button, and a 'Wrap Cell Content' toggle. Below the toolbar, a table shows the query result:

	count(region)
▶	3203

Below the result grid, a tab labeled 'Result 38' is visible. The 'Output' section is expanded, showing a table of 'Action Output' with columns for '#', 'Time', 'Action', and 'Message'.

	#	Time	Action	Message
✖	38	16:49:53	select count(region), quantity from samplesuperstore where region='west' LIMIT 0, 1000	Error Code: 1140. In aggregated query wi
✔	39	16:50:05	select count(region) from samplesuperstore where region='west' LIMIT 0, 1000	1 row(s) returned

13. Display the order id and discount greater then 0.7.

A. Select ordered, discount
from samplesuperstore
where discount>0.7 limit 10;

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows:

	orderid	discount
▶	76106	0.8
	76106	0.8
	77041	0.8
	60610	0.8
	78207	0.8
	60623	0.8
	77036	0.8
	75220	0.8
	77506	0.8
	77070	0.8

samplesuperstore40 x

Output

Action Output

#	Time	Action	Message
✓ 40	16:51:28	select count(region) from samplesuperstore where region='west' LIMIT 0, 1000	1 row(s) returned
✓ 41	17:21:54	select orderid,discount from samplesuperstore where discount>0.7 limit 10	10 row(s) returned

14. Display the total sales and profit by the segment.

A. Select segment, sum(sales), sum(profit) from samplesuperstore group by segment;

Result Grid

Filter Rows: Export: Wrap Cell Content:

	segment	sum(sales)	sum(profit)
▶	Consumer	1161401.3449999888	134119.20919999972
	Corporate	706146.3668000001	91979.13400000021
	Home Office	429653.1485000003	60298.678500000075

Result 43 x

Output

Action Output

#	Time	Action	Message
✓ 43	17:26:43	select segment,sum(sales),sum(profit) from samplesuperstore group by segment LIMIT 0, 1000	3 row(s) returned
✓ 44	17:28:28	select segment,sum(sales),sum(profit) from samplesuperstore group by segment LIMIT 0, 1000	3 row(s) returned

15. Display the total profit by category.

A. Select category, sum(profit)
from samplesuperstore
group by category;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	category	sum(profit)
▶	Furniture	18451.2728
	Office Supplies	122490.80080000011
	Technology	145454.94809999999

Result 45

×

Output

Action Output

▼

#	Time	Action	Message
✓ 45	17:28:33	select segment,sum(sales),sum(profit) from samplesuperstore group by segment LIMIT 0, 1000	3 row(s) returned
✓ 46	17:30:43	select category,sum(profit) from samplesuperstore group by category LIMIT 0, 1000	3 row(s) returned

16. Display the total sales by sub-category.

A. Select subb, sum(sales)
from samplesuperstore
group by subb;

Result Grid		Filter Rows:	Export:	Wrap Cell Content:
	subb	sum(sales)		
▶	Bookcases	114879.99629999997		
	Chairs	328449.10300000076		
	Labels	12486.312		
	Tables	206965.53200000001		
	Storage	223843.60800000012		
	Furnishings	91705.16400000005		
	Art	27118.791999999954		
	Phones	330007.05400000001		
	Binders	203412.73300000001		
	Appliances	107532.161		

Result 47 ×

Output

Action Output

#	Time	Action	Message
✓ 47	17:31:45	select category,sum(profit) from samplesuperstore group by category LIMIT 0, 1000	3 row(s) returned
✓ 48	17:34:14	select subb,sum(sales) from samplesuperstore group by subb LIMIT 0, 1000	17 row(s) returned

17. Display the total profit by sub-category.

A. Select subb, sum(profit)
from samplesuperstore
group by subb;

Result Grid		Filter Rows:	Export:	Wrap Cell Content:
	subb	sum(profit)		
▶	Bookcases	-3472.5559999999978		
	Chairs	26590.1663000000026		
	Labels	5546.2539999999998		
	Tables	-17725.4811000000008		
	Storage	21278.8263999999998		
	Furnishings	13059.1435999999983		
	Art	6527.7869999999998		
	Phones	44515.7306		
	Binders	30221.7632999999995		
	Appliances	18138.0053999999995		

Result 48 ×

Output

Action Output

#	Time	Action	Message
✓ 48	17:34:14	select subb,sum(sales) from samplesuperstore group by subb LIMIT 0, 1000	17 row(s) returned
✓ 49	17:35:17	select subb,sum(sales) from samplesuperstore group by subb LIMIT 0, 1000	17 row(s) returned
✓ 50	17:37:02	select subb,sum(profit) from samplesuperstore group by subb LIMIT 0, 1000	17 row(s) returned

18. Display the total sales by state in descending order.

A. Select `sum(sales),state`
from `samplesuperstore`
group by state order by state desc;

The screenshot displays a data tool interface. At the top, there is a toolbar with options like 'Result Grid', 'Filter Rows', 'Export', 'Wrap Cell Content', and 'Fetch rows'. Below the toolbar is a table with two columns: 'state' and 'sum(sales)'. The table lists 10 states with their corresponding sum of sales, ordered from highest to lowest. Below the table, there is a section labeled 'Output' with a dropdown menu set to 'Action Output'. This section contains a log of actions, including the execution of a query to select subtotals by product line and the current query to select total sales by state.

	state	sum(sales)
▶	Wyoming	1603.136
	Wisconsin	32114.61000000002
	West Virginia	1209.824
	Washington	138641.26999999993
	Virginia	70636.71999999999
	Vermont	8929.369999999999
	Utah	11220.055999999999
	Texas	170188.04580000002
	Tennessee	30661.872999999998
	South Dakota	1315.5600000000002

Result 50 x

Output

Action Output

#	Time	Action	Message
✓ 50	17:37:02	select subb,sum(profit) from samplesuperstore group by subb LIMIT 0, 1000	17 row(s) returned
✓ 51	17:38:15	select state sum(sales) from samplesuperstore group by state order by state desc limit 10	10 row(s) returned

19. Display ordered and profit.

- A. Select ordered,, profit from samplesuperstore limit 10;

The screenshot displays a data tool interface. At the top, there is a toolbar with options: 'Result Grid', 'Filter Rows', 'Export', 'Wrap Cell Content', and 'Fetch rows'. Below the toolbar is a table with two columns: 'orderid' and 'profit'. The table contains 10 rows of data. Below the table is a tab labeled 'samplesuperstore54'. Underneath the tab is an 'Output' section with a dropdown menu set to 'Action Output'. Below this is a log table with four columns: '#', 'Time', 'Action', and 'Message'. It contains two entries, both showing a successful execution of the SQL query 'select orderid,profit from samplesuperstore limit 10' at 17:44:57 and 17:44:59, each returning 10 rows.

	orderid	profit
▶	42420	41.9136
	42420	219.582
	90036	6.8714
	33311	-383.031
	33311	2.5164
	90032	14.1694
	90032	1.9656
	90032	90.7152
	90032	5.7825
	90032	34.47

samplesuperstore54 x

Output

Action Output

#	Time	Action	Message
✓ 54	17:44:57	select orderid,profit from samplesuperstore limit 10	10 row(s) returned
✓ 55	17:44:59	select orderid,profit from samplesuperstore limit 10	10 row(s) returned

20. Get average discount by category.

A. Select Avg(discount), category from samplesuperstore group by category;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	category	avg(discount)
▶	Furniture	0.17392267798208297
	Office Supplies	0.15728509790906708
	Technology	0.1323226854358401

Result 57

×

Output

Action Output

#	Time	Action	Message
✓ 57	17:47:51	select category,avg(discount) from samplesuperstore group by category LIMIT 0, 1000	3 row(s) returned
✓ 58	17:47:53	select category,avg(discount) from samplesuperstore group by category LIMIT 0, 1000	3 row(s) returned

21. Display second class ship and city

- A. Select city, shipp
from samplesuperstore
where shipp='second calss' limit 10;

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows:

	shipp	city
▶	Second Class	Henderson
	Second Class	Henderson
	Second Class	Los Angeles
	Second Class	West Jordan
	Second Class	San Francisco
	Second Class	San Francisco
	Second Class	San Francisco
	Second Class	Philadelphia
	Second Class	Los Angeles
	Second Class	Los Angeles

samplesuperstore60 x

Output

Action Output

#	Time	Action	Message
✓ 60	17:49:08	select shipp,city from samplesuperstore where quantity>7 and shipp='second class' limit 10	10 row(s) returned
✓ 61	17:49:15	select shipp,city from samplesuperstore where quantity>7 and shipp='second class' limit 10	10 row(s) returned
✓ 62	17:53:15	select shipp,city from samplesuperstore where shipp='second class' limit 10	10 row(s) returned

22. Analyze orders and sales by shipping mode.

A. Select shipp, count(*), sum(sales) from samplesuperstore group by shipp;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	shipp	count(*)	sum(sales)
▶	Second Class	1945	459193.5693999998
	Standard Class	5968	1358215.7429999826
	First Class	1538	351428.4229000002
	Same Day	543	128363.125

Result 65

×

Output

Action Output

#	Time	Action	Message
✓ 65	17:58:24	select shipp, count(*) ,sum(sales) from samplesuperstore group by shipp LIMIT 0, 1000	4 row(s) returned
✓ 66	17:58:36	select shipp, count(*) ,sum(sales) from samplesuperstore group by shipp LIMIT 0, 1000	4 row(s) returned

23. Bottom 5 states by profit.

A. Select state, sum(profit)
from samplesuperstore
group by state limit 5;

The screenshot displays a data analytics interface. At the top, a toolbar includes options like 'Filter Rows', 'Export', 'Wrap Cell Content', and 'Fetch rows'. Below this, a 'Result Grid' shows the results of a SQL query. The query is 'select state, sum(profit) from samplesuperstore group by state limit 5;'. The results are as follows:

state	sum(profit)
Kentucky	11199.696600000005
California	76381.38710000017
Florida	-3399.3017
North Carolina	-7490.912200000003
Washington	33402.651699999995

Below the result grid, there is an 'Output' section. It shows a list of actions and their messages. The first action is 'select state, sum(profit) from samplesuperstore group by state limit 5' at 18:06:17, which returned 5 rows. The second action is the same query at 18:06:32, also returning 5 rows.

#	Time	Action	Message
71	18:06:17	select state, sum(profit) from samplesuperstore group by state limit 5	5 row(s) returned
72	18:06:32	select state, sum(profit) from samplesuperstore group by state limit 5	5 row(s) returned

24. Display total sales, count of category and maximum profit.

A. Select sum(sales), count(category), max(profit)
from samplesuperstore;

Result Grid				Filter Rows:		Export:	Wrap Cell Content:
	sum(sales)	count(category)	max(profit)				
▶	2297200.860299955	9994	8399.976				

Result 74			
Output			
Action Output			
#	Time	Action	Message
90	18:17:56	select sum(sales),count(category),max(profit) from samplesuperstore LIMIT 0, 1000	1 row(s) returned
91	18:20:19	select sum(sales),count(category),max(profit) from samplesuperstore LIMIT 0, 1000	1 row(s) returned

25. Corporate order in the south region.

A. Select *
from samplesuperstore
where segment= 'corporate' and region= 'south';

Result Grid													
		Filter Rows:		Export:		Wrap Cell Content:							
	Shipp	Segment	Country	City	State	orderid	Region	Category	subb	Sales	Quantity	Discount	Profit
►	Standard Class	Corporate	United States	Melbourne	Florida	32935	South	Office Supplies	Storage	95.616	2	0.2	9.5616
	First Class	Corporate	United States	Decatur	Alabama	35601	South	Office Supplies	Appliances	208.16	1	0	56.2032
	First Class	Corporate	United States	Decatur	Alabama	35601	South	Office Supplies	Binders	16.74	3	0	8.0352
	Standard Class	Corporate	United States	Durham	North Carolina	27707	South	Office Supplies	Envelopes	200.984	7	0.2	62.8075
	Standard Class	Corporate	United States	Bristol	Tennessee	37620	South	Office Supplies	Binders	157.794	1	0.7	-115.7156
	Standard Class	Corporate	United States	Franklin	Tennessee	37064	South	Furniture	Furnishings	35.168	7	0.2	9.6712
	Standard Class	Corporate	United States	Charlotte	North Carolina	28205	South	Office Supplies	Binders	18.648	7	0.7	-12.432
	Standard Class	Corporate	United States	Chapel Hill	North Carolina	27514	South	Office Supplies	Art	14.016	3	0.2	4.7304
	Second Class	Corporate	United States	Tamarac	Florida	33319	South	Office Supplies	Binders	254.058	7	0.7	-169.372
	Second Class	Corporate	United States	Tamarac	Florida	33319	South	Office Supplies	Appliances	194.528	2	0.2	24.316

samplesuperstore76 x

Output

Action Output

#	Time	Action	Message
✓ 92	18:20:21	select sum(sales),count(category),max(profit) from samplesuperstore LIMIT 0, 1000	1 row(s) returned
✓ 93	18:23:01	select * from samplesuperstore where segment='corporate' and region='south' LIMIT 0, 1000	510 row(s) returned