Release Notes

RELEASE v1.6.7, 28 July 2023

♦ Improvements

- Updated the Venafi Adaptable Driver script to use the "Profile options" custom field during reissue.

RELEASE v1.6.6, 02 November 2022

♦ Improvements

- Updated the Venafi Adaptable Driver script with a new custom field "Profile options" for supporting multiple profiles available for public and private SSL/TLS certificates.

RELEASE v1.6.5, 14 September 2022

♦ Improvements

- Updated the Venafi Adaptable Driver script to use **api.digicert.com** as base URL.
- Added support to use the customer-provided URL in the Service Address field of the Trust Protection Program (TPP). The URLs can include API endpoints like api.digicert.com.

RELEASE v1.6.4, 08 July 2022

♦ Improvements

- Added support for a new custom field '*Server licenses'* when enterprise customers use the unit contract or ELA.

RELEASE v1.6.3, 20 June 2022

♦ Improvements

- Modified the Submit-CsrAsReplacement function to enroll as a new request when a valid DigiCert serial number is not found during the replacement flow.

RELEASE v1.6.2, 05 MAY 2022

♦ Improvements

- Modified the Get-Proxy function to support *DefaultWebProxy* for routing the requests through.

RELEASE v1.6.1, 22 APRIL 2022

♦ Improvements

- Modified the Submit-CsrAsRenewal function to enroll as a new request when a valid Order Id is not found during renewal flow.

RELEASE v1.6.0, 24 FEB 2022

♦ Improvements

- Added support for Code signing and EV code Signing products. Added support for a new custom field *Code Signing Provisioning Method* for EV code signing cert.

RELEASE v1.5.9, 25 OCT 2021

Fixes

- Modified the validate function in the test connection to accommodate accounts having multiple divisions.

RELEASE v1.5.8, 18 JUNE 2021

Fixes

- Organization Units (OU) containing values such as ‘na’, ’N/A’, and so on that are passed on to the adaptable driver script from TPP are ignored and a blank OU value is sent to CC API. This applies to all life cycle flows.

RELEASE v1.5.7, 06 MAY 2021

Fixes

- OU is now accepted in script to pass to CC API for reissue flow. Only when we get “n/a” from Venafi TPP, we ignore it in the script and then pass “organization_units” as blank to CC API for new order, renew and reissue flows.

RELEASE v1.5.6, 26 APRIL 2021

Fixes

- Revocation of parent certificate by serial id is now supported.
- Removed double decoding of the exception.

RELEASE v1.5.5, 18 MARCH 2021

♦ Improvements

- Order Validity' and 'Cert Validity' values as part of the multi-year plan can be configured as custom field's in TPP, to use it dynamically in the script, during certificate life cycle flows.

- Following are the six new custom fields that are required to be configured in TPP, to use it dynamically in the script. Please refer to the Glossary.pdf on how to configure them.

    - Order validity years
    - Order validity days
    - Order validity custom expiration date
    - Cert validity years
    - Cert validity days
    - Cert validity custom expiration date

Fixes

- Reverted the retry with order details API and legacy order lookup when order not found error is returned from API during renewal, replace and revoke certificate flows.

RELEASE v1.5.4, 30 NOVEMBER 2020

Fixes

- Retry with legacy order lookup during replace and revoke certificate flows, if we get order not found error from API.

RELEASE v1.5.3, 18 NOVEMBER 2020

Fixes

- Retry with legacy order lookup during renewal and retrieval of certificates, if we get order not found error from API.

RELEASE v1.5.2, 6 NOVEMBER 2020

Fixes

- Fix for accommodating account level custom field values from the script.

RELEASE v1.5.1, 3 NOVEMBER 2020

Fixes

- Proxy credentials are taken from TPP instead of hard coding it in the script
- Retrieve certificate error during reissue pending is fixed.

RELEASE v1.5.0, 28 OCTOBER 2020

♦ Improvements

- 'Organization' can be configured as custom field in TPP, to use it dynamically in the script, during certificate life cycle flows
- Script is verified with following products:
    - GeoTrust Standard DV SSL
    - RapidSSL Standard DV
    - Thawte SSL 123 DV
    - RapidSSL Wildcard DV
    - GeoTrust TrueBusiness ID OV
    - Private SSL OV

Fixes

- Updated comment with example for proxy.

RELEASE v1.4.0, 21 OCTOBER 2020

♦ Improvements

- Removed product wise script files and added single adaptable script DigiCert_Adaptable_Script.ps1.
- This single script will support parameters to be passed dynamically like Product, ICA, Division, Locale and Server Platform to the script, using custom fields configured from TPP.
- Following custom fields are required to be configured in TPP, to use it dynamically in the script, during certificate life cycle flows
    - Product
    - ICA
    - Division
    - Server Platform
    - Locale
- Removed previously deprecated **enable_legacy_order_lookup** flag from the script.

Fixes

- Fixed proxy issue in retrieval cert.
- **global_additional_email** example is fixed.

RELEASE v1.3.0, 16 OCTOBER 2020

♦ Improvements

- Product wise scripts added for SS Flex, SS EV Flex, SS Pro and SS EV Pro. There are scripts for each of these products, one for full chain and another for mixed chain. Also, ECC scripts are added.
- Looking up order id after parsing serial number from PEM passed in renew, replace, revoke functions from TPP.
- Removed call to get CC order id from migrated order id, as we are getting CC order id from serial number of the PEM passed in renew, replace and revoke.
- Removed properties.json and added global variables in the script, which can be overridden.

Fixes

- Proxy configurations are available with example.
- Renew and replace flows are fixed when retrieve order was not giving certificate id

RELEASE v1.2.0, 06 OCTOBER 2020

♦ Improvements

- Global json properties is added in script, to configure values similar to what can be configured in properties.json file. If script is not able to read properties.json file, then Global json properties values would be considered in the script for all lifecycle operations.
- Made changes in the script, so that PowerShell version 3.0 is also supported.

Fixes

- properties.json file is fixed for default value of **additional_emails** attribute.
- Removed Write-Host command from script, which was giving error in old PowerShell versions.

RELEASE v1.1.0, 28 SEPTEMBER 2020

♦ Improvements

- Support for division is available now during order placement. The container id can be passed in properties.json file for administrator user, which can be used as division for the order placed. If container id is blank in properties.json, then root division would be considered during order placement.

- Default ICA configured in the account would be considered while placing order and renewal, if use_default_ica flag is set to true in properties.json . If use_default_ica flag is false and properties.json, then value ca_cert_id would be ca_cert_id is not blank in consider of as ICA for signing the certificate.
- Legacy order will be looked up during retrieve certificate, renewal, replace and revoke if **enable_legacy_order_lookup** is set to true. This will make additional call to get CC order id from given legacy order id and process the flow with CC order id. If the
- flag **enable_legacy_order_lookup** is false, then order id passed will be used for retrieve certificate, renew, replace and revoke API calls.
- Json format of properties.json file is getting validated when Test-Settings function is called.

Fixes

- Cert validity bug fix during order enrolment and renewal.

RELEASE v1.0.0, 24 SEPTEMBER 2020

♦ Improvements

- Added properties.json file, which is used in PowerShell script, to specify default values for calling CertCentral APIs.
- Merged separate product specific script into one CertCentral-SSLSecuresiteFlex-Product-Determinator.ps1 file, where product can be specified in properties.json file.Script is upgraded with additional optional attributes in enrolment, renewal, replacement flow. Comments are mentioned within PowerShell script to describe the attributes passed in CertCentral APIs, which can be referred to dynamically override in function.
- Multiyear plan and competitive replacement features can be used with this script by passing appropriate attribute values, provided these features are enabled for account.
- Solid-chain/mixed-chain can be formed by using **ca_cert_id** attribute, where default value can be used in properties.json or value can be overridden dynamically in PowerShell script by Venafi.

- To receive emails, additional_emails attribute can be configured in properties.json.

Fixes

- Bug fix in script for renewal of **ssl_securesite_flex** product.