


XAMPP



VIRTUALHOST

```
# Use name-based virtual hosting.
#
##NameVirtualHost *:80
#
# VirtualHost example:
# Almost any Apache directive may go into a VirtualHost container.
# The first VirtualHost section is used for all requests that do not
# match a ##ServerName or ##ServerAlias in any <VirtualHost> block.
#
##<VirtualHost *:80>
    ##ServerAdmin webmaster@dummy-host.example.com
    ##DocumentRoot "C:/XAMPPPP/htdocs/dummy-host.example.com"
    ##ServerName dummy-host.example.com
    ##ServerAlias www.dummy-host.example.com
    ##ErrorLog "logs/dummy-host.example.com-error.log"
    ##CustomLog "logs/dummy-host.example.com-access.log" common
##</VirtualHost>

##<VirtualHost *:80>
    ##ServerAdmin webmaster@dummy-host2.example.com
    ##DocumentRoot "C:/XAMPPPP/htdocs/dummy-host2.example.com"
    ##ServerName dummy-host2.example.com
    ##ErrorLog "logs/dummy-host2.example.com-error.log"
    ##CustomLog "logs/dummy-host2.example.com-access.log" common
##</VirtualHost>


<VirtualHost *:8888>
    ServerAdmin superpaloma.org
    DocumentRoot "C:/XAMPPPP/htdocs/cliente/2DAW/2DAW/proyectoSuper"
    ServerName www.superpaloma.org
    ServerAlias superpaloma.org
</VirtualHost>
```

LOCALHOST

```
# Copyright (c) 1993-2009 Microsoft Corp.
#
# This is a sample HOSTS file used by Microsoft TCP/IP for Windows.
#
# This file contains the mappings of IP addresses to host names. Each
# entry should be kept on an individual line. The IP address should
# be placed in the first column followed by the corresponding host name.
# The IP address and the host name should be separated by at least one
# space.
#
# Additionally, comments (such as these) may be inserted on individual
# lines or following the machine name denoted by a '#' symbol.
#
# For example:
#
# 102.54.94.97 rhino.acme.com # source server
# 38.25.63.10 x.acme.com # x client host

# localhost name resolution is handled within DNS itself.
# 127.0.0.1 localhost
# ::1 localhost
127.0.0.1 superpaloma.org
127.0.0.1 www.superpaloma.org
192.168.1.136 testcenec.com
192.168.1.136 www.testcenec.com
# Added by Docker Desktop
192.168.1.98 host.docker.internal
192.168.1.98 gateway.docker.internal
# To allow the same kube context to work on the host and the container:
127.0.0.1 kubernetes.docker.internal
# End of section
```

WORDPRESS



JOOMLA

