

	1	2	3	4	5	6	7	8
A	IO	US	REVISION HISTORY		CUI//SP-EXPT	NOTES: Symbols Legend : ITER_D_3ZSVRS - ITER Symbol Legend Specification for Fluid Diagrams : PFDs and P&IDs (https://user.iter.org/?uid=3ZSVRS)		
	INDEX	DATE	DESIGNER	DESCRIPTION				
	1.0	1.0	18/05/2017	L. KONKEL	ISSUED FOR INFORMATION			
	2.0	2.0	22/08/2024	A. ARNOLD	REVISED FOR PDR			
	2.1	28/02/2025	S.JADHAV	Update of In-Vess and Ex-Vess layout for PDR design.				
B						Key:	Key to codes:	
						Automatic Recirculation Valve	ATC = Actuator for VC Regulating Valve	
						Bellows W/ Double Containment	ATG = Actuator for VG General On/Off Valve	
						Control Valve	CMO = Motion Controller	
C						Diaphragm Actuator	DI = Diaphragm (apart for measurement)	
						Electrical Heater	Flow restrictor/Nozzle	
						Electrical Isolation Break	DIA = Diagnostic Assembly	
						Flange / Double Containment	EFT = Electrical feed through	
D						RF Tuning Stub	EIB = Electrical isolation break for fluid	
						Liquid Pump	EP = Electro-pneumatic converter	
						Mirror	FE = Fluid feed through	
						Piezo Motor	GM = Motor (General)	
E						Needle Valve	GS = Starter	
						Pneumatic Actuator (Normally Closed W/ Arrow Pointing Down)	HT = Electrical heater	
						Relief Valve	HX = Heat Exchanger	
						Shutter	JH = Flanged Connection	
F						Solenoid Actuator	JO = Expansion joint or bellows	
						2 Way Valve	LEA = Lens assembly	
						3 Way Valve	MFS = (Measurement) Flow Switch	
						Filter Wheel	MI = Current Transducer, Electrical	
							MFE = (Measurement) Flow Element	
							MFT = (Measurement) Flow Transmitter	
							MP = (Measurement) Pressure Transmitter	
							MPE = (Measurement) Pressure Element	
							MPH = Pressure Switch (High Value)	
							MPS = Pressure Switch (Intermediate Valve)	
							MPT = (Measurement) Pressure Transmitter	
							MT = (Measurement) Temperature transmitter	
							MTD = (Measurement) Differential Temperature	
							MTE = (Measurement) Temperature Element, Typically thermocouple or RTD	
							MZE = (Measurement) Position Element	
							MZH = (Measurement) Position open limit switch	
							MZL = (Measurement) Position closed limit switch	
							PL = Pump, liquid	
							PSU = Power supply	
							SCI = Quadrant Detection Signal Processor	
							SHU = Shutter	
							SVS = Service Vacuum System	
							TA = Tank, Vessel, or Gas Cylinder	
							TMF = Fixed transmission Line mirror	
							TMM = Movable transmission line mirror	
							VC = Valve, control	
							VG = Valve, general	
							VR = Discharging & Pressure Regulators	
							WA = Window assembly	
							WMM = Mirror Element	
							WS = Penetration	
							Interface limit:  System scope  Other scope (supply)	
					DESIGN AGENCY:	CREATED BY:	TECHNICAL REFERENCE:	APPROVER
					USDA	A.ARNOLD	M. SMITH	R. BATHIA
						DIAGRAM TITLE:	DATE:	
						WIDE ANGLE VIEWING SYSTEM (VIS-IR) (PID)	28/02/2025	
						UPPER PORT #14 (WAVS)		
						ITER_55GAD0_PID_001.vsd		
						PBS TITLE:		
						Vis/IR Up#D		
					DOCUMENT TYPE:	SAFETY CLASS:	QUALITY CLASS:	DATE OF ISSUE:
					PID	SIC-1	QC1	28/02/2025
					PBS NODE:	IO REFERENCE:	EXTERNAL REFERENCE:	DESIGN AGENCY DOCUMENT STATUS:
					55GAD0	PHUE63	80435c37	In work
								Version:
								2.1
								Sheet Size:
								A3
								Sheet N°:
								1/5

**PRELIMINARY
FOR INFORMATION
NOT FOR CONSTRUCTION**


EXPORT CONTROL WARNING
This document contains technical data whose export is Restricted by US law or regulation. Release of these documents is only authorized for use of the ITER Organization for distribution between and among duly ratified member nations and their technical representatives for the development of fusion energy for peaceful purposes, as defined under license D1420070 as EAR99.



US ITER PROJECT OFFICE
OAK RIDGE NATIONAL LABORATORY
MANAGED BY UT-BATTELLE FOR US DOE
WWW.USITER.ORG


CST-S67-UPR-14
zone covering inside Upr Port 14


11-12-C14
Port Cell C14



EXPORT CONTROL WARNING:
This document contains technical data whose export is restricted by US law or regulation. Release of these documents is only authorized for use of the ITER Organization for distribution between and among duly vetted member nations and their technical representatives for the development of fusion energy for peaceful purposes, as defined under license D1420070 to EAS99.

		SHEET TITLE	
		Port Plug and Closure Plate	
PROJECT TITLE		WIDE ANGLE VIEWING SYSTEM (VIS-IR) (PID)	
SUBJECT		UPPER PORT #14 (WAVS)	
ITER_55GAD0_PID_001.vsd			
PID CODE	55GAD0	DOCUMENT TYPE	PID
DATE OF ISSUE	28/02/2025	DESIGN AGENCY DOCUMENT	In work
REVISION	PHUE63	REVISION	2.1
DATE	80435c37	DATE	2/5





EXPORT CONTROL WARNING
This document contains technical data whose export is Restricted by US law or regulation. Release of these documents is only authorized for use of the ITER Organization for distribution between and among duly ratified member nations and their technical representatives for the development of fusion energy for peaceful purposes, as defined under license D1420070 as EAR99.

