Run statistics report

Run ID: 20261113T232800Z-08b8d1

Tool	rv-mailauth 0.2.0
Case	RV-SAMPLE-001
Examiner	Sample Examiner
Started (UTC)	2026-11-13T23:28:00.995Z
Finished (UTC)	2026-11-13T23:28:01.432Z
Duration	0.4 s
Interface	cli
Hash algorithms	sha256 + md5
Items	6
Bytes	9253
Errors	0
Throughput	20.7 KiB/s

Findings by severity

High	1
Medium	4
Low	3
Informational	4

Findings by type

Receiving server's checks recorded	2
Date header later than the first server	2
DKIM body hash does not match	1
No DKIM signature	1
DKIM signature does not verify	1
DKIM signature verifies	2
Message-ID from another domain	1
Received times go backwards	1
Time zone inconsistent	1

Items by detected type

Email message (RFC 5322)	2
Email message in an mbox (RFC 5322)	3
Mailbox (mbox)	1

Duplicate groups

None

Case folder

Case	RV-SAMPLE-001
With an evidence ID from intake	0
Newly registered by this run	0
Verified against the registry	3
Different from the registry	0
Not in the registry	0
Case folder	R:\case

Items

#1 E0015 01-clean-rsa.eml	No issues found · 1464 bytes · 2 findings
#2 E0016 12-mailbox.mbox	No issues found · 3238 bytes · 0 findings
#2 E0016 12-mailbox.mbox#1@0	No issues found · 1321 bytes · 1 findings
#2 E0016 12-mailbox.mbox#2@1372	Problem found · 1276 bytes · 1 findings
#2 E0016 12-mailbox.mbox#3@2699	Needs attention · 490 bytes · 5 findings
#3 E0017 20-date-after-first-hop.eml	Needs attention · 1464 bytes · 3 findings

Limitations

- DKIM results depend on the public keys supplied: a check is only meaningful with the key that was valid when the message was sent. Keys are rotated, so a current key can fail a genuine message and a missing key leaves the signature unchecked.
- A missing DKIM signature is common and proves nothing; a valid signature covers only the signed header fields and the body, not who wrote the message.
- Outlook .msg files do not keep the original message: the body is re-encoded (so DKIM cannot be checked) and the original header section is kept only when transport headers were stored.
- Lookalike-domain, Reply-To, display-name and payment-wording checks are heuristics with false positives and false negatives; the organisational domain comes from the bundled Public Suffix List, whose version is recorded in environment.json and may differ from the list in force when the message was sent.
- Received, Date and Authentication-Results headers are text that servers and clients wrote; unsigned headers can be added or edited by anyone who handled the file.
- In an mbox, body lines starting with "From " are escaped with '>'; un-escaping follows the selected variant (mboxrd by default) and cannot always restore the original line, which can affect DKIM body hashes.
- A result without findings does not prove that a file is authentic or unaltered before acquisition.
- Modification times come from the file system of the examined copy and may differ from the original source.
- Type detection uses a limited table of common file signatures; unknown types are reported as unknown, not as suspicious.
- A trusted timestamp proves the audit log existed in this exact form at the stated time; it does not prove that the examined copy matches the original source.

Trusted timestamp (RFC 3161)

Status	Not requested
Digital signature	This PDF is not digitally signed.

Audit trail

Audit chain head (SHA-256)	`c0d16fb9afa0a1584190071fc31fe07918122e88d62f9eed75e213b4753ff684`
Audit entries	50

Log folder	`R:\case\runs\rv-mailauth\20261113T232800Z-08b8d1\logs`